



2022 Formulary

(List of covered drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary ID 00022321, Version 5

We have made no changes to this formulary since 8/19/2021.

For more recent information or other questions, please contact Clever Care Health Plan Customer Service at **1-833-388-8168 (TTY: 711)**, 8 a.m. to 8 p.m., seven days a week, from October 1 through March 31, and 8 a.m. to 8 p.m., weekdays, from April 1 through September 30, or visit **clevercarehealthplan.com/formulary**.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list refers to "we," "us," or "our," it means Clever Care Health Plan. When it refers to "plan," "our plan," or "your plan," it means Clever Care Longevity Medicare Advantage (HMO), Clever Care Balance Medicare Advantage (HMO), Clever Care Fortune Medicare Advantage (HMO), or Clever Care Value Medicare Advantage (HMO).

This document includes a list of the drugs (formulary) for our plan which is current as of 8/19/2021. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2023, and from time to time during the year.

What is the Clever Care Medicare Advantage Formulary?

A formulary is a list of covered drugs selected by Clever Care in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Clever Care will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Clever Care network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year.

New generic drugs.

- We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Clever Care Formulary?"

Drugs removed from the market.

If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

Other changes.

- We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary; or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier we must notify

affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- o If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Clever Care Formulary?"

Changes that will not affect you if you are currently taking the drug.

Generally, if you are taking a drug on our 2022 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2022 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 8/19/2021. To get updated information about the drugs covered by Clever Care, please contact us. Our contact information appears on the front and back cover pages. In the event of a mid-year non-maintenance formulary change, we post all notices on our website and will send a notice to you 30-days prior to the change taking affect.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents". If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Clever Care covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

Prior Authorization: Clever Care requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Clever Care before you fill your prescriptions. If you don't get approval, Clever Care may not cover the drug.

Quantity Limits: For certain drugs, Clever Care limits the amount of the drug that Clever Care will cover. For example, our plan provides 12 tablets per 30-day prescription of rizatriptan (generic for MAXALT). This may be in addition to a standard one-month or three-month supply.

Step Therapy: In some cases, Clever Care requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Clever Care may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Clever Care will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Clever Care to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Clever Care plan formulary?" on page v for information about how to request an exception.

What are over-the-counter (OTC) drugs?

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan. Clever Care pays for certain OTC drugs. A list of OTC items can be found at clevercarehealthplan.com. Clever Care will provide these OTC drugs at no cost to you. The cost to us of these OTC drugs will not count toward your total Part D drug costs (that is, the cost of the OTC drugs does not count for the coverage gap).

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered. If you learn that Clever Care does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by Clever Care. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Clever Care.
- You can ask Clever Care to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Clever Care Formulary?

You can ask Clever Care to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Clever Care limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Clever Care will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception, you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary

exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30 -day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Note:

- **For current members of the plan who are moving from a long-term care (LTC) facility or a hospital stay to home and need a transition supply right away:** We will cover one 30-day supply, or less if your prescription is written for fewer days (in which case we will allow multiple fills to provide up to a total of a 30-day supply of medication).
- **For current members of the plan who are moving from home or a hospital stay to a long-term care (LTC) facility and need a transition supply right away:** We will cover one 31-day supply, or less if your prescription is written for fewer days (in which case we will allow multiple fills to provide up to a total of a 31-day supply of medication).

For more information

For more detailed information about your Clever Care prescription drug coverage, please review your *Evidence of Coverage* and other plan materials. If you have questions about Clever Care, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day / 7 days a week. TTY users should call 1-877-486-2048. Or visit <http://www.medicare.gov>.

Clever Care's Formulary

The formulary that begins on page 1 provides coverage information about the drugs covered by Clever Care. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., JARDIANCE) and generic drugs are listed in lower-case italics (e.g., *jasmie*).

The information in the Requirements/Limits column tells you if Clever Care has any special requirements for coverage of your drug.

Legend

REQUIREMENTS SYMBOL	NAME	DESCRIPTION
BvD	Medicare Part B vs. Medi	Some drugs may require Part B or Part D coverage determination, based on Medicare coverage rules.
CB	Capped Benefit	This prescription has a capped benefit limit.
EX	Excluded Drug	This prescription drug is not normally covered in a Medicare Prescription Drug Plan. The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage). In addition, if you are receiving extra help to pay for your prescriptions, you will not get any extra help to pay for this drug.
GC	Gap Coverage	We provide additional coverage of this prescription drug in the Coverage Gap. Please refer to our Evidence of Coverage for more information about this coverage.
LA	Limited Access	This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call Customer Service at 1-833-388-8168 (TTY: 711), 8 a.m. to 8 p.m., seven days a week, from October 1 through March 31, and 8 a.m. to 8 p.m., weekdays, from April 1 through September 30, or visit clevercarehealthplan.com .
NSO	New Start Only	If you have not taken this drug before you or your physician are required to get prior authorization.
PA	Prior Authorization	Coverage for this prescription requires prior authorization.
QL	Quantity Limit	This medication has a dosing or prescription quantity limit. Maximum daily dose limits are defined by the FDA.
SI	Select Insulin	This prescription is part of the Senior Savings Model Program.
ST	Step Therapy	Coverage for this prescription is provided when other first-line or preferred drug therapies have been tried.

Clever Care Longevity Medicare Advantage (HMO)

Los Angeles, Orange, and San Diego counties

Initial Coverage	Standard retail cost-sharing (In-network)		Standard Cost-sharing (Mail Order)	Retail cost-sharing (Out-of-network) *
	30-day supply	90-day supply	90-day supply	30-day supply
Tier 1: Preferred Generic Drugs	\$0 copay	\$0 copay	\$0 copay	\$0 copay
Tier 2: Generic Drugs	\$0 copay	\$0 copay	\$0 copay	\$0 copay
Tier 3: Preferred Brand Drugs	\$35 copay	\$105 copay	\$70 copay	\$35 copay
Tier 4: Non-Preferred Drugs	\$99 copay	\$297 copay	\$198 copay	\$99 copay
Tier 5: Specialty Tier Drugs	33% coinsurance	33% coinsurance	33% coinsurance	33% coinsurance
Tier 6: Select Care Drugs	\$0 copay	\$0 copay	\$0 copay	\$0 copay
*A long term, 90-day, supply of medication is not available at out-of-network pharmacies.				

Clever Care Longevity Medicare Advantage provides additional coverage for drugs while in the coverage gap. For Tier 1 preferred generic drugs, you pay a \$0 copayment and Tier 2 generic drugs you pay a \$0 copayment. For other generic, brand, and specialty drugs, you pay 25% of the price (plus a portion of the dispensing fee).

Clever Care is participating in the Part D Senior Savings Model offered by CMS. This program was designed to give members affordable access to insulin to manage their diabetes. Depending on the brand of insulin your out-of-pocket cost will be either \$0 or \$35 maximum for a 30-day supply in all coverage stages. Drugs associated with the Senior Savings Model will be marked with an "SI".

Clever Care Balance Medicare Advantage (HMO)

Los Angeles, Orange, and San Diego counties

Annual Deductible	You pay \$480 per year for Part D prescription drugs for Tiers 2-5.			
Initial Coverage	Standard retail cost-sharing (In-network)		Standard Cost-sharing (Mail Order)	Retail cost-sharing (Out-of-network)
	30-day supply	90-day supply	90-day supply	30-day supply
Tier 1: Preferred Generic Drugs	\$0 copay	\$0 copay	\$0 copay	\$0 copay
Tier 2: Generic Drugs	25% coinsurance	25% coinsurance	25% coinsurance	25% coinsurance
Tier 3: Preferred Brand Drugs	25% coinsurance	25% coinsurance	25% coinsurance	25% coinsurance
Tier 4: Non-Preferred Drugs	25% coinsurance	25% coinsurance	25% coinsurance	25% coinsurance
Tier 5: Specialty Tier Drugs	25% coinsurance	25% coinsurance	25% coinsurance	25% coinsurance
Tier 6: Select Care Drugs	\$0 copay	\$0 copay	\$0 copay	\$0 copay
*A long term, 90-day, supply of medication is not available at out-of-network pharmacies.				

Clever Care Balance Medicare Advantage provides additional coverage for drugs while in the coverage gap. For Tier 1 preferred generic drugs, you pay a \$0 copayment and Tier 2 generic drugs you pay a \$0 copayment. For other generic, brand, and specialty drugs, you pay 25% of the price (plus a portion of the dispensing fee).

Clever Care is participating in the Part D Senior Savings Model offered by CMS. This program was designed to give members affordable access to insulin to manage their diabetes. Depending on the brand of insulin your out-of-pocket cost will be either \$0 or \$35 maximum for a 30-day supply in all coverage stages. Drugs associated with the Senior Savings Model will be marked with an "SI".

Clever Care Fortune Medicare Advantage (HMO)

Los Angeles, Orange, and San Diego counties

Initial Coverage	Standard retail cost-sharing (In-network)		Standard Cost-sharing (Mail Order)	Retail cost-sharing (Out-of-network) *
	30-day supply	90-day supply	90-day supply	30-day supply
Tier 1: Preferred Generic Drugs	\$0 copay	\$0 copay	\$0 copay	\$0 copay
Tier 2: Generic Drugs	\$0 copay	\$0 copay	\$0 copay	\$0 copay
Tier 3: Preferred Brand Drugs	\$35 copay	\$105 copay	\$70 copay	\$35 copay
Tier 4: Non-Preferred Drugs	\$99 copay	\$297 copay	\$198 copay	\$99 copay
Tier 5: Specialty Tier Drugs	33% coinsurance	33% coinsurance	33% coinsurance	33% coinsurance
Tier 6: Select Care Drugs	\$0 copay	\$0 copay	\$0 copay	\$0 copay
* A long term, 90-day, supply of medication is not available at out-of-network pharmacies.				

Clever Care Fortune Medicare Advantage provides additional coverage for drugs while in the coverage gap. For Tier 1 preferred generic drugs, you pay a \$0 copayment and Tier 2 generic drugs you pay a \$0 copayment. For other generic, brand, and specialty drugs, you pay 25% of the price (plus a portion of the dispensing fee).

Clever Care is participating in the Part D Senior Savings Model offered by CMS. This program was designed to give members affordable access to insulin to manage their diabetes. Depending on the brand of insulin your out-of-pocket cost will be either \$0 or \$35 maximum for a 30-day supply in all coverage stages. Drugs associated with the Senior Savings Model will be marked with an "SI".

Clever Care Value Medicare Advantage (HMO)

Los Angeles, Orange, and San Diego counties

Initial Coverage	Standard retail cost-sharing (In-network)		Standard Cost-sharing (Mail Order)	Retail cost-sharing (Out-of-network) *
	30-day supply	90-day supply	90-day supply	30-day supply
Tier 1: Preferred Generic Drugs	\$0 copay	\$0 copay	\$0 copay	\$0 copay
Tier 2: Generic Drugs	\$10 copay	\$10 copay	\$10 copay	\$10 copay
Tier 3: Preferred Brand Drugs	\$47 copay	\$141 copay	\$94 copay	\$47 copay
Tier 4: Non-Preferred Drugs	\$99 copay	\$297 copay	\$198 copay	\$99 copay
Tier 5: Specialty Tier Drugs	33% coinsurance	33% coinsurance	33% coinsurance	33% coinsurance
Tier 6: Select Care Drugs	\$0 copay	\$0 copay	\$0 copay	\$0 copay
* A long term, 90-day, supply of medication is not available at out-of-network pharmacies.				

Clever Care Value Medicare Advantage provides additional coverage for drugs while in the coverage gap. For Tier 1 preferred generic drugs, you pay a \$0 copayment and Tier 2 generic drugs you pay a \$0 copayment. For other generic, brand, and specialty drugs, you pay 25% of the price (plus a portion of the dispensing fee).

Clever Care is participating in the Part D Senior Savings Model offered by CMS. This program was designed to give members affordable access to insulin to manage their diabetes. Depending on the brand of insulin your out-of-pocket cost will be either \$0 or \$35 maximum for a 30-day supply in all coverage stages. Drugs associated with the Senior Savings Model will be marked with an "SI".

Getting Extra Help

If you qualify for Extra Help paying for your prescription drugs, your copays and coinsurance may be lower. Members who qualify for Extra Help will receive the “Evidence of Coverage Rider for People Who Get Extra Help Paying for Prescription Drugs” (LIS Rider). Please read it to learn about your costs. You can also call Customer Service. Our contact information is on the cover.

Table of Contents

Analgesics	3
Anesthetics	8
Anti-Addiction/Substance Abuse Treatment Agents	9
Antianxiety Agents	10
Antibacterials	11
Anticancer Agents	19
Anticonvulsants	34
Antidementia Agents	39
Antidepressants	40
Antidiabetic Agents	43
Antifungals	46
Antigout Agents	48
Antihistamines	49
Anti-Infectives (Skin And Mucous Membrane)	49
Antimigraine Agents	50
Antimycobacterials	51
Antinausea Agents	51
Antiparasite Agents	53
Antiparkinsonian Agents	54
Antipsychotic Agents	55
Antivirals (Systemic)	60
Blood Products/Modifiers/Volume Expanders	66
Caloric Agents	70
Cardiovascular Agents	71
Central Nervous System Agents	83
Contraceptives	86
Dental And Oral Agents	93

Dermatological Agents	94
Devices	99
Enzyme Replacement/Modifiers	100
Eye, Ear, Nose, Throat Agents	101
Gastrointestinal Agents	105
Genitourinary Agents	109
Heavy Metal Antagonists	110
Hormonal Agents, Stimulant/Replacement/Modifying	111
Immunological Agents	116
Inflammatory Bowel Disease Agents	126
Metabolic Bone Disease Agents	126
Miscellaneous Therapeutic Agents	128
Ophthalmic Agents	130
Replacement Preparations	131
Respiratory Tract Agents	133
Skeletal Muscle Relaxants	137
Sleep Disorder Agents	138
Vasodilating Agents	138

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	NDS; QL (180 per 30 days)
<i>ascomp with codeine oral capsule</i> 30-50-325-40 mg	2	NDS; QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i> (Buprenex) 0.3 mg/ml	2	
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	2	
<i>buprenorphine transdermal patch</i> (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	2	NDS; QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule</i> 50-300-40-30 mg (Fioricet with Codeine)	2	NDS; QL (180 per 30 days)
<i>butalbital-acetaminop-caf-cod oral capsule</i> 50-325-40-30 mg	2	NDS; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet</i> (Tencon) 50-325 mg	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule</i> 50-325-40 mg (Zebutal)	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg (Esgic)	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet</i> 50-325-40 mg	2	QL (180 per 30 days)
<i>butorphanol nasal spray, non-aerosol</i> 10 mg/ml	2	NDS; QL (5 per 28 days)
<i>codeine sulfate oral tablet</i> 30 mg, 60 mg	2	NDS; QL (180 per 30 days)
<i>codeine-bitalbital-asa-caff oral capsule</i> 30-50-325-40 mg (Ascomp with Codeine)	2	NDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 10-325 mg	2	NDS; QL (180 per 30 days)
<i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg	2	NDS; QL (360 per 30 days)
<i>endocet oral tablet</i> 7.5-325 mg	2	NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	5	PA; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> (Actiq)	2	PA; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> (Vicodin HP)	2	NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>	2	NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>	2	NDS; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	NDS; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	NDS; QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NDS; QL (30 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	NDS; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	NDS; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	NDS; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	2	NDS; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	PA; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>morphine oral solution 10 mg/5 ml</i>	2	NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	NDS; QL (90 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	NDS; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	PA; NDS; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	2	NDS; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	NDS; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	NDS; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	NDS; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>oxymorphone oral tablet 10 mg</i>	2	NDS; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	NDS; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	NDS; QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	2	QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	2	NDS; QL (300 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	2	NDS; QL (180 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	NDS; QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	NDS; QL (120 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	NDS; QL (240 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	2	PA; QL (100 per 28 days)
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>diflunisal oral tablet 500 mg</i>	2	
DUEXIS ORAL TABLET 800-26.6 MG	5	PA; NDS; QL (90 per 30 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	2	
<i>flurbiprofen oral tablet 100 mg</i>	2	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg</i>	1	QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	1	QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	QL (60 per 30 days)
<i>ketoprofen oral capsule 50 mg, 75 mg</i>	2	
<i>ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg</i>	2	
<i>ketorolac injection cartridge 15 mg/ml</i>	2	QL (40 per 30 days)
<i>ketorolac injection cartridge 30 mg/ml</i>	2	QL (20 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	2	QL (40 per 30 days)
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	2	QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	2	QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	2	QL (20 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	2	QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)	2	
<i>naproxen-esomeprazole oral tablet, ir, delayed rel, biphasic 375-20 mg</i> (Vimovo)	5	PA; NDS; QL (60 per 30 days)
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NDS; QL (224 per 28 days)
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
<i>tolmetin oral capsule 400 mg</i>	2	
<i>tolmetin oral tablet 200 mg, 600 mg</i>	2	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	
<i>lidocaine hcl 1% 20 mg/2 ml vl latex-free, sdv, p/f 10 mg/ml (1 %)</i> (Xylocaine-MPF)	1	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch,medicated 5 %</i> (Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i> (Suboxone)	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i> (Suboxone)	2	QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	3	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
LUCEMYRA ORAL TABLET 0.18 MG	5	NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	
<i>naltrexone oral tablet 50 mg</i>	2	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NDS; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NDS; QL (1.5 per 30 days)
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	2	NDS; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	2	NDS; QL (90 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	NDS; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	NDS; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	NDS; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	NDS; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	NDS; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	NDS; QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	2	NDS; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	NDS; QL (1200 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	NDS; QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	2	NDS; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	NDS; QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	NDS; QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	NDS; QL (30 per 30 days)
<i>lorazepam 2 mg/ml oral concent 2 mg/ml</i> (Lorazepam Intensol)	2	NDS; QL (150 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i>	2	NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	NDS; QL (150 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	2	NDS; QL (10 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	NDS; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	NDS; QL (30 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	NDS; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	NDS; QL (60 per 30 days)
Antibacterials		
Aminoglycosides		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	
Antibacterials, Miscellaneous		
<i>bacitracin intramuscular recon soln 50,000 unit</i>	2	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	PA BvD; NDS
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	5	NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	2	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg</i>	1	
<i>metronidazole oral tablet 500 mg</i> (Flagyl)	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NDS
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i> (Suprax)	2	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Suprax)	2	
<i>cefotaxime injection recon soln 1 gram</i>	2	
<i>cefoxitin 1 gm piggyback bag 1 gram/50 ml</i>	2	
<i>cefoxitin intravenous recon soln 1 gram</i>	2	
<i>cefoxitin intravenous recon soln 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram</i> (Fortaz)	2	
<i>ceftazidime injection recon soln 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral capsule 750 mg</i> (Keflex)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>azithromycin oral tablet 600 mg</i>	2	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	ST; NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG	5	ST; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram</i>	2	
<i>meropenem intravenous recon soln 500 mg</i>	2	
<i>meropenem-0.9% nacl 500 mg/500 mg/50 ml</i>	2	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	2	
<i>nafcillin 2 gm/ 100 ml inj 2 gram/100 ml</i>	2	
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	
<i>nafcillin injection recon soln 10 gram</i>	5	NDS
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	
Quinolones		
BAXDELA ORAL TABLET 450 MG	5	PA; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl 750 mg tab f/c 750 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 100 mg</i>	2	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin oral tablet 400 mg</i>	2	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	
<i>doxy-100 intravenous recon soln 100 mg</i>	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg, 50 mg</i> (Doryx)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral tablet 150 mg</i>	2	
<i>doxycycline monohydrate oral tablet 50 mg, 75 mg</i>	2	QL (60 per 30 days)
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>mondoxyne nl oral capsule 100 mg, 75 mg</i>	2	QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NDS
Anticancer Agents		
Anticancer Agents		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA BvD; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	2	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NDS; QL (56 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i> (Trisenox)	5	NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	PA NSO; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
BESPONSА INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
BLNREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	5	NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NDS
<i>docetaxel intravenous solution 20 mg/2 ml (10 mg/ml), 80 mg/4 ml (20 mg/ml)</i>	5	NDS
<i>docetaxel intravenous solution 80 mg/8 ml (10 mg/ml)</i>	2	
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NDS; QL (28 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NDS
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>	2	PA BvD
<i>gemcitabine intravenous recon soln 2 gram</i>	5	PA BvD; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>gemcitabine intravenous solution 1</i> <i>gram/26.3 ml (38 mg/ml), 200</i> <i>mg/5.26 ml (38 mg/ml)</i>	5	PA BvD; NDS
<i>gemcitabine intravenous solution 2</i> <i>gram/52.6 ml (38 mg/ml)</i>	2	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	PA NSO; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1</i> (Ifex) <i>gram</i>	2	
<i>ifosfamide intravenous solution 1</i> <i>gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NDS; QL (8 per 28 days)
INFUGEM INTRAVENOUS PIGGYBACK 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML)	5	PA BvD; NDS
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>irinotecan intravenous solution 100</i> (Camptosar) <i>mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i>	2	
<i>irinotecan intravenous solution 500</i> <i>mg/25 ml</i>	2	
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	5	NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln (Alkeran (as HCl)) 50 mg</i>	5	NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (14 per 21 days)
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	5	PA NSO; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	5	PA NSO; NDS
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	5	PA NSO; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	5	PA NSO; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; LA; NDS; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
TABLOID ORAL TABLET 40 MG	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
<i>temsirolimus intravenous recon soln</i> (Torisel) <i>30 mg/3 ml (10 mg/ml) (first)</i>	5	PA BvD; NDS; QL (4 per 28 days)
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg,</i> (Tepadina) <i>15 mg</i>	5	NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	5	NDS
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	5	NDS
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	4	QL (1 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
UKONIQ ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NDS
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	5	NDS
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	PA NSO; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	5	PA NSO; NDS
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NDS
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NDS; QL (120 per 30 days)
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
APTIOM ORAL TABLET 600 MG, 800 MG	5	NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Eptol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	PA NSO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	PA NSO; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
DILANTIN ORAL CAPSULE 30 MG	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i>	2	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS
<i>fosphephenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green))	2	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	4	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	5	NDS
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	NDS
<i>rufinamide oral tablet 200 mg, 400 mg</i> (Banzel)	5	NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i>	5	PA NSO; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7- 10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	2	QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	
<i>bupropion hcl oral tablet sustained- release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i>	2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	2	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	2	
PAXIL ORAL SUSPENSION 10 MG/5 ML	4	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	4	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>trazodone oral tablet 300 mg</i>	2	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	2	QL (90 per 30 days)
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NDS
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NDS; QL (112 per 28 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	QL (60 per 30 days)
<i>migliitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>repaglinide oral tablet 2 mg</i>	2	QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	2	QL (150 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)
VICTOZA 3-PAK SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	SI; QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	SI; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	SI; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	2	SI; QL (40 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	SI; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	SI; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	SI; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	SI; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	SI; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	2	
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	2	
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	
Antifungals		
Antifungals		

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NDS
<i>amphotericin b injection recon soln</i> 50 mg	2	PA BvD
<i>casprofungin intravenous recon soln</i> (Cancidas) 50 mg	5	NDS
<i>casprofungin intravenous recon soln</i> (Cancidas) 70 mg	2	
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	2	QL (300 per 30 days)
<i>ciclopirox topical shampoo 1 %</i> (Loprox)	2	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	2	QL (180 per 30 days)
<i>clotrimazole mucous membrane</i> <i>troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole topical solution 1 %</i>	2	
<i>clotrimazole-betamethasone topical</i> <i>cream 1-0.05 %</i>	2	QL (90 per 30 days)
<i>clotrimazole-betamethasone topical</i> <i>lotion 1-0.05 %</i>	2	QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm)</i> <i>intravenous piggyback 100 mg/50 ml,</i> <i>200 mg/100 ml, 400 mg/200 ml</i>	2	PA BvD
<i>fluconazole oral suspension for</i> (Diflucan) <i>reconstitution 10 mg/ml, 40 mg/ml</i>	2	
<i>fluconazole oral tablet 100 mg, 150</i> (Diflucan) <i>mg, 200 mg, 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500</i> (Ancobon) <i>mg</i>	5	NDS
<i>griseofulvin microsize oral</i> <i>suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500</i> <i>mg</i>	2	
<i>griseofulvin ultramicrosize oral</i> <i>tablet 125 mg, 250 mg</i>	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>itraconazole oral solution 10 mg/ml</i> (Sporanox)	2	PA

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	5	NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	5	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	
<i>nystop topical powder 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	PA; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	4	PA; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	2	QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
Antihistamines		
Antihistamines		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	
<i>clemastine oral tablet 2.68 mg</i>	2	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	
<i>cyproheptadine oral tablet 4 mg</i>	2	
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	2	
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	2	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>terconazole vaginal suppository 80 mg</i>	2	
Antimigraine Agents		
Antimigraine Agents		
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	2	QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i> (Amerge)	2	QL (9 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	2	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i> (Imitrex)	2	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml</i> (Imitrex STATdose Refill)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	QL (6 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i> (Zomig ZMT)	2	QL (6 per 30 days)
Antimycobacterials		
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg</i>	2	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>aprepitant oral capsule,dose pack</i> (Emend) 125 mg (1)- 80 mg (2)	2	PA BvD; QL (6 per 28 days)
<i>compro rectal suppository 25 mg</i>	2	
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln</i> (Emend (fosaprepitant)) 150 mg	2	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	2	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD
<i>ondansetron hcl oral tablet 24 mg, 8 mg</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg</i> (Zofran)	2	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)	2	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	QL (10 per 30 days)
SYNDROS ORAL SOLUTION 5 MG/ML	5	PA; NDS; QL (120 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i> (Albenza)	5	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>chloroquine phosphate oral tablet 250 mg</i>	2	QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	2	QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	2	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
PRIMAQUINE ORAL TABLET 26.3 MG	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
<i>amantadine hcl oral tablet 100 mg</i>	2	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	PA; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i> (Cogentin)	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	2	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg</i> (Sinemet)	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	4	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	4	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	4	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
XADAGO ORAL TABLET 100 MG	4	PA; QL (30 per 30 days)
XADAGO ORAL TABLET 50 MG	5	PA; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>aripiprazole oral solution 1 mg/ml</i>	2	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	QL (60 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	2	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	5	ST; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	2	ST; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet 100 mg</i> (Clozaril)	2	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i> (Clozaril)	2	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg</i> (Clozaril)	2	QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 150 mg</i>	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating 200 mg</i>	5	ST; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	2	
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG	5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Seroquel)	2	QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i> (Seroquel)	2	QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i> (Seroquel XR)	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i> (Seroquel XR)	2	QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	2	QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	2	QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NDS
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NDS
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 50-200-25 MG	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NDS
CIMDUO ORAL TABLET 300-300 MG	5	NDS
COMPLERA ORAL TABLET 200- 25-300 MG	5	NDS
CRIXIVAN ORAL CAPSULE 200 MG	4	
DELSTRIGO ORAL TABLET 100- 300-300 MG	5	NDS
DESCOVY ORAL TABLET 200-25 MG	5	NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT ORAL TABLET 25 MG	5	NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Sustiva)	2	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167- 250 mg, 200-300 mg</i> (Truvada)	5	NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	2	
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NDS
KALETRA ORAL TABLET 100-25 MG	4	QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	5	NDS; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	5	NDS; QL (120 per 30 days)
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	
<i>nevirapine oral tablet 200 mg</i>	2	
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	2	
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NDS
SELZENTRY ORAL TABLET 25 MG	3	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	4	QL (2 per 180 days)
Hcv Antivirals		
EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	5	PA; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	2	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>cidofovir intravenous solution 75 mg/ml</i>	5	NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	5	PA BvD; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NDS
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NDS
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
VEKLURY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NDS
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	5	NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	QL (15 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NDS; QL (18 per 30 days)
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
Hematologic Agents, Miscellaneous		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) 1,000 mg/10 ml (100 mg/ml)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	QL (30 per 30 days)
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	4	
<i>dextrose 5 % in water (d5w)</i> <i>intravenous piggyback 5 %</i>	2	
<i>dextrose 5%-water iv soln single use</i>	1	
<i>dextrose 5%-water iv soln single use</i>	2	
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	5	PA; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	2	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	2	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	
<i>olmesartan-amlodipin-hcthiazyd oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	2	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	2	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	2	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
EPANED ORAL SOLUTION 1 MG/ML	4	ST; QL (1200 per 30 days)
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril oral tablet 20 mg</i> (Prinivil)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	
QBRELIS ORAL SOLUTION 1 MG/ML	5	ST; NDS; QL (1200 per 30 days)
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	
Antiarrhythmic Agents		
<i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone)	2	
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %)</i> (Xylocaine-MPF)	1	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 400 mg</i>	2	
<i>pacerone oral tablet 200 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR)	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg</i>	1	
<i>quinidine sulfate oral tablet 300 mg</i>	2	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	2	
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol succinate oral tablet</i> (Toprol XL) <i>extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	2	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT)	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> (Verelan)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	2	
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	4	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	5	PA; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> (Ranexa)	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa)	2	QL (120 per 30 days)
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	4	QL (4 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NDS; QL (120 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	2	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	2	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>amlodipine-valsartan-hcthiazyd oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	
KATERZIA ORAL SUSPENSION 1 MG/ML	4	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Adalat CC)	2	
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> (Aldactazide)	2	
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	2	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	2	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	2	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	2	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i>	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i> (Colestid)	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix)	2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	2	
<i>niacor oral tablet 500 mg</i>	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	1	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	2	QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
CAROSPIR ORAL SUSPENSION 25 MG/5 ML	4	ST; QL (600 per 30 days)
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Minitran)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	2	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i> (Kapvay)	2	QL (120 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	QL (60 per 30 days)
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> (Dexedrine Spansule)	2	QL (120 per 30 days)
<i>dextroamphetamine oral tablet 10 mg</i> (Zenzedi)	2	QL (180 per 30 days)
<i>dextroamphetamine oral tablet 5 mg</i> (Zenzedi)	2	QL (90 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>dextroamphetamine-amphetamine</i> (Adderall XR) oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall) oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg	2	QL (60 per 30 days)
<i>dimethyl fumarate oral</i> (Tecfidera) capsule, delayed release(dr/ec) 120 mg	5	PA; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral</i> (Tecfidera) capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)	5	PA; NDS
<i>dimethyl fumarate oral</i> (Tecfidera) capsule, delayed release(dr/ec) 240 mg	5	PA; NDS; QL (60 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	5	PA; NDS
<i>flumazenil intravenous solution</i> 0.1 mg/ml	2	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe</i> 20 (Copaxone) mg/ml	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe</i> 40 (Copaxone) mg/ml	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe</i> 20 mg/ml	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe</i> 40 mg/ml	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended</i> (Intuniv ER) release 24 hr 1 mg, 2 mg, 3 mg, 4 mg	2	QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule</i> 150 mg, 300 mg, 600 mg	1	
<i>lithium carbonate oral tablet</i> 300 mg	2	
<i>lithium carbonate oral tablet</i> (Lithobid) extended release 300 mg	2	
<i>lithium carbonate oral tablet</i> extended release 450 mg	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER PACK ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
<i>metadate er oral tablet extended release 20 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er</i> (Ritalin LA) <i>biphasic 50-50 10 mg, 20 mg, 40 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er</i> (Ritalin LA) <i>biphasic 50-50 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10</i> (Methylin) <i>mg/5 ml, 5 mg/5 ml</i>	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10</i> (Ritalin) <i>mg, 20 mg, 5 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet</i> (Metadate ER) <i>extended release 20 mg</i>	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	2	QL (60 per 30 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NDS; QL (2800 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg</i>	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>balziva (28) oral tablet 0.4-35 mg- mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg- 20 mcg (21)/75 mg (7)</i>	1	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i>	1	
<i>caziant (28) oral tablet 0.1/.125/.15- 25 mg-mcg</i>	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	1	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5 (Azurette (28))</i>	2	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg (Apri)</i>	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg (Jasmiel (28))</i>	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg (Syeda)</i>	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	
ELLA ORAL TABLET 30 MG	4	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	
<i>errin oral tablet 0.35 mg</i>	1	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg (Kelnor 1/35 (28))</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg (Kelnor 1-50 (28))</i>	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr (EluRyng)</i>	4	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	2	
<i>heather oral tablet 0.35 mg</i>	1	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	1	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	2	
<i>jencycla oral tablet 0.35 mg</i>	1	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kalliga oral tablet 0.15-0.03 mg</i>	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	2	
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (LoJaimiess)	2	QL (91 per 84 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	2	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	2	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Altavera (28))	2	
<i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Iclevia)	2	QL (91 per 84 days)
<i>levonorg-eth estradiol triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	2	
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	2	
<i>lutra (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>lyleq oral tablet 0.35 mg</i>	1	
<i>lyza oral tablet 0.35 mg</i>	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>mili oral tablet 0.25-35 mg-mcg</i>	1	
<i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	2	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	2	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (Gemmyly)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri-Estarylla)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Femynor)	2	
<i>norlyda oral tablet 0.35 mg</i>	1	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>portia</i> 28 oral tablet 0.15-0.03 mg	2	
<i>previfem</i> oral tablet 0.25-35 mg-mcg	1	
<i>reclipsen</i> (28) oral tablet 0.15-0.03 mg	2	
<i>setlakin</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	2	QL (91 per 84 days)
<i>sharobel</i> oral tablet 0.35 mg	1	
<i>simliya</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
<i>simpesse</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	QL (91 per 84 days)
SLYND ORAL TABLET 4 MG (28)	4	
<i>sprintec</i> (28) oral tablet 0.25-35 mg-mcg	2	
<i>sronyx</i> oral tablet 0.1-20 mg-mcg	2	
<i>syeda</i> oral tablet 3-0.03 mg	2	
<i>tarina</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	
<i>tarina fe</i> 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	
<i>tri femynor</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tri-estarylla</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	1	
<i>tri-legest fe</i> oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)	2	
<i>tri-linyah</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tri-lo-estarylla</i> oral tablet 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-lo-marzia</i> oral tablet 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-lo-mili</i> oral tablet 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-lo-sprintec</i> oral tablet 0.18/0.215/0.25 mg-25 mcg	2	
<i>tri-mili</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tri-nymyo</i> oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	
<i>tri-previfem</i> (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tulana oral tablet 0.35 mg</i>	1	
<i>tyblume oral tablet, chewable 0.1 mg-20 mcg</i>	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>vestura (28) oral tablet 3-0.02 mg</i>	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	2	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	2	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>zovia 1-35e tablet outer 1-35 mg-mcg</i>	2	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg (Evovac)</i>	2	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 % (Paroex Oral Rinse)</i>	1	
<i>denta 5000 plus dental cream 1.1 %</i>	1	
<i>dentagel dental gel 1.1 %</i>	1	
<i>oralone dental paste 0.1 %</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	
<i>perio gard mucous membrane mouthwash 0.12 %</i>	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	
<i>sf 5000 plus dental cream 1.1 %</i>	1	
<i>sodium fluoride dental solution 0.2 %</i> (PreviDent)	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Fluoridex Sensitivity Relief)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralene)	2	
Dermatological Agents		
Dermatological Agents, Other		
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
<i>acitretin oral capsule 10 mg, 25 mg</i> (Soriatane)	2	
<i>acitretin oral capsule 17.5 mg</i>	2	
<i>acyclovir topical cream 5 %</i> (Zovirax)	2	QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i>	2	
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	2	
BD SINGLE USE SWAB		
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	2	QL (120 per 30 days)
DENAVIR TOPICAL CREAM 1 %		
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	2	QL (24 per 30 days)
ISOPROPYL ALCOHOL 0.7 ML/ML MEDICATED PAD TOPICAL PADS, MEDICATED		
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
PANRETIN TOPICAL GEL 0.1 %	5	NDS; QL (180 per 30 days)
<i>podofilox topical solution 0.5 %</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	NDS
VEREGEN TOPICAL OINTMENT 15 %	5	NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam 1 %</i> (Evoclin)	2	QL (100 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i> (Neuac)	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> (Benzaclin)	2	
<i>ery pads topical swab 2 %</i>	2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	QL (180 per 30 days)
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	2	
<i>gentamicin topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
<i>rosadan topical cream 0.75 %</i>	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	1	
<i>ala-scalp topical lotion 2 %</i>	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	2	
<i>clobetasol topical foam 0.05 %</i> (Olux)	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	2	
<i>desonide topical cream 0.05 %</i> (DesOwen)	2	
<i>desonide topical lotion 0.05 %</i> (DesOwen)	2	
<i>desonide topical ointment 0.05 %</i>	2	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
<i>diflorasone topical ointment 0.05 %</i>	2	QL (180 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-e topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical cream 0.05 %</i> (Cutivate)	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream 2.5 %</i>	1	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i> (Locoid)	2	QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	
<i>procto-pak topical cream with perineal applicator 1 %</i>	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	
<i>triamcinolone acetonide topical ointment 0.1 %, 0.5 %</i>	2	
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
<i>adapalene topical gel 0.1 %</i> (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	
GAUZE PADS & DRESSINGS - PADS 2 X 2 TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ulitet Insulin Syringe)	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes)	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe)	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	2	
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "	1	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 29 GAUGE X 1/2"	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS
REVCIVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Kuvan)	5	NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000 - 84,000 UNIT, 25,000-79,000 - 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000 - 168,000 UNIT, 5,000-17,000 - 24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>alcaïne ophthalmic (eye) drops 0.5 %</i>	2	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	4	
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	2	QL (30 per 25 days)
<i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i>	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	2	ST

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	
CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %	5	PA; NDS; QL (20 per 28 days)
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	PA; NDS; QL (60 per 28 days)
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	QL (15 per 10 days)
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	2	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rilf)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief)	2	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	2	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NDS
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex)	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	2	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>polycin ophthalmic (eye) ointment</i> 500-10,000 unit/gram	2	
<i>polymyxin b sulf-trimethoprim</i> (Polytrim) <i>ophthalmic (eye) drops 10,000 unit- 1</i> <i>mg/ml</i>	1	
<i>sulfacetamide sodium ophthalmic</i> (Bleph-10) <i>(eye) drops 10 %</i>	2	
<i>sulfacetamide sodium ophthalmic</i> <i>(eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone</i> <i>ophthalmic (eye) drops 10 %-0.23 %</i> <i>(0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops</i> (Tobrex) <i>0.3 %</i>	2	
<i>tobramycin-dexamethasone</i> (TobraDex) <i>ophthalmic (eye) drops,suspension</i> <i>0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops 1</i> <i>%</i>	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
<i>bromfenac ophthalmic (eye) drops</i> <i>0.09 %</i>	2	
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate</i> <i>ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye)</i> <i>drops 0.1 %</i>	2	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol</i> <i>25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear)</i> (DermOtic Oil) <i>drops 0.01 %</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	2	
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax)	2	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Nasonex)	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i> (Nexium)	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i> (Nexium)	2	QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	
<i>famotidine intravenous solution 10 mg/ml</i>	2	
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Prevacid 24Hr)	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>nizatidine oral solution 150 mg/10 ml</i>	2	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	2	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
Gastrointestinal Agents, Other		
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	5	NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	
<i>enulose oral solution 10 gram/15 ml</i>	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NDS
<i>generlac oral solution 10 gram/15 ml</i>	2	
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
<i>propantheline oral tablet 15 mg</i>	2	
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	2	
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram</i>	2	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	
Phosphate Binders		

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
<i>lanthanum oral tablet,chewable</i> (Fosrenol) 1,000 mg, 500 mg, 750 mg	5	NDS
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	5	NDS
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg</i>	2	
<i>sevelamer hcl oral tablet 800 mg</i> (Renagel)	2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>flavoxate oral tablet 100 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>trospium oral capsule,extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	2	
Genitourinary Agents, Miscellaneous		

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
THIOLA EC ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NDS
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NDS
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>clovique oral capsule 250 mg</i>	5	PA; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	5	PA; NDS
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	2	PA
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	2	PA
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	5	PA; NDS
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	5	PA; NDS
<i>deferoxamine injection recon soln 2 gram</i>	2	PA
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	2	PA
FERRIPROX 1,000 MG TAB(2X/DAY) 1,000 MG	5	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NDS
FERRIPROX ORAL TABLET 1,000 MG	5	PA; NDS
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	5	PA; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NDS
<i>trientine oral capsule 250 mg</i> (Clovique)	5	PA; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol transdermal patch</i> (Dotti) <i>semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly</i> (Climara) <i>0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	2	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvaferm vaginal tablet 10 mcg</i>	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>a-hydrocort injection recon soln 100 mg</i>	2	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	2	
<i>dexamethasone 0.5 mg/5 ml liq 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	2	
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	2	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
HEMADY ORAL TABLET 20 MG	4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	2	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i> (Solu-Medrol)	2	
<i>prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NDS
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NDS
MYCAPSSA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 20 MG	5	PA; NDS; QL (120 per 30 days)
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
<i>octreotide acetate injection syringe</i> <i>100 mcg/ml (1 ml), 50 mcg/ml (1 ml),</i> <i>500 mcg/ml (1 ml)</i>	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NDS; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NDS; QL (0.2 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NDS; QL (1 per 168 days)
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NDS
Progestins		
<i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i> (Makena)	5	NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	2	
<i>progesterone intramuscular oil 50 mg/ml</i>	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
Immunological Agents		

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) <i>250 mg/5 ml</i>	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) <i>100 mg, 25 mg</i>	2	PA BvD
<i>cyclosporine modified oral capsule</i> <i>50 mg</i>	2	PA BvD

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>cyclosporine modified oral solution</i> (Gengraf) <i>100 mg/ml</i>	2	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg</i> (Zortress)	2	PA BvD
<i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg</i> (Zortress)	5	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	2	PA BvD

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule</i> (CellCept) <i>250 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral</i> (CellCept) <i>suspension for reconstitution 200</i> <i>mg/ml</i>	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet</i> (CellCept) <i>500 mg</i>	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG	5	PA; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (4)-30 MG (47), 10 MG (4)- 20 MG (4)-30 MG(19)	5	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NDS
TALTZ SYRINGE (2 PACK) SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
TALTZ SYRINGE (3 PACK) SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
ZORTRESS ORAL TABLET 1 MG	5	PA BvD; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3-3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	QL (1 per 365 days)
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	2	
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i> (Entocort EC)	2	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	2	
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i> (Asacol HD)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	4	
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i> (Miacalcin)	5	NDS
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	QL (3.7 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	5	NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NDS; QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2)	5	PA; NDS; QL (2.34 per 30 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NDS
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	5	NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG	4	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxyzine pamoate oral capsule</i> 100 mg	2	
<i>hydroxyzine pamoate oral capsule</i> 25 (Vistaril) mg, 50 mg	1	
KEVEYIS ORAL TABLET 50 MG	5	PA; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln</i> 100 mg, 200 mg, 350 mg, 50 mg, 500 mg	2	
<i>leucovorin calcium injection solution</i> 10 mg/ml	2	
<i>leucovorin calcium oral tablet</i> 10 mg, 15 mg, 25 mg, 5 mg	2	
<i>levocarnitine (with sugar) oral solution</i> 100 mg/ml (Carnitor)	2	
<i>levocarnitine oral tablet</i> 330 mg (Carnitor)	4	
<i>levoleucovorin calcium intravenous recon soln</i> 50 mg (Fusilev)	5	NDS
<i>mesna intravenous solution</i> 100 mg/ml (Mesnex)	2	
MESNEX ORAL TABLET 400 MG	5	NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NDS
<i>pyridostigmine bromide oral syrup</i> 60 mg/5 ml (Mestinon)	2	
<i>pyridostigmine bromide oral tablet</i> 30 mg	2	
<i>pyridostigmine bromide oral tablet</i> 60 mg (Mestinon)	2	
<i>pyridostigmine bromide oral tablet extended release</i> 180 mg (Mestinon Timespan)	2	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NDS
TYBOST ORAL TABLET 150 MG	4	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NDS; QL (24 per 14 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NDS; QL (120 per 30 days)
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.15 %</i> (Alphagan P)	4	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	2	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> (Isopto Carpine)	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye)</i> (Timoptic) <i>drops 0.25 %, 0.5 %</i>	1	
<i>timolol maleate ophthalmic (eye) gel</i> (Timoptic-XE) <i>forming solution 0.25 %, 0.5 %</i>	4	
<i>travoprost ophthalmic (eye) drops</i> (Travatan Z) <i>0.004 %</i>	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
XELPROS OPHTHALMIC (EYE) DROPS, EMULSION 0.005 %	4	ST; QL (2.5 per 25 days)
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	4	QL (30 per 30 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe</i> <i>100 mg/ml (10 %)</i>	2	
<i>d5 % and 0.9 % sodium chloride</i> <i>intravenous parenteral solution</i>	4	
<i>d5 %-0.45 % sodium chloride</i> <i>intravenous parenteral solution</i>	4	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er</i> <i>particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet,er</i> <i>particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er</i> <i>particles/crystals 20 meq</i>	2	
<i>magnesium sulfate in d5w</i> <i>intravenous piggyback 1 gram/100</i> <i>ml</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i> (K-Tab)	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
<i>sodium chloride 0.9 % intravenous piggyback</i>	2	
<i>sodium chloride 0.9% solution viaflex, single use</i>	4	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	2	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort)	2	PA BvD; QL (120 per 30 days)
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort)	2	PA BvD; QL (60 per 30 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (30.6 per 30 days)
Antileukotrienes		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	
Bronchodilators		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (ProAir HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	4	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	2	PA BvD; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml</i>	2	
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	4	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)</i>	2	
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+-)/20 ML	5	PA BvD; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NDS

Skeletal Muscle Relaxants

Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 250 mg</i>	5	NDS; QL (120 per 30 days)
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NDS; QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	2	QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	2	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan)	5	PA; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (90 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	6	EX; CB (6 EA per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	2	PA; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i> (Cialis)	2	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the page number

Drug Name	Drug Tier	Requirements/Limits
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution</i> (Remodulin) 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml	5	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS

You can find information on what the symbols and abbreviations on this table mean by going to the page number

INDEX

A		
abacavir		60
abacavir-lamivudine		60
abacavir-lamivudine-zidovudine		60
ABELCET		47
ABRAXANE.....		19
acamprosate		9
acarbose		43
accutane		94
acebutolol		75
acetaminophen-codeine		3
acetazolamide		130
acetazolamide sodium		130
acetic acid.....		102
acetylcysteine		136
acitretin.....		94
ACTEMRA		117
ACTEMRA ACTPEN.....		117
ACTHAR		114
ACTHIB (PF).....		122
ACTIMMUNE		128
acyclovir.....		65, 94
acyclovir sodium		65
ADACEL(TDAP ADOLESN/ADULT)(PF).....		122
ADAKVEO		69
adapalene		98
ADCETRIS		19
adefovir.....		65
ADEMPAS.....		138
adriamycin.....		19
adrucil.....		19
ADVAIR DISKUS.....		133
ADVAIR HFA		133
AFINITOR		19
AFINITOR DISPERZ.....		19
afirmelle.....		86
a-hydrocort.....		113
AKYNZEO (FOSNETUPITANT)		51
AKYNZEO (NETUPITANT).....		51
ala-cort		96
ala-scalp.....		96
albendazole		53
albuterol sulfate		134
alcaine.....		101
alclometasone		96
ALDURAZYME		100
ALECENSA		19
alendronate.....		126
alfuzosin.....		110
ALIMTA.....		20
ALIQOPA.....		20
aliskiren		82
allopurinol.....		48
alosetron.....		126
ALPHAGAN P		130
alprazolam		10
ALREX.....		104
altavera (28).....		86
ALTRENO.....		98
ALUNBRIG.....		20
alyacen 1/35 (28).....		86
alyacen 7/7/7 (28).....		87
alyq		138
amabelz.....		111
amantadine hcl.....		54
AMBISOME.....		47
ambrisentan.....		138
amethia.....		87
amiloride.....		79
amiloride-hydrochlorothiazide		79
AMINOSYN II 15 %		70
AMINOSYN-PF 7 % (SULFITE-FREE).....		70
amiodarone.....		74
amitriptyline.....		40
amitriptyline-chlordiazepoxide		40
amlodipine.....		78
amlodipine-atorvastatin.....		80
amlodipine-benazepril.....		78
amlodipine-olmesartan.....		78
amlodipine-valsartan.....		78
amlodipine-valsartan-hcthiazid		79
ammonium lactate.....		94
amoxapine		40
amoxicil-clarithromy-lansopraz		105
amoxicillin		16
amoxicillin-pot clavulanate....		16
amphotericin b		47
ampicillin		16
ampicillin sodium.....		17
ampicillin-sulbactam.....		17
ANADROL-50.....		111
anagrelide.....		69
anastrozole		20
ANORO ELLIPTA		135
APOKYN.....		54
apraclonidine.....		101
aprepitant.....		51, 52
apri		87
APTIOM		34, 35
APTIVUS.....		60
APTIVUS (WITH VITAMIN E).....		60
aranelle (28)		87

ARCALYST.....	117	AZOPT	130	BIKTARVY	60
aripiprazole.....	56	aztreonam.....	15	bimatoprost	130
ARISTADA.....	56	azurette (28).....	87	bisoprolol fumarate	75
ARISTADA INITIO	56	B		bisoprolol-hydrochlorothiazide	
armodafinil	138	bacitracin	12, 102	75
ARNUITY ELLIPTA.....	133	bacitracin-polymyxin b.....	102	BLENREP.....	21
arsenic trioxide	20	baclofen	137	bleomycin.....	21
ascomp with codeine	3	balsalazide	126	bleph-10	102
asenapine maleate.....	56	BALVERSA	20	BLINCYTO	21
ashlyna.....	87	balziva (28).....	87	blisovi 24 fe.....	87
ASPARLAS	20	BAVENCIO.....	20	blisovi fe 1.5/30 (28).....	87
aspirin-dipyridamole	69	BAXDELA	17	blisovi fe 1/20 (28).....	87
ASSURE ID INSULIN		BCG VACCINE, LIVE (PF).....	122	BOOSTRIX TDAP.....	122
SAFETY.....	99	BD ULTRA-FINE NANO PEN		BORTEZOMIB.....	21
atazanavir	60	NEEDLE.....	99	BOSULIF.....	21
atenolol.....	75	BD VEO INSULIN SYR		BRAFTOVI.....	21
atenolol-chlorthalidone.....	75	(HALF UNIT).....	99	BREO ELLIPTA.....	133
atomoxetine	83	BD VEO INSULIN SYRINGE		BREZTRI AEROSPHERE ..	135
atorvastatin	80	UF	99	brillyn	87
atovaquone	53	bekyree (28).....	87	BRILINTA.....	69
atovaquone-proguanil.....	53	BELEODAQ.....	20	brimonidine	130
atropine.....	101	BELSOMRA	138	BRIVIACT.....	35
ATROVENT HFA	135	benazepril.....	73	bromfenac	104
AUBAGIO	83	benazepril-hydrochlorothiazide		bromocriptine.....	54
aubra eq	87	73	BROMSITE	104
aurovela 1.5/30 (21)	87	BENDEKA	20	BRONCHITOL.....	136
aurovela 1/20 (21)	87	BENLYSTA	117	BRUKINSA	21
aurovela 24 fe.....	87	benztropine	54	budesonide	126, 133
aurovela fe 1.5/30 (28).....	87	bepotastine besilate.....	101	bumetanide.....	79
aurovela fe 1-20 (28).....	87	BESPONSA.....	20	buprenorphine	3
AUSTEDO	83	betamethasone acet,sod phos.....	113	buprenorphine hcl	3, 9
AVASTIN	20	betamethasone dipropionate ..	96	buprenorphine-naloxone	9
aviane	87	betamethasone valerate.....	96	bupropion hcl	40
AVONEX.....	83	betamethasone, augmented....	96	bupropion hcl (smoking deter).9	
AVSOLA.....	117	BETASERON.....	83	buspirone.....	128
ayuna	87	betaxolol	75, 130	butalbital-acetaminop-caf-cod .3	
AYVAKIT.....	20	bethanechol chloride.....	109	butalbital-acetaminophen.....	3
azacitidine.....	20	bexarotene.....	20	butalbital-acetaminophen-caff .3	
azathioprine	117	BEXSERO	122	butalbital-aspirin-caffeine.....	3
azathioprine sodium	117	bicalutamide.....	20	butorphanol	3
azelastine	101	BICILLIN L-A	17	BYNFEZIA.....	114
azithromycin.....	15	BIDIL.....	82	BYSTOLIC.....	75

C		
CABENUVA.....	61	
cabergoline	54	
CABLIVI.....	69	
CABOMETYX.....	21	
caffeine citrate	83	
calcipotriene	94	
calcitonin (salmon).....	126	
calcitriol.....	127	
calcium acetate(phosphat bind)	109	
calcium chloride	131	
CALQUENCE.....	21	
camila	87	
candesartan	72	
candesartan-hydrochlorothiazid	72	
CAPLYTA	56	
CAPRELSA	21	
captopril.....	73	
captopril-hydrochlorothiazide	73	
CARBAGLU.....	107	
carbamazepine.....	35	
carbidopa	54	
carbidopa-levodopa	54	
carbidopa-levodopa-entacapone	54, 55	
carbinoxamine maleate.....	49	
carboplatin.....	21	
CAROSPIR	82	
carteolol.....	130	
cartia xt.....	76	
carvedilol.....	75	
casprofungin	47	
CAYSTON.....	15	
caziant (28).....	87	
cefaclor	13	
cefadroxil.....	13	
cefazolin	13	
cefdinir	13, 14	
cefepime	14	
cefixime.....	14	
cefotaxime	14	
cefoxitin	14	
cefoxitin in dextrose, iso-osm	14	
cefepodoxime	14	
cefprozil.....	14	
ceftazidime.....	14	
ceftriaxone	14	
cefuroxime axetil	14	
cefuroxime sodium	14	
celecoxib.....	6	
CELONTIN	35	
cephalexin.....	14, 15	
CERDELGA.....	100	
CEREZYME.....	100	
cevimeline.....	93	
CHANTIX	9	
CHANTIX CONTINUING MONTH BOX	9	
CHANTIX STARTING MONTH BOX	9	
chateal eq (28)	87	
chloramphenicol sod succinate	12	
chlordiazepoxide hcl.....	10	
chlorhexidine gluconate.....	93	
chloroquine phosphate.....	53	
chlorothiazide sodium.....	79	
chlorpromazine	56	
chlorthalidone	79	
chlorzoxazone.....	137	
cholestyramine (with sugar) ..	80	
cholestyramine light	80	
ciclopirox	47	
cidofovir.....	65	
cilostazol.....	69	
CIMDUO	61	
cimetidine	105, 106	
cimetidine hcl	105	
CIMZIA.....	117	
CIMZIA POWDER FOR RECONST	117	
cinacalcet	127	
CINQAIR.....	136	
CINRYZE	67	
ciprofloxacin	18	
ciprofloxacin hcl	17, 102	
ciprofloxacin in 5 % dextrose	18	
ciprofloxacin-dexamethasone	102	
citalopram	40	
cladribine.....	21	
clarithromycin.....	15	
clemastine	49	
CLENPIQ.....	108	
clindamycin hcl.....	12	
clindamycin in 5 % dextrose..	12	
clindamycin pediatric.....	12	
clindamycin phosphate....	12, 49, 95	
clindamycin-benzoyl peroxide	95	
CLINIMIX 5%/D15W SULFITE FREE.....	70	
CLINIMIX 4.25%/D10W SULF FREE.....	70	
CLINIMIX 4.25%/D5W SULFIT FREE	70	
CLINIMIX 5%- D20W(SULFITE-FREE) ...	70	
CLINIMIX 6%-D5W (SULFITE-FREE).....	70	
CLINIMIX 8%- D10W(SULFITE-FREE) ...	70	
CLINIMIX 8%- D14W(SULFITE-FREE) ...	70	
CLINIMIX E 2.75%/D5W SULF FREE	70	
CLINIMIX E 4.25%/D10W SUL FREE	70	
CLINIMIX E 4.25%/D5W SULF FREE	70	
CLINIMIX E 5%/D15W SULFIT FREE	71	

CLINIMIX E 5%/D20W		DELSTRIGO	61
SULFIT FREE.....	71	demeclocycline	18
CLINIMIX E 8%-D10W		DENAVIR.....	94
SULFITEFREE	71	denta 5000 plus	93
CLINIMIX E 8%-D14W		dentagel	93
SULFITEFREE	71	DESCOVY.....	61
clobazam.....	35	desipramine	40
clobetasol.....	96	desmopressin.....	114
clobetasol-emollient	96, 97	desog-e.estradiol/e.estradiol... 88	
clofarabine	21	desogestrel-ethinyl estradiol .. 88	
clomipramine.....	40	desonide	97
clonazepam.....	10	desoximetasone	97
clonidine	72	desvenlafaxine succinate.....	40
clonidine hcl	72, 83	dexamethasone	113
clopidogrel.....	69	dexamethasone sodium phos	
clorazepate dipotassium	10	(pf).....	113
clotrimazole	47	dexamethasone sodium	
clotrimazole-betamethasone... 47		phosphate	104, 113
clovique	110	dexmethylphenidate	83
clozapine.....	56	dexrazoxane hcl	128
COARTEM	53	dextroamphetamine.....	83
codeine sulfate.....	3	dextroamphetamine-	
codeine-butalbital-asa-caff	3	amphetamine	83, 84
colchicine	48	dextrose 10 % in water (d10w)	
colesevelam	80	71
colestipol	80	dextrose 5 % in water (d5w).. 71	
colistin (colistimethate na)	12	DIACOMIT.....	35
COMBIGAN	130	diazepam	10, 11, 35
COMBIVENT RESPIMAT .	135	diazoxide.....	128
COMETRIQ.....	21	diclofenac epolamine	6
COMPLERA	61	diclofenac potassium.....	6
compro.....	52	diclofenac sodium	6, 7, 104
constulose	107	diclofenac-misoprostol.....	7
COPAXONE	83	dicloxacillin.....	17
COPIKTRA.....	21	dicyclomine.....	107
CORLANOR.....	77	didanosine	61
COSENTYX.....	117	DIFICID	15
COSENTYX (2 SYRINGES)		diflorasone.....	97
.....	117	diflunisal	7
COSENTYX PEN (2 PENS)	117	digitek	77
COTELLIC.....	21	digox	77
CREON	100	digoxin	78
CRIXIVAN.....	61		
cromolyn.....	102, 107, 136		
cryselle (28).....	88		
cyclafem 1/35 (28).....	88		
cyclafem 7/7/7 (28).....	88		
cyclobenzaprine.....	137		
cyclopentolate.....	102		
cyclophosphamide	21, 22		
CYCLOPHOSPHAMIDE	22		
cyclosporine.....	117, 118		
cyclosporine modified .	117, 118		
cyproheptadine.....	49		
CYRAMZA	22		
cyred eq.....	88		
CYSTADANE.....	128		
CYSTADROPS	102		
CYSTARAN.....	102		
D			
d5 % and 0.9 % sodium chloride			
.....	131		
d5 %-0.45 % sodium chloride			
.....	131		
dalfampridine.....	83		
DALIRESP	136		
danazol.....	111		
dantrolene	137		
DANYELZA	22		
dapsone	51		
DAPTACEL (DTAP			
PEDIATRIC) (PF).....	123		
daptomycin	12		
DARZALEX.....	22		
DARZALEX FASPRO.....	22		
dasetta 1/35 (28)	88		
dasetta 7/7/7 (28)	88		
DAURISMO.....	22		
daysee	88		
deblitane.....	88		
decitabine.....	22		
deferasirox	110		
deferiprone.....	110		
deferroxamine	110		

dihydroergotamine	50	dutasteride-tamsulosin	110	ENBREL	118
DILANTIN	35	E		ENBREL MINI	118
diltiazem hcl	76, 77	econazole	47	ENBREL SURECLICK	118
dilt-xr	77	EDARBI	72	ENDARI	128
dimenhydrinate	52	EDARBYCLOR	72	endocet	3
dimethyl fumarate	84	EDURANT	61	ENGERIX-B (PF)	123
DIPENTUM	126	efavirenz	61	ENGERIX-B PEDIATRIC (PF)	
diphenhydramine hcl	49	efavirenz-emtricitabin-tenofov		123
diphenoxylate-atropine	107	61	ENHERTU	23
dipyridamole	69	efavirenz-lamivu-tenofov disop		enoxaparin	66
disopyramide phosphate	74	61	enpresse	88
disulfiram	9	EGRIFTA	114	enskyce	88
divalproex	35, 36	EGRIFTA SV	114	ENSPRYNG	84
docetaxel	22	ELAPRASE	100	entacapone	55
dofetilide	74	ELIGARD	22	entecavir	65
donepezil	39	ELIGARD (3 MONTH)	22	ENTRESTO	72
DOPTELET (10 TAB PACK)	67	ELIGARD (4 MONTH)	22	enulose	107
DOPTELET (15 TAB PACK)	67	ELIGARD (6 MONTH)	22	EPANED	74
DOPTELET (30 TAB PACK)	67	elinest	88	EPCLUSA	65
dorzolamide	130	ELIQUIS	66	EPIDIOLEX	36
dorzolamide-timolol	130	ELIQUIS DVT-PE TREAT 30D		epinastine	102
dotti	111	START	66	epinephrine	78
DOVATO	61	ELITEK	100	epitol	36
doxazosin	72	elixophyllin	135	EPIVIR HBV	61
doxepin	40	ELLA	88	eplerenone	82
doxercalciferol	127	ELMIRON	128	epoprostenol (glycine)	138
doxorubicin	22	eluryng	88	eprosartan	72
doxorubicin, peg-liposomal	22	EMCYT	22	ERBITUX	23
doxy-100	18	EMEND	52	ergoloid	39
doxycycline hyclate	18	EMFLAZA	113	ERIVEDGE	23
doxycycline monohydrate	19	EMGALITY PEN	50	ERLEADA	23
DRIZALMA SPRINKLE	40, 41	EMGALITY SYRINGE	50	erlotinib	23
dronabinol	52	emoquette	88	errin	88
droperidol	52	EMPLICITI	23	ertapenem	16
drosiprenone-ethinyl estradiol	88	EMSAM	41	ery pads	95
DROXIA	69	emtricitabine	61	erythromycin	15, 102
droxidopa	72	emtricitabine-tenofov (tdf) ..	61	erythromycin ethylsuccinate ..	15
DUAVEE	111	EMTRIVA	61	erythromycin with ethanol	95
DUEXIS	7	enalapril maleate	73	erythromycin-benzoyl peroxide	
duloxetine	41	enalaprilat	73	95
DUREZOL	104	enalapril-hydrochlorothiazide ..	73,	ESBRIET	136
dutasteride	110	74		escitalopram oxalate	41

esomeprazole magnesium	106	felbamate	36	fluphenazine decanoate	57
esomeprazole sodium	106	felodipine	79	fluphenazine hcl	57
estarylla	88	FEMRING	112	flurazepam.....	11
estazolam.....	11	femynor.....	88	flurbiprofen	7
estradiol	111, 112	fenofibrate.....	81	flurbiprofen sodium	105
estradiol valerate	112	fenofibrate micronized.....	81	flutamide	23
estradiol-norethindrone acet.	112	fenofibrate nanocrystallized ..	81	fluticasone propionate	97, 105
eszopiclone	138	fenofibric acid (choline)	81	fluvastatin.....	81
ethambutol.....	51	fenopropfen.....	7	fluvoxamine	41
ethosuximide	36	fentanyl	4	fomepizole.....	128
ethynodiol diac-eth estradiol ..	88	fentanyl citrate	4	fondaparinux	66, 67
etodolac	7	FERRIPROX	110	fosamprenavir	61
etonogestrel-ethinyl estradiol ..	88	FERRIPROX (2 TIMES A		fosaprepitant.....	52
ETOPOPHOS.....	23	DAY)	110	foscarnet.....	64
etoposide.....	23	FETZIMA	41	fosinopril	74
etravirine.....	61	FIASP FLEXTOUCH U-100		fosinopril-hydrochlorothiazide	
EUCRISA.....	97	INSULIN	44	74
EVENITY.....	127	FIASP PENFILL U-100		fosphenytoin.....	36
everolimus (antineoplastic)	23	INSULIN	44	FOTIVDA.....	23
everolimus		FIASP U-100 INSULIN	45	FULPHILA	67
(immunosuppressive)	118	finasteride	110	fulvestrant	23
EVOTAZ.....	61	FINTEPLA	36	furosemide.....	79
EVRYSDI.....	128	FIRVANQ	12	FUZEON.....	61
exemestane	23	flavoxate	109	fyavolv	112
EXONDYS-51	128	FLEBOGAMMA DIF	118	FYCOMPA	36
EYSUVIS	104	flecainide	74	G	
EZALLOR SPRINKLE.....	81	FLOVENT DISKUS....	133, 134	gabapentin	36
ezetimibe	81	FLOVENT HFA	134	GALAFOLD	100
ezetimibe-simvastatin.....	81	floxuridine	23	galantamine.....	39
F		fluconazole.....	47	GAMIFANT	118
FABRAZYME	100	fluconazole in nacl (iso-osm)	47	GAMMAGARD LIQUID....	118
falmina (28)	88	flucytosine	47	GAMMAGARD S-D (IGA < 1	
famciclovir	66	fludrocortisone.....	113	MCG/ML).....	118
famotidine.....	106	flumazenil	84	GAMMAPLEX.....	118
famotidine (pf).....	106	flunisolide	104	GAMMAPLEX (WITH	
famotidine (pf)-nacl (iso-os)	106	fluocinolone	97	SORBITOL).....	118
FANAPT	57	fluocinolone acetamide oil ...	104	GAMUNEX-C	118
FARXIGA	43	fluocinonide	97	ganciclovir sodium.....	66
FARYDAK.....	23	fluocinonide-e.....	97	GARDASIL 9 (PF)	123
FASENRA.....	136	fluorometholone.....	105	gatifloxacin	102
FASENRA PEN	136	fluorouracil	23, 94	GATTEX 30-VIAL.....	107
febuxostat	49	fluoxetine	41		

GAUZE PADS & DRESSINGS		
- PADS 2 X 2	99	
gavilyte-c	108	
gavilyte-g	108	
gavilyte-n	108	
GAVRETO	23	
GAZYVA	23	
gemcitabine	23, 24	
gemfibrozil	81	
generlac	107	
engraf	118, 119	
gentak	102	
gentamicin	11, 95, 103	
gentamicin sulfate (ped) (pf) ..	11	
gentamicin sulfate (pf)	11	
GENVOYA	62	
GILENYA	84	
GILOTRIF	24	
GIVLAARI	69	
glatiramer	84	
glatopa	84	
glimepiride	46	
glipizide	46	
glipizide-metformin	46	
glyburide	46	
glyburide micronized	46	
glyburide-metformin	46	
glycopyrrolate	107	
glydo	8	
granisetron (pf)	52	
granisetron hcl	52	
GRANIX	67, 68	
griseofulvin microsize	47	
griseofulvin ultramicrosize	47	
guanfacine	72, 84	
GVOKE HYOPEN 2-PACK		
.....	128	
GVOKE PFS 1-PACK		
SYRINGE	128	
H		
HAEGARDA	68	
hailey	89	
hailey 24 fe	89	
hailey fe 1.5/30 (28)	89	
hailey fe 1/20 (28)	89	
halobetasol propionate	97	
haloperidol	57	
haloperidol decanoate	57	
haloperidol lactate	57	
HARVONI	65	
HAVRIX (PF)	123	
heather	89	
HEMADY	113	
heparin (porcine)	67	
heparin, porcine (pf)	67	
HEPATAMINE 8%	71	
HERCEPTIN	24	
HERCEPTIN HYLECTA	24	
HERZUMA	24	
HETLIOZ	138	
HETLIOZ LQ	138	
HIBERIX (PF)	123	
HUMIRA	119	
HUMIRA PEN	119	
HUMIRA PEN CROHNS-UC-		
HS START	119	
HUMIRA PEN PSOR-		
UVEITS-ADOL HS	119	
HUMIRA(CF)	119	
HUMIRA(CF) PEDI CROHNS		
STARTER	119	
HUMIRA(CF) PEN	119	
HUMIRA(CF) PEN CROHNS-		
UC-HS	119	
HUMIRA(CF) PEN		
PEDIATRIC UC	119	
HUMIRA(CF) PEN PSOR-UV-		
ADOL HS	119	
HUMULIN R U-500 (CONC)		
INSULIN	45	
HUMULIN R U-500 (CONC)		
KWIKPEN	45	
hydralazine	78	
hydrochlorothiazide	79	
hydrocodone-acetaminophen ...	4	
hydrocodone-ibuprofen	4	
hydrocortisone.. 97, 98, 113, 126		
hydrocortisone butyrate	97	
hydrocortisone valerate	98	
hydrocortisone-acetic acid ...	103	
hydromorphone	4	
hydromorphone (pf)	4	
hydroxychloroquine	53	
hydroxyprogesterone cap(ppres)		
.....	116	
hydroxyurea	24	
hydroxyzine hcl	49	
hydroxyzine pamoate	129	
HYQVIA	119	
I		
ibandronate	127	
IBRANCE	24	
ibu	7	
ibuprofen	7	
icatibant	78	
iclevia	89	
ICLUSIG	24	
IDHIFA	24	
ifosfamide	24	
ILARIS (PF)	119	
ILEVRO	105	
ILUMYA	119	
imatinib	24	
IMBRUVICA	24	
IMFINZI	24	
imipenem-cilastatin	16	
imipramine hcl	41	
imipramine pamoate	41	
imiquimod	94	
IMLYGIC	24, 25	
IMOVAX RABIES VACCINE		
(PF)	123	
IMPAVIDO	53	
INBRIJA	55	
incassia	89	
INCRELEX	114	

indapamide	79	IXEMPRA	25	KISQALI.....	26
indomethacin	7	IXIARO (PF).....	123	KISQALI FEMARA CO-PACK	
INFANRIX (DTAP) (PF).....	123	J		25, 26
INFLECTRA	119	jaimiess	89	klor-con m10.....	131
INFUGEM.....	25	JAKAFI	25	klor-con m15.....	131
INLYTA.....	25	jantoven	67	klor-con m20.....	131
INQOVI.....	25	JARDIANCE.....	43	KLOXXADO	9
INREBIC.....	25	jasmiel (28).....	89	KORLYM	43
INSULIN SYRINGE-NEEDLE		JEMPERLI.....	25	KOSELUGO	26
U-100.....	99	jencycla.....	89	KRINTAFEL	53
INTELENCE.....	62	JENTADUETO	43	KRYSTEXXA	100
INTRALIPID	71	JENTADUETO XR.....	43	kurvelo (28).....	89
INTRON A.....	65	jinteli.....	112	KYNMOBI	55
introvale.....	89	juleber	89	KYPROLIS	26
INVEGA SUSTENNA.....	57, 58	JULUCA.....	62	L	
INVEGA TRINZA.....	58	junel 1.5/30 (21)	89	l norgest/e.estradiol-e.estrad .	89,
INVELTYS	105	junel 1/20 (21)	89	90	
INVIRASE	62	junel fe 1.5/30 (28)	89	labetalol.....	75
IPOL.....	123	junel fe 1/20 (28)	89	lactulose	107
ipratropium bromide.....	102, 135	junel fe 24.....	89	lamivudine.....	62
ipratropium-albuterol	135	JUXTAPID	81	lamivudine-zidovudine	62
irbesartan	72	JYNARQUE	80	lamotrigine	36, 37
irbesartan-hydrochlorothiazide		K		lansoprazole	106
.....	72	KALETRA.....	62	lanthanum.....	109
IRESSA	25	kalliga	89	LANTUS SOLOSTAR U-100	
irinotecan.....	25	KALYDECO	136	INSULIN.....	45
ISENTRESS	62	KANJINTI.....	25	LANTUS U-100 INSULIN...	45
ISENTRESS HD	62	KANUMA	100	lapatinib.....	26
isibloom.....	89	kariva (28).....	89	larin 1.5/30 (21)	90
ISOLYTE S PH 7.4.....	131	KATERZIA	79	larin 1/20 (21)	90
ISOLYTE-P IN 5 %		kelnor 1/35 (28)	89	larin 24 fe	90
DEXTROSE.....	131	kelnor 1-50 (28).....	89	larin fe 1.5/30 (28)	90
ISOLYTE-S.....	131	KESIMPTA PEN.....	84	larin fe 1/20 (28)	90
isoniazid	51	ketoconazole	48	larissia	90
ISOPROPYL ALCOHOL 0.7		ketoprofen.....	7	latanoprost.....	130
ML/ML MEDICATED PAD		ketorolac	7, 8, 105	LATUDA	58
.....	94	KEVEYIS	129	LAZANDA	4
isosorbide dinitrate	82	KEVZARA	120	leflunomide	120
isosorbide mononitrate	82	KEYTRUDA	25	LENVIMA	26
isradipine	79	KINERET	120	lessina.....	90
itraconazole	47	KINRIX (PF).....	123, 124	letrozole.....	26
ivermectin.....	53	kionex (with sorbitol)	107	leucovorin calcium.....	129

LEUKERAN	26	loryna (28)	90	MAVENCLAD (10 TABLET PACK).....	84
LEUKINE.....	68	losartan.....	72	MAVENCLAD (4 TABLET PACK).....	85
leuprolide.....	26	losartan-hydrochlorothiazide .	72	MAVENCLAD (5 TABLET PACK).....	85
levetiracetam	37	LOTEMAX.....	105	MAVENCLAD (6 TABLET PACK).....	85
levobunolol.....	130	LOTEMAX SM.....	105	MAVENCLAD (7 TABLET PACK).....	85
levocarnitine	129	loteprednol etabonate.....	105	MAVENCLAD (8 TABLET PACK).....	85
levocarnitine (with sugar).....	129	lovastatin.....	81	MAVENCLAD (9 TABLET PACK).....	85
levocetirizine	49	low-ogestrel (28).....	90	MAVYRET.....	65
levofloxacin.....	18, 103	loxapine succinate.....	58	MAYZENT	85
levofloxacin in d5w	18	lo-zumandimine (28)	90	MAYZENT STARTER PACK	85
levoleucovorin calcium	129	lubiprostone	107	meclizine	52
levonest (28).....	90	LUCEMYRA.....	9	medroxyprogesterone.....	116
levonorgestrel-ethinyl estrad ..	90	LUMAKRAS.....	27	mefenamic acid	8
levonorg-eth estrad triphasic ..	90	LUMIGAN	130	mefloquine	53
levora-28.....	90	LUMOXITI	27	megestrol.....	27, 116
levothyroxine.....	116	LUPRON DEPOT	114	MEKINIST	27
LEXIVA	62	LUPRON DEPOT (3 MONTH)	27, 114	MEKTOVI	27
LIBTAYO	26	LUPRON DEPOT (4 MONTH)	27	meloxicam.....	8
lidocaine	9	LUPRON DEPOT (6 MONTH)	27	melphalan hcl	27
lidocaine (pf)	8, 74	LUPRON DEPOT-PED	115	memantine.....	39
lidocaine hcl	8, 9	LUPRON DEPOT-PED (3 MONTH)	115	MENACTRA (PF).....	124
lidocaine viscous	9	lutera (28)	90	MENQUADFI (PF)	124
lidocaine-prilocaine.....	9	lyleq	90	MENVEO A-C-Y-W-135-DIP (PF)	124
lillow (28).....	90	lyllana	112	MEPSEVII	100
linezolid.....	12	LYNPARZA	27	mercaptapurine	27
linezolid in dextrose 5%	12	LYSODREN	27	meropenem.....	16
linezolid-0.9% sodium chloride	12	lyza.....	90	meropenem-0.9% sodium chloride	16
LINZESS.....	107	M		mesalamine	126
liothyronine	116	magnesium sulfate	132	mesna	129
lisinopril	74	magnesium sulfate in d5w ...	131	MESNEX	129
lisinopril-hydrochlorothiazide	74	magnesium sulfate in water .	132	metadate er	85
lithium carbonate.....	84	malathion	99	metaproterenol	135
LIVALO	81	maprotiline.....	41		
lojaimiess.....	90	marlissa (28)	90		
LOKELMA	107	MARPLAN.....	41		
LONSURF.....	26	MARQIBO	27		
loperamide.....	107	MATULANE.....	27		
lopinavir-ritonavir	62	matzim la	77		
lorazepam	11				
lorazepam intensol.....	11				
LORBRENA	26				

metformin	43	mitoxantrone	27	nefazodone	41
methadone	4	M-M-R II (PF)	124	neomycin	11
methadose	4	moexipril	74	neomycin-bacitracin-poly-hc	103
methazolamide	130	molindone	58	neomycin-bacitracin-polymyxin	
methenamine hippurate	13	mometasone	98, 105	103
methimazole	116	mondoxyne nl	19	neomycin-polymyxin b gu	95
methocarbamol	137	MONJUVI	27	neomycin-polymyxin b-	
methotrexate sodium	27	mono-lynyah	91	dexameth	103
methotrexate sodium (pf)	27	montelukast	134	neomycin-polymyxin-	
methoxsalen	94	morphine	5	gramicidin	103
methscopolamine	107	MORPHINE	5	neomycin-polymyxin-hc	103
methyl dopa	72	morphine concentrate	4	neo-polycin	103
methylphenidate hcl	85, 86	MOVANTIK	108	neo-polycin hc	103
methylprednisolone	113	moxifloxacin	18, 103	NEPHRAMINE 5.4 %	71
methylprednisolone acetate ..	113	MOZOBIL	68	NERLYNX	28
methylprednisolone sodium succ		MULPLETA	68	NEULASTA	68
.....	113	MULTAQ	75	NEUPRO	55
metipranolol	130	mupirocin	95	nevirapine	62, 63
metoclopramide hcl	107	MVASI	28	NEXAVAR	28
metolazone	80	MYCAPSSA	115	NEXLETOL	81
metoprolol succinate	76	mycophenolate mofetil	120	NEXLIZET	81
metoprolol ta-hydrochlorothiaz		mycophenolate mofetil (hcl)	120	niacin	81
.....	76	MYLOTARG	28	niacor	81
metoprolol tartrate	76	MYRBETRIQ	109	nicardipine	79
metronidazole	13, 49, 95	N		NICOTROL	10
metronidazole in nacl (iso-os)	13	nabumetone	8	nifedipine	79
metirosine	78	nadolol	76	nikki (28)	91
mexiletine	75	nafcillin	17	nilutamide	28
miconazole-3	48	nafcillin in dextrose iso-osm..	17	NINLARO	28
microgestin fe 1/20 (28)	90	NAGLAZYME	100	nitazoxanide	53
midazolam	11	naloxone	9, 10	nitisinone	100
midodrine	72	naltrexone	10	nitrofurantoin macrocrystal ...	13
miglitol	43	NAMZARIC	39, 40	nitrofurantoin monohyd/m-cryst	
miglustat	100	naproxen	8	13
mili	91	naproxen-esomeprazole	8	nitroglycerin	82
mimvey	112	naratriptan	50	NITYR	100
minitran	82	NARCAN	10	NIVESTYM	68
minocycline	19	NATACYN	103	nizatidine	106
minoxidil	82	nateglinide	43	NORDITROPIN FLEXPRO	115
mirtazapine	41	NATPARA	127	norethindrone (contraceptive)	91
misoprostol	106	NAYZILAM	37	norethindrone acetate	116
MITIGARE	49	necon 0.5/35 (28)	91		

norethindrone ac-eth estradiol	91, 112	nymyo	91	ORGOVYX.....	115
norethindrone-e.estradiol-iron	91	nystatin.....	48	ORILISSA.....	115
norgestimate-ethinyl estradiol	91	nystatin-triamcinolone	48	ORKAMBI.....	137
norlyda.....	91	nystop.....	48	ORLADEYO.....	68
NORMOSOL-M IN 5 %		NYVEPRIA	68	orsythia.....	91
DEXTROSE.....	132	O		oseltamivir.....	64
nortrel 0.5/35 (28)	91	OCALIVA	108	OSMOLEX ER	55
nortrel 1/35 (21)	91	OCTAGAM.....	120	OTEZLA	120
nortrel 1/35 (28)	91	octreotide acetate	115	OTEZLA STARTER	120
nortrel 7/7/7 (28)	91	ODEFSEY	63	oxaliplatin	28
nortriptyline.....	41, 42	ODOMZO.....	28	oxandrolone.....	111
NORVIR.....	63	OFEV.....	137	oxazepam	11
NOVOLIN 70/30 U-100		ofloxacin	103	oxcarbazepine	37
INSULIN.....	45	OGIVRI	28	OXLUMO	129
NOVOLIN 70-30 FLEXPEN U- 100.....	45	olanzapine.....	58	OXTELLAR XR.....	37
NOVOLIN N FLEXPEN	45	olmesartan.....	73	oxybutynin chloride	109
NOVOLIN N NPH U-100		olmesartan-amlodipin-hcthiamid	73	oxycodone	5
INSULIN.....	45	olmesartan-hydrochlorothiazide	73	oxycodone-acetaminophen	5
NOVOLIN R FLEXPEN	45	olopatadine.....	102	oxycodone-aspirin.....	5
NOVOLIN R REGULAR U- 100 INSULN	45	OLUMIANT.....	120	OXYCONTIN.....	5
NOVOLOG FLEXPEN U-100		omega-3 acid ethyl esters	81	oxymorphone	6
INSULIN.....	45	omeprazole.....	106	OZEMPIC	43
NOVOLOG MIX 70-30 U-100		omeprazole-sodium bicarbonate	106	P	
INSULN	45	ONCASPAR.....	28	pacrone	75
NOVOLOG MIX 70- 30FLEXPEN U-100	46	ondansetron.....	52	paclitaxel	28
NOVOLOG PENFILL U-100		ondansetron hcl.....	52	PADCEV.....	28
INSULIN.....	46	ondansetron hcl (pf).....	52	paliperidone.....	58
NOVOLOG U-100 INSULIN		ONGENTYS.....	55	PALYNZIQ.....	101
ASPART.....	46	ONIVYDE.....	28	pamidronate.....	127
NOXAFIL	48	ONTRUZANT.....	28	PANRETIN.....	95
NPLATE.....	68	ONUREG.....	28	pantoprazole.....	106
NUBEQA	28	OPDIVO	28	paricalcitol.....	127
NUCALA	136, 137	OPSUMIT.....	138	paroex oral rinse.....	94
NULOJIX.....	120	oralone	93	paromomycin	53
NUPLAZID.....	58	ORENCIA	120	paroxetine hcl.....	42
NUTRILIPID	71	ORENCIA (WITH MALTOSE)	120	PAXIL.....	42
nyamyc	48	ORENCIA CLICKJECT	120	PEDIARIX (PF).....	124
nylia 7/7/7 (28).....	91	ORFADIN	100	PEDVAX HIB (PF)	124

penicillamine	110	polycin	104	prochlorperazine	52
penicillin g potassium.....	17	polymyxin b sulfate	13	prochlorperazine edisylate	52
penicillin g procaine	17	polymyxin b sulf-trimethoprim		prochlorperazine maleate	52
penicillin v potassium.....	17	104	procto-med hc	98
PENNSAID	8	POMALYST.....	29	procto-pak	98
PENTACEL (PF)	124	portia 28.....	92	proctosol hc.....	98
pentamidine	53	PORTRAZZA.....	29	proctozone-hc.....	98
pentoxifylline	70	posaconazole.....	48	progesterone.....	116
PEPAXTO.....	28	potassium chloride.....	132	progesterone micronized.....	116
perindopril erbumine	74	potassium chloride-0.45 % nacl		PROGRAF	120, 121
periogard.....	94	132	PROLASTIN-C.....	137
PERJETA	29	potassium citrate	132	PROLENSA	105
permethrin	99	PRALUENT PEN.....	82	PROLEUKIN.....	29
perphenazine.....	58	pramipexole	55	PROLIA	127
perphenazine-amitriptyline.....	42	prasugrel	70	PROMACTA	68
PERSERIS.....	59	pravastatin.....	82	promethazine.....	49, 53
pfizerpen-g	17	prazosin.....	72	promethegan.....	53
phenelzine.....	42	prednicarbate	98	propafenone.....	75
phenobarbital	37	prednisolone.....	114	propantheline.....	108
phenylephrine hcl	72	prednisolone acetate	105	proparacaine.....	102
phenytoin.....	37	prednisolone sodium phosphate		propranolol.....	76
phenytoin sodium	37	105, 113, 114	propranolol-hydrochlorothiazid	
phenytoin sodium extended....	37	prednisone.....	114	76
PHESGO	29	pregabalin	37, 38	propylthiouracil.....	116
philith	91	PREMARIN.....	112	PROQUAD (PF).....	124
PHOSLYRA.....	109	PREMPHASE.....	112	PROSOL 20 %	71
PIFELTRO	63	PREMPRO	112	protamine	69
pilocarpine hcl.....	94, 130	PRETOMANID.....	51	protriptyline.....	42
pimecrolimus.....	98	prevalite	82	PULMOZYME	101
pimozide.....	59	previfem.....	92	PURIXAN.....	29
pimtree (28).....	91	PREVYMIS	64	pyrazinamide.....	51
pindolol.....	76	PREZCOBIX.....	63	pyridostigmine bromide	129
pioglitazone	43	PREZISTA.....	63	pyrimethamine	54
piperacillin-tazobactam	17	PRIFTIN	51	Q	
PIQRAY	29	PRIMAQUINE	54	QBRELIS.....	74
pirmella.....	91	primidone.....	38	QINLOCK.....	29
piroxicam.....	8	PRIVIGEN.....	120	QUADRACEL (PF).....	124
PLASMA-LYTE 148	132	PROAIR RESPICLICK.....	135	quetiapine.....	59
PLASMA-LYTE A	132	probenecid	49	quinapril	74
PLEGRIDY	86	probenecid-colchicine.....	49	quinapril-hydrochlorothiazide	74
podofilox	95	procainamide	75	quinidine gluconate.....	75
POLIVY	29	PROCALAMINE 3%	71	quinidine sulfate.....	75

quinine sulfate	54	risperidone	59	SIGNIFOR	115
R		ritonavir	63	SIKLOS.....	69
RABAVERT (PF)	124	RITUXAN	29	sildenafil.....	138
rabeprazole	106	RITUXAN HYCELA	29	sildenafil (pulm.hypertension)	
RADICAVA.....	86	rivastigmine	40	138
raloxifene.....	112	rivastigmine tartrate.....	40	silver sulfadiazine	96
ramipril	74	rizatriptan.....	50	SIMBRINZA.....	131
ranolazine	78	ROCKLATAN.....	131	simliya (28).....	92
rasagiline	55	ropinirole	55	simpesse	92
RASUVO (PF)	121	rosadan.....	95	simvastatin	82
RAVICTI.....	108	rosuvastatin.....	82	sirolimus.....	121
RAYALDEE	127	ROTARIX	124	SIRTURO	51
reclipsen (28).....	92	ROTATEQ VACCINE.....	125	SKYRIZI.....	121
RECOMBIVAX HB (PF)	124	ROZLYTREK	30	SLYND	92
RECTIV	129	RUBRACA.....	30	sodium chloride 0.45 %	133
REGRANEX	95	rufinamide.....	38	sodium chloride 0.9 %	133
RELENZA DISKHALER	64	RUKOBIA	63	sodium fluoride	94
RELISTOR.....	108	RUXIENCE.....	30	sodium fluoride-pot nitrate	94
REMICADE.....	121	RYBELSUS.....	44	sodium phenylbutyrate.....	108
RENFLEXIS	121	RYBREVANT.....	30	sodium polystyrene (sorb free)	
repaglinide.....	43, 44	RYDAPT	30	108
repaglinide-metformin.....	44	S		sodium polystyrene sulfonate	
RESTASIS	105	SANDOSTATIN LAR DEPOT		108
RETACRIT	69	115	SOLQUA 100/33.....	46
RETEVMO.....	29	SANTYL	95	SOLTAMOX	30
RETROVIR.....	63	sapropterin	101	SOLU-CORTEF ACT-O-VIAL	
REVCOVI	101	SARCLISA.....	30	(PF)	114
REVLIMID	29	SAVELLA.....	86	SOMATULINE DEPOT.....	115,
revonto.....	137	scopolamine base.....	53	116	
REXULTI.....	59	SECUADO	59	SOMAVERT.....	116
REYATAZ	63	selegiline hcl.....	55	sorine.....	76
RHOPRESSA.....	130	selenium sulfide.....	95	sotalol	76
RIABNI	29	SELZENTRY	63	sotalol af.....	76
ribavirin	66	SEREVENT DISKUS	135	SPIRIVA RESPIMAT	135
RIDAURA.....	121	SEROSTIM	115	SPIRIVA WITH	
rifabutin	51	sertraline	42	HANDIHALER	135
rifampin	51	setlakin.....	92	spironolactone	80
riluzole.....	86	sevelamer carbonate	109	spironolacton-hydrochlorothiaz	
rimantadine.....	64	sevelamer hcl.....	109	80
RINVOQ	121	sf 5000 plus.....	94	SPRAVATO	42
risedronate	127, 128	sharobel.....	92	sprintec (28)	92
RISPERDAL CONSTA	59	SHINGRIX (PF).....	125	SPRITAM	38

SPRYCEL	30	SYNDROS	53	TEMODAR.....	31
sps (with sorbitol).....	108	SYNERCID	13	temsirolimus.....	31
sronyx	92	SYNJARDY	44	tencon.....	6
ssd.....	96	SYNJARDY XR.....	44	TENIVAC (PF).....	125
stavudine.....	63	SYNRIBO.....	30	tenofovir disoproxil fumarate	63
STELARA.....	121	T		TEPEZZA	102
STIOLTO RESPIMAT	135	TABLOID.....	30	TEPMETKO	31
STIVARGA.....	30	TABRECTA	30	terazosin	110
STRENSIQ.....	101	tacrolimus	98, 121	terbinafine hcl	48
streptomycin.....	12	tadalafil	138	terbutaline	135
STRIBILD.....	63	tadalafil (pulm. hypertension)		terconazole	49, 50
SUBLOCADE.....	10	138	testosterone	111
subvenite.....	38	TAFINLAR	30	testosterone cypionate.....	111
sucralfate	106	TAGRISSO.....	30	testosterone enanthate	111
sulfacetamide sodium.....	104	TAKHZYRO	129	TETANUS, DIPHThERIA TOX	
sulfacetamide sodium (acne)..	96	TALTZ AUTOINJECTOR..	121	PED(PF).....	125
sulfacetamide-prednisolone..	104	TALTZ SYRINGE	122	tetrabenazine	86
sulfadiazine.....	18	TALTZ SYRINGE (2 PACK)		tetracycline.....	19
sulfamethoxazole-trimethoprim		121	THALOMID	129
.....	18	TALTZ SYRINGE (3 PACK)		theophylline.....	135, 136
sulfasalazine	126	122	THIOLA EC.....	110
sulindac.....	8	TALZENNA	30	thioridazine	60
sumatriptan	50	tamoxifen	30	thiotepa.....	31
sumatriptan succinate	50	tamsulosin.....	110	thiothixene.....	60
SUNOSI	138	TARGRETIN.....	30	tiadylt er	77
SUPPRELIN LA	116	tarina 24 fe.....	92	tiagabine.....	38
SUPREP BOWEL PREP KIT		tarina fe 1-20 eq (28)	92	TIBSOVO	31
.....	108	TASIGNA.....	31	TICE BCG	31
SURE COMFORT INS. SYR.		TAVALISSE	69	tigecycline.....	19
U-100.....	99	tazarotene.....	98	timolol maleate.....	76, 131
SUTENT.....	30	TAZORAC	99	tinidazole.....	54
syeda.....	92	taztia xt	77	tiopronin.....	110
SYLVANT	30	TAZVERIK	31	TIVICAY	63, 64
SYMBICORT.....	134	TDVAX	125	TIVICAY PD	64
SYMDEKO	137	TECENTRIQ.....	31	tizanidine.....	137, 138
SYMJEPI.....	78	TEFLARO	15	TOBI PODHALER.....	12
SYMLINPEN 120	44	telmisartan	73	tobramycin	12, 104
SYMLINPEN 60	44	telmisartan-amlodipine	73	tobramycin in 0.225 % nacl ...	12
SYMPAZAN.....	38	telmisartan-hydrochlorothiazid		tobramycin sulfate.....	12
SYMTUZA.....	63	73	tobramycin-dexamethasone .	104
SYNAGIS.....	64	temazepam.....	11	tolmetin	8
SYNAREL	116	TEMIXYS	63	tolterodine	109

topiramate.....	38	tri-legest fe.....	92	UNITUXIN.....	32
toposar.....	31	tri-linyah.....	92	UPTRAVI.....	139
topotecan.....	31	tri-lo-estarylla.....	92	ursodiol.....	108
toremifene.....	31	tri-lo-marzia.....	92	V	
torseamide.....	80	tri-lo-mili.....	92	valacyclovir.....	66
TOTECT.....	129	tri-lo-sprintec.....	92	VALCHLOR.....	95
TOUJEO MAX U-300		trilyte with flavor packets....	108	valganciclovir.....	66
SOLOSTAR.....	46	trimethoprim.....	13	valproate sodium.....	38
TOUJEO SOLOSTAR U-300		tri-mili.....	92	valproic acid.....	38
INSULIN.....	46	trimipramine.....	42	valproic acid (as sodium salt)	38
TOVIAZ.....	109	TRINTELLIX.....	42	valrubicin.....	32
TRACLEER.....	139	tri-nymyo.....	92	valsartan.....	73
TRADJENTA.....	44	tri-previfem (28).....	92	valsartan-hydrochlorothiazide	73
tramadol.....	6	TRIPTODUR.....	116	VALTOCO.....	38
tramadol-acetaminophen.....	6	tri-sprintec (28).....	93	vancomycin.....	13
trandolapril.....	74	TRIUMEQ.....	64	VAQTA (PF).....	125
tranexamic acid.....	69	trivora (28).....	93	VARIVAX (PF).....	125
tranylcypramine.....	42	tri-vylibra.....	93	VASCEPA.....	82
TRAVASOL 10 %.....	71	tri-vylibra lo.....	93	VECTIBIX.....	32
travoprost.....	131	TRODELVY.....	32	VEKLURY.....	66
TRAZIMERA.....	31	TROGARZO.....	64	VELCADE.....	32
trazodone.....	42	TROPHAMINE 10 %.....	71	velivet triphasic regimen (28)	93
TREANDA.....	31	trosipium.....	109	VELPHORO.....	109
TRECATOR.....	51	TRULICITY.....	44	VEMLIDY.....	64
TRELEGY ELLIPTA.....	136	TRUMENBA.....	125	VENCLEXTA.....	32
TRELSTAR.....	31	TRUSELTIQ.....	32	VENCLEXTA STARTING	
TREMFYA.....	122	TRUXIMA.....	32	PACK.....	32
treprostinil sodium.....	139	TUKYSA.....	32	venlafaxine.....	42
tretinoin.....	99	tulana.....	93	verapamil.....	77
tretinoin (antineoplastic).....	32	TURALIO.....	32	VEREGEN.....	95
tri femynor.....	92	TWINRIX (PF).....	125	VERSACLOZ.....	60
triamcinolone acetonide ..94, 98,		tyblume.....	93	VERZENIO.....	32
114		TYBOST.....	129	vestura (28).....	93
triamterene-hydrochlorothiazid		TYMLOS.....	128	vicodin hp.....	6
.....	80	TYPHIM VI.....	125	VICTOZA 3-PAK.....	44
triazolam.....	11	TYSABRI.....	122	vienna.....	93
trientine.....	110	TYVASO.....	139	vigabatrin.....	38
tri-estarylla.....	92	U		vigadrone.....	38
trifluoperazine.....	60	UBRELVY.....	51	VIIBRYD.....	42, 43
trifluridine.....	104	UCERIS.....	126	VIMIZIM.....	101
trihexyphenidyl.....	55	UDENYCA.....	69	VIMPAT.....	38, 39
TRIKAFTA.....	137	UKONIQ.....	32	vinblastine.....	32

vincasar pfs.....	33	XCOPRI TITRATION PACK	ZELBORAF.....	34
vincristine.....	33	zenatane.....	95
vinorelbine.....	33	XELJANZ.....	ZENPEP.....	101
viorele (28).....	93	XELJANZ XR.....	ZEPZELCA.....	34
VIRACEPT.....	64	XELPROS.....	zidovudine.....	64
VIREAD.....	64	XERMELO.....	ZIEXTENZO.....	69
VISTOGARD.....	129	XGEVA.....	ZIOPTAN (PF).....	131
VITRAKVI.....	33	XHANCE.....	ziprasidone hcl.....	60
VIZIMPRO.....	33	XIFAXAN.....	ziprasidone mesylate.....	60
VOCABRIA.....	64	XIGDUO XR.....	ZIRABEV.....	34
volnea (28).....	93	XOFLUZA.....	ZIRGAN.....	104
voriconazole.....	48	XOLAIR.....	ZOLADEX.....	34
VOSEVI.....	65	XOSPATA.....	zoledronic acid.....	128
VOTRIENT.....	33	XPOVIO.....	zoledronic acid-mannitol-water	
VPRIV.....	101	XTAMPZA ER.....	128
VRAYLAR.....	60	XTANDI.....	ZOLINZA.....	34
VUMERITY.....	86	xulane.....	zolmitriptan.....	51
vyfemla (28).....	93	XULTOPHY 100/3.6.....	zolpidem.....	138
vylibra.....	93	XURIDEN.....	zonisamide.....	39
VYNDAMAX.....	78	XYOSTED.....	ZORBTIVE.....	116
VYNDAQEL.....	78	XYREM.....	ZORTRESS.....	122
VYXEOS.....	33	Y	ZOSTAVAX (PF).....	126
VYZULTA.....	131	YERVOY.....	zovia 1/35e (28).....	93
W		YF-VAX (PF).....	zovia 1-35 (28).....	93
warfarin.....	67	YONDELIS.....	ZTLIDO.....	9
wera (28).....	93	YONSA.....	ZULRESSO.....	43
X		yuvaferm.....	zumandimine (28).....	93
XADAGO.....	55	Z	ZYDELIG.....	34
XALKORI.....	33	zafemy.....	ZYKADIA.....	34
XARELTO.....	67	zafirlukast.....	ZYLET.....	104
XARELTO DVT-PE TREAT		zaleplon.....	ZYNLONTA.....	34
30D START.....	67	ZALTRAP.....	ZYPREXA RELPREVV.....	60
XATMEP.....	33	zarah.....	ZYTIGA.....	34
XCOPRI.....	39	ZARXIO.....		
XCOPRI MAINTENANCE		zebutal.....		
PACK.....	39	ZEJULA.....		



Non-Discrimination and Accessibility Requirements

Discrimination is Against the Law

Clever Care Health Plan Inc. (herein referred to as Clever Care) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, sex, age, disability, ancestry, religion, marital status, gender, gender identity, or sexual orientation.

Clever Care:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, please call (833) 388-8168 (TTY: 711).

If you believe that Clever Care has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with our Civil Rights Coordinator in writing to:

Clever Care Health Plan
Civil Rights Coordinator
8990 Westminster Blvd
Suite 300
Westminster, CA 92683

E-mail: civilrightscoordinator@ccmapd.com

Phone: (833) 388-8168 (TTY: 711)

If you need help filing a grievance, our Clever Care Civil Rights Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights electronically through the Office for Civil Rights Complaint portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf> or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Avenue SW., Room 509F, HHH Building, Washington, D.C. 20201, 1-800-368-1019, 800-537-7697 (TDD). Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Multi-language Interpreter Services

English: **ATTENTION:** If you speak English, language assistance services, free of charge, are available to you. Call (833) 388-8168 (TTY: 711).

Español (Spanish) **ATENCIÓN:** Si habla Español, contamos con servicios de asistencia lingüística gratuitos para usted. Llame al (833) 388-8168 (TTY: 711).

中文 (Chinese) 注意: 如果您說中文, 您可獲得免費語言協助服務。請致電 (833) 808-8153 (普通話) 或者 (833) 808-8161 (廣東話)

Tiếng Việt (Vietnamese) **LƯU Ý:** Nếu quý vị nói Tiếng Việt, dịch vụ hỗ trợ ngôn ngữ được cung cấp miễn phí cho quý vị. Hãy gọi (833) 808-8163 (TTY: 711).

Tagalog (Filipino): **PAUNAWA:** Kung nagsasalita ka ng Tagalog, magagamit mo ang mga serbisyo ng tulong sa wika nang libre. Tumawag sa (833) 388-8168 (TTY: 711).

한국어 (Korean) **주의:** 한국어를 말할 수 있는 경우, 언어 지원 서비스가 무료로 제공될 수 있습니다. (833) 808-8164 (청각장애자용: 711)로 전화하십시오.

Հայերեն (Armenian) **ՈՒՇԱԴՐՈՒԹՅՈՒՆ.** Եթե խոսում եք հայերեն, կարող եք օգտվել թարգմանչի անվճար ծառայություններից: Զանգահարեք (833) 388-8168 հեռախոսահամարով (TTY՝ 711):

انگلیسی (Farsi) **توجه:** اگر به زبان انگلیسی صحبت می‌کنید، خدمات زبانی، به صورت رایگان، در دسترس شماست. با شماره (833) 388-8168 (TTY: 711) تماس بگیرید.

По Русски (Russian) **ВНИМАНИЕ!** Если ты говоришь по русски, Вам доступны бесплатные языковые услуги. Позвоните по телефону (833) 388-8168 (TTY: 711).

日本語 (Japanese) 注意: 日本語を話される方は、無料の言語支援サービスを利用することができます。(833) 388-8168 (TTY: 711)までお電話ください

العربية (Arabic) **تنبيه:** إذا كنت تتكلم العربية، فإن خدمات المساعدة اللغوية تتوفر لك مجانًا. اتصل على الرقم (833) 388-8168 (TTY: 711).

ਪੰਜਾਬੀ (Punjabi) **ਧਿਆਨ ਦਿਓ:** ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਤੁਹਾਡੇ ਲਈ ਭਾਸ਼ਾ ਸਹਾਇਤਾ ਸੇਵਾਵਾਂ ਮੁਫਤ ਵਿੱਚ ਉਪਲਬਧ ਹਨ। (833) 388-8168 (TTY: 711) ਤੇ ਕਾਲ ਕਰੋ।

ខ្មែរ (Khmer/Cambodian) **ចំណាប់អារម្មណ៍:** បើអ្នកនិយាយខ្មែរ, សេវាជំនួយភាសាឥតគិតថ្លៃ គឺអាចរកបានសម្រាប់លោកអ្នក។ ហៅទូរស័ព្ទទៅ (833) 388-8168 (TTY: 711)។

Lus Hmog (Hmong) **LUS CEEV TSHWJ XEEB::** Yog koj hais Lus Hmog, peb muaj cov kev pab cuam txhais lus pub dawb rau koj. Hu rau (833) 388-8168 (TTY: 711).

हिंदी (Hindi) **ध्यानार्थ:** अगर आप हिंदीजीबोलते हैं तो, भाषा सहायता सेवाएं आपके लिए नि:शुल्क उपलब्ध हैं। फोन करें (833) 388-8168 (TTY: 711)।

ภาษาไทย (Thai) **โปรดทราบ:** ถ้าคุณพูดภาษาไทย เรามีบริการช่วยเหลือด้านภาษาฟรีสำหรับคุณ โทร (833) 388-8168 (TTY: 711)

ພາສາອັງກິດ (Lao) **ເຊີນຊາບ:** ຖ້າທ່ານເວົ້າໄດ້ ພາສາອັງກິດ, ພວກເຮົາມີບໍລິການຊ່ວຍເຫຼືອດ້ານພາສາໃຫ້ແກ່ທ່ານໂດຍບໍ່ເສຍຄ່າ. ໂທ (833) 388-8168 (ໂທລະພິມ: 711).

This formulary was updated on 8/19/2021.

For more recent information or other questions, please contact Clever Care Health Plan Customer Service at **1-833-388-8168 (TTY: 711)**, 8 a.m. to 8 p.m., seven days a week, from October 1 through March 31, and 8 a.m. to 8 p.m., weekdays, from April 1 through September 30, or visit **clevercarehealthplan.com/formulary**.