



2025 處方集

(承保藥物清單)

請閱讀：本文件內含
本計劃承保藥物的相關資訊

處方集 ID 00025204, 第 18 版

本處方集更新於 2025 年 10 月 01 日。如需更多最新資訊或有其他疑問，請致電福全健保 (Clever Care Health Plan) 會員服務部，電話：1-833-808-8153(國語)或者 1-833-808-8161(粵語) (TTY：711)，10 月 1 日至 3 月 31 日，服務時間為每週七天，上午 8 時至晚上 8 時；4 月 1 日至 9 月 30 日，服務時間為週一至週五，上午 8 時至晚上 8 時，或造訪 zh.devercarehealthplan.com/formulary。

原有會員請注意：本處方集自去年以來已有變動。請查閱本文件以確定您所服用的藥物仍包含在內。

當本藥物清單提及「我們」或「我們的」，均指福全健保 (Clever Care Health Plan)。當提及「計劃」、「我們的計劃」或「您的計劃」時，指的是福全健保長壽 (HMO) 計劃、福全健保超值 (HMO) 計劃、或福全健保全加 (HMO C-SNP) 計劃。

本文件包含我們計劃的藥物清單 (處方集)，最近的更新日期為 2025 年 10 月 01 日。若需要更新後的藥品清單 (處方集)，請與我們聯絡。我們的聯絡資訊與藥物清單 (處方集) 的最近更新日期都列於封面與封底。

通常，您必須使用網絡內藥局才能享用您的處方藥福利。福利、處方集、藥局網絡和／或共付額／共同保險額可能在 2025 年 1 月 1 日變更，並在年度當中不定時變動。

福全健保處方集是什麼？

在本文件中，我們使用的術語「藥物清單」和「處方集」所指為同一文件。處方集是由福全健保諮詢健康照護提供者團隊後選出的承保藥物的清單，涵蓋所有我們認為高品質治療方案之處方治療所必需的藥物。只要藥物為醫療所必需、於福全健保網絡內藥局配處方藥，以及遵守其他計劃規定，福全健保通常會承保在我們的處方集所列出的藥物。若需有關如何配處方藥的更多資訊，請查閱您的「承保範圍說明書」。

處方集會變更嗎？

藥物承保範圍的大多數變更均發生在 1 月 1 日，但我們可能會在年度當中新增或移除藥物清單上的藥物、將其移至不同的費用分攤層級或新增限制。進行這些變更時，我們必須遵循 Medicare 規定。處方集的更新將每月發布到我們的網站上：zh.clevercarehealthplan.com/formulary。

今年可能影響您的變更：在下述情況下，承保範圍變更會在該年度當中對您造成影響。

- **立即替代某些新版本的藥物和原生物製品。**如果我們用該藥物的某種新版本替換該藥物，並且該藥物將出現在相同或較低的費用分攤層級上，並且具有相同或更少的限制，我們可能會立即從我們的處方集中刪除該藥物。當我們將新版本的藥物添加到我們的處方集中時，我們可能決定將原廠藥物或原生物製品保留在我們的處方中，但立即將其轉移到不同的費用分攤層級或添加新的限制。

只有當我們添加一種原廠藥物的新學名藥，或添加某些已經在處方集中的原生物製品的新生物仿製藥版本時，我們才能立即做出這些改變（例如，藥局可以添加可互換的生物仿製藥以替代原生物製品，而無需新處方）。

如果您目前正在服用原廠藥或原生物製品，我們在立即做出更改之前可能不會提前告知您，但我們稍後會向您提供有關我們所做的具體更改的信息。

如果我們進行此類更改，您或您的處方醫生可以要求我們破例並繼續為您承保正在更改的藥物。有關更多信息，請參閱下面標題為「我該如何申請福全健保處方集的例外處理？」的部分。

其中一些藥物類型對您來說可能是新的內容。欲瞭解更多信息，請參閱下面標題為「什麼是原生物製品以及它們與生物仿製藥有何關係？」的部分。

- **藥物遭下市。**
若食品藥物管理局 (Food and Drug Administration, FDA) 認為我們處方集上的某藥物不安全或製藥商將此藥物下市，我們將立刻將此藥物從我們的處方集上除名，並通知使用此藥物的會員。
- **其他變更。**
我們可能實施會影響目前用藥之會員的其他變更。例如，我們可能會新增學名藥，以取代目前在處方集上的原廠藥；或者添加一種新的生物仿製藥來替換目前在處方集中的原生物製品，或者在添加新的藥物後添加新的限制或將藥物在處方集所處層級轉移至更高的費用分攤層級，或兩者兼有。在添加同等的學名藥時，我們可能會從處方集中移除原廠藥，或者在添加生物仿製藥時，我們可能會移除原生物製品。我們還可能对原廠藥物或原生物製品應用新的限制，或將其轉移到不同的成本分攤層級，或兩者兼有。我們可能會根據新的臨床指南進行更改。如果我們從處方集中刪除藥物，對藥物添加事先授權、數量限制和/或分步治療限制，或將藥物移至更高的費用分攤層級，我們必須在變更生效前至少 30 天將變更通知受影響的會員。或者，當會員請求補充藥物時，他們可能會收到 30 天的藥物供應量和變更通知。

如果我們做出這類其他變更，您或您的開立處方者可要求我們為您進行例外處理，繼續為您承保您正在服用的藥物。我們提供您的通知也將包含如何申請例外處理的資訊，且您也可在以下章節找到資訊，標題為「我該如何申請福全健保處方集的例外處理？」

如果您目前正在服用該藥物，這些變更將不會對您造成影響。

通常，除上述情況外，若您正在服用我們 2025 年處方集年初承保的藥物，我們將不會在 2025 承保年度期間終止或減低承保。也就是說，對於在剩餘承保年度中繼續服用該等藥物的會員，這些藥物的費用分攤將維持不變，且無新的限制。若變更不會對您造成影響，您今年就不會直接收到變更通知。但是，下一年的 1 月 1 日，此類變更會影響到您，因此請務必在新福利年度的藥物清單中查清是否有藥物變更。

隨附的處方集是截至 10/01/2025 的最新資訊。若要取得福全健保承保藥物的最新資訊，請聯絡我們。我們的聯絡資訊列於封面與封底。如果年中發生非維護性的處方集變更，我們會在我們的網站上發布所有通知，並將在變更生效前 30 天向您發送通知。

我該如何使用處方集？

有兩個方法可以在處方集內找到您的藥物：

醫療狀況

處方集從第 3 頁開始。本處方集內的藥物分類方式，是按藥物用來治療的醫療狀況類型而分門別類。例如，用來治療心臟病症的藥物列於「心血管藥物」類別之下。若您知道您的藥物用途，請在第 1 頁開始的清單上找尋類別名稱。然後在此類別名稱下找出您的藥物。

按英文字母順序排列的清單

如果您不確定您該在哪個類別下尋找，您應從第 1 頁開始的索引中尋找您的藥物。該索引依英文字母順序列出本文件所包含的所有藥物。原廠藥及學名藥都列在此索引中。在索引中找出您的藥物。您會在您的藥物旁看到頁碼，您可以在該頁找到該藥物的承保資訊。翻到索引所標示的頁數，在清單的第一欄找到您的藥物名稱。

什麼是學名藥？

我們同時承保原廠藥和學名藥。學名藥經 FDA 批准，具有與原廠藥相同主要成分的藥物。一般來說，學名藥的效果與原廠藥一樣好，而且通常比原廠藥便宜。許多原廠藥物都有學名藥替代品。根據州法律，學名藥通常可以在藥房替代原廠藥，且無需新處方。

什麼是原生物制品？它們與生物仿製藥有何關係？

在處方集中，當我們提到藥物時，這可能是指藥物或生物制品。生物制品是比典型藥物更複雜的藥物。由於生物制品比典型藥物更複雜，因此它們沒有通用形式，而是一種被稱為生物仿製藥的替代品。一般來說，生物仿製藥的作用與原生物制品一樣好，而且成本可能更低。一些原生物制品有生物仿製藥替代品。一些生物仿製藥是可互換的生物仿製藥，根據州法律，可以在藥局替代原生物制品，而無需新處方，就像學名藥可以代替原廠藥一樣。

有關藥物類型的討論，請參閱「承保範圍說明書」，第 5 章，「藥物清單」將說明哪些 D 部分藥物將受到承保。

我的承保是否有任何限制？

某些承保藥物可能在承保範圍上有額外要求或限制。這些要求和限制可能包括：

預先授權：對於某些藥物，我們要求您或您的醫師應獲得預先授權。這表示您拿處方籤配藥前，將必須先得到我們的核准。如果您未獲得核准，我們可能無法承保該藥物。

藥量限制：對於某些藥物，我們將限制我們承保的藥物數量。例如，我的計劃為每 30 天的處方提供 12 錠的 rizatriptan（MAXALT 的學名藥）。這可能是對標準一個月或三個月供應量之外所提供的額外量。

階段療法：在某些情況下，在為您的疾病承保另一種藥物之前，我們會要求您先嘗試用特定藥物進行治療。例如，如果藥物 A 及藥物 B 均可治療您的醫療狀況，我們可能要求您先嘗試藥物 A 後，才會承保藥物 B。如果藥物 A 對您無效，我們之後才會承保藥物 B。

您可以在從第 3 頁開始的處方集找出您的藥物是否有任何額外要求或限制。您亦可以造訪我們的網站，取得有關適用特定承保藥物的限制的更多資訊。我們已在網站上發布了預先授權及階段療法限制的說明文件。您也可要求我們將這些文件的副本寄給您。我們的聯絡資訊與處方集的最近更新日期都列於封面與封底。

您可以要求福全健保針對這些藥物的限制或限額，或對可能治療您健康狀況之其他、類似藥物清單做出例外處理。請參閱第 v 頁的「我該如何申請福全健保處方集的例外處理？」章節，以瞭解如何要求例外處理的資訊。

什麼是非處方 (OTC) 藥物？

非處方 (over-the-counter, OTC) 藥物為 Medicare 處方藥物計劃通常不會承保的非處方藥物。我們支付某些 OTC 藥物的費用。可以上網查詢 OTC 項目列表，網址：zh.clevercarehealthplan.com。福全健保將向您免費提供這些 OTC 藥物。由我們負擔的這些 OTC 藥物費用不會計入您的 D 部份藥物費用總額。

如果處方集上沒有我的藥物，我該怎麼辦？

如果此處方集（承保藥物清單）中沒有您的藥物，您應首先聯絡會員服務部，並詢問是否承保您的藥物。欲了解更多資訊，請聯繫我們。我們的聯繫資訊以及我們上次更新處方集的日期顯示在封面和封底上。如果您發現我們不承保您的藥物，您有兩個選擇：

- 您可以要求會員服務部提供福全健保承保的類似藥物清單。您收到此清單後，請將清單拿給您的醫師並請其開立福全健保所承保之類似藥物的處方。
- 您可以要求福全健保做出例外處理並承保您的藥物。請參閱下列資訊瞭解如何申請例外處理。

我該如何申請福全健保處方集的例外處理？

您可以要求福全健保對我們的承保規則做出例外處理。有數種類型的情況您可以要求我們做出例外處理。

- 您可以要求我們承保某藥物，即便此藥物不在我們的處方集上。若經核准，此藥物將以預先決定的費用分攤層級承保，您將不能要求我們以更低的費用分攤層級提供此藥物。
- 您可以要求我們取消對您藥物的承保限制或限額。例如，對於某些藥物，我們會限制我們對該藥物的承保數量。若您的藥物有數量上的限制，可以要求我們取消此限制並承保較大的數量。
- 您可以要求以更低的費用分攤層級來承保此藥物除非此藥物屬於專科層級。若經核准，這將可能降低您必須對您的藥物付出的金額。

一般來說，只有當計劃處方中包含替代藥物、費用分攤費用較低的藥物或應用限制對您不那麼有效和/或會給您帶來不良影響時，我們才會批准您的例外請求。

您或您的處方醫生應聯絡我們，請求分級或處方例外處理，包括承保範圍限制的例外處理。**當您要求例外處理時，您的處方醫生將需要解釋您需要例外處理的醫療原因。**一般來說，我們必須在收到處方開立者的

支持聲明後 72 小時內做出決定。如果您相信且我們同意，等待長達 72 小時的決定可能會嚴重損害您的健康，您可以要求加急（快速）決定。如果我們同意，或者您的處方開立醫生要求快速做出決定，我們必須在收到您的處方開立醫生的支持聲明後 24 小時內向您做出決定。

如果我的藥物不在處方集中或受到限制，我該怎麼辦？

作為我們計劃的全新會員或續保會員，您可能正在服用不在我們處方集中的藥物。或者，您可能正在服用我們處方集中的藥物，但有承保限制，例如事先授權。您應該與您的處方醫生討論請求一承保決定以表明您符合批准標準、改用我們承保的替代藥物或請求處方例外處理以便我們承保您服用的藥物。當您和您的醫生為您確定正確的行動方案時，在某些情況下，我們可能會在您成為我們計劃會員的前 90 天內承保您的藥物。

針對您每一種不在我們的處方集中或有承保限制的藥物，我們將承保 30 天的臨時供應量。如果您處方開立的天數較短，我們將允許您續配處方，以提供最多 100 天的藥物供應。如果承保未獲批准，在您的第一個 30 天供應後，我們將不會支付這些藥物的費用，即使您成為該計劃的會員不到 90 天。

如果您是長期照護機構的住民，且需要不在我們處方集上的藥物，或如果您取得藥物的能力受到限制，但您已成為我們的計劃會員超過 90 天，在您申請處方集例外處理期間，我們將支付該藥物 31 天的緊急用量。

如需更多資訊

欲獲得有關您的福全健保處方藥物承保的更多詳細資訊，請參閱您的「承保範圍說明書」及其他計劃資料。如果您對福全健保有任何疑問，請聯絡我們。我們的聯絡資訊與處方集的最近更新日期都列於封面與封底。

若您對 Medicare 處方藥物承保有任何一般疑問，請致電 Medicare，電話：1-800-MEDICARE (1-800-633-4227)，每天 24 小時／每週 7 天提供服務。聽障專線使用者請撥打 1-877-486-2048。或瀏覽 <http://www.medicare.gov>。

福全健保處方集

從第 1 頁開始的處方集提供有關福全健保所承保藥物的承保資訊。若您無法在本清單上找到您的藥物，請翻到從第 I-1 頁開始的索引查詢。

表格第一欄所列的是藥物名稱。原廠藥以大寫字母表示（如 JARDIANCE），學名藥則以斜體小寫字母表示（如 *jasmiel*）。

要求／限制欄位的資訊會告訴您福全健保對您藥物的承保是否有任何特殊要求。

圖例

要求符號	名稱	說明
BvD	Medicare B 部分與 Medicare D 部分	某些藥物可能需要根據 Medicare 承保規則，進行 B 部分或 D 部分承保範圍判斷。
CB	福利上限	該處方設有福利上限的限額。
EX	排除的藥物	此類處方藥通常不屬於 Medicare 處方藥物計劃承保範圍。您在為此類藥物配處方藥時所支付的費用，不會計入您的總藥物費用中。也就是說，您所支付的費用對您達到重大傷病承保階段 (catastrophic coverage) 並沒有幫助。此外，如果您正在接受額外補助 (Extra Help) 來支付您的處方藥費用，您將不會得到任何支付此藥物的額外補助。
GC	缺口承保	我們在承保缺口 (Coverage Gap) 階段為該處方藥提供額外的承保。如需有關該承保的更多資訊，請參閱您的「承保範圍說明書」。
LA	取得來源有限	該處方可能只能在特定的藥局才可取得。如需更多資訊，請查閱您的藥局目錄，或致電 1-833-808-8153 (國語) 或者 1-833-808-8161 (粵語) (TTY：711) 與福全健保會員服務部聯絡。或者造訪 zh.clevercarehealthplan.com 。
NSO	僅限初次服用	如果您尚未服用過此藥物，您或您的醫師需要獲得預先授權。
PA	預先授權	此處方的承保需要預先授權。
QL	藥量限制	該藥物有劑量或處方數量限制。每日最大劑量限制由 FDA 定義。
ST	階段療法	已嘗試過其他一線或首選藥物療法後，才會提供此處方的承保。

目錄

Analgesics	3
Anesthetics	7
Anti-Addiction/Substance Abuse Treatment Agents	8
Antianxiety Agents	9
Antibacterials	11
Anticancer Agents	19
Anticonvulsants	37
Antidementia Agents	42
Antidepressants	43
Antidiabetic Agents	46
Antifungals	52
Antigout Agents	54
Antihistamines	54
Anti-Infectives (Skin And Mucous Membrane)	55
Antimigraine Agents	55
Antimycobacterials	56
Antinausea Agents	57
Antiparasite Agents	58
Antiparkinsonian Agents	59
Antipsychotic Agents	61
Antivirals (Systemic)	68
Blood Products/Modifiers/Volume Expanders	74
Caloric Agents	78
Cardiovascular Agents	79
Central Nervous System Agents	91
Contraceptives	96
Cough And Cold Products	106

Dental And Oral Agents	106
Dermatological Agents.....	106
Devices	112
Enzyme Cofactors/Chaperones	155
Enzyme Replacement/Modifiers	155
Eye, Ear, Nose, Throat Agents.....	156
Gastrointestinal Agents.....	161
Genitourinary Agents	165
Heavy Metal Antagonists.....	165
Hormonal Agents, Stimulant/Replacement/Modifying	166
Immunological Agents	172
Inflammatory Bowel Disease Agents	185
Metabolic Bone Disease Agents.....	186
Miscellaneous Therapeutic Agents	187
Ophthalmic Agents.....	189
Replacement Preparations	190
Respiratory Tract Agents	192
Skeletal Muscle Relaxants	197
Sleep Disorder Agents.....	197
Vasodilating Agents.....	198
Vitamins And Minerals.....	199

藥物名稱	藥物名稱	要求/限制
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine 120-12 mg/5 ml cup inner 120 mg-12 mg /5 ml (5 ml)</i>	1	NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	NDS; QL (180 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i> (codeine-butalbital-asa-caff)	2	NDS; QL (180 per 30 days)
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> (Butrans)	2	NDS; QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg</i> (Fioricet with Codeine)	2	NDS; QL (180 per 30 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	2	NDS; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i> (Tencon)	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	2	QL (180 per 30 days)
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>	2	NDS; QL (5 per 28 days)
<i>codeine sulfate oral tablet 15 mg, 60 mg</i>	4	NDS; QL (180 per 30 days)
<i>codeine sulfate oral tablet 30 mg</i>	2	NDS; QL (180 per 30 days)
<i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i> (Ascomp with Codeine)	2	NDS; QL (180 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
<i>endocet oral tablet 10-325 mg</i>	(oxycodone-acetaminophen)	2	NDS; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	(oxycodone-acetaminophen)	2	NDS; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone-acetaminophen)	2	NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>		5	PA; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>		2	PA; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>		2	NDS; QL (10 per 30 days)
<i>fioricet oral capsule 50-300-40 mg</i>	(butalbital-acetaminophen-caff)	2	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral solution 10-300 mg/15 ml, 10-325 mg/15 ml, 7.5-325 mg/15 ml</i>		2	NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>		2	NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg, 5-325 mg</i>		2	NDS; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>		2	NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>		2	
<i>hydromorphone oral liquid 1 mg/ml</i>	(Dilaudid)	2	NDS; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	(Dilaudid)	2	NDS; QL (180 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>		2	NDS; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>		2	NDS; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>		2	NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>		2	NDS; QL (180 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>morphine concentrate oral solution</i> <i>100 mg/5 ml (20 mg/ml)</i>	2	PA; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg</i>	2	NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	NDS; QL (90 per 30 days)
<i>morphine oral tablet extended release 60 mg</i> (MS Contin)	2	NDS; QL (60 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	NDS; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	PA; NDS; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	NDS; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	NDS; QL (240 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	NDS; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	NDS; QL (180 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	NDS; QL (60 per 30 days)
<i>tencon oral tablet 50-325 mg</i> (butalbital-acetaminophen)	2	QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	NDS; QL (300 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i> (butalbital-acetaminophen-caff)	2	QL (180 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>	2	PA; QL (100 per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid)	5	PA; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	2	
<i>diflunisal oral tablet 500 mg</i>	2	
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i>	2	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	2	
<i>flurbiprofen oral tablet 100 mg</i> (Lurbiro)	2	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>	2	PA; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg, 50 mg</i>	2	
<i>indomethacin oral capsule, extended release 75 mg</i>	2	
<i>ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg</i>	2	
<i>ketorolac oral tablet 10 mg</i>	2	QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)	2	
<i>piroxicam oral capsule 10 mg</i>	2	
<i>piroxicam oral capsule 20 mg</i> (Feldene)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	
Anesthetics		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
Local Anesthetics		
<i>dermacinrx lidocan 5% patch outer</i> (lidocaine)	2	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA
<i>lidocaine topical adhesive patch,medicated 5 %</i> (DermacinRx Lidocan)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; QL (240 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i> (lidocaine)	2	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	2	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	2	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	
<i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>	2	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	2	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	2	
NICOTROL INHALATION CARTRIDGE 10 MG	4	
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	4	QL (240 per 180 days)
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablet 1 mg (56 pack)</i>	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box)	2	
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i> (Xanax XR)	2	NDS; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	2	NDS; QL (90 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	QL (300 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>clorazepate dipotassium oral tablet</i> 15 mg, 3.75 mg, 7.5 mg	2	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	2	NDS; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	NDS; QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	NDS; QL (60 per 30 days)
<i>flurazepam oral capsule 30 mg</i>	2	NDS; QL (30 per 30 days)
<i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)	2	NDS; QL (150 per 30 days)
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)	2	NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	NDS; QL (150 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	NDS; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	NDS; QL (30 per 30 days)
<i>temazepam oral capsule 22.5 mg</i> (Restoril)	2	NDS; QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i> (Restoril)	2	NDS; QL (120 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>triazolam oral tablet 0.125 mg</i>	2	NDS; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	2	NDS; QL (60 per 30 days)
Antibacterials		
Aminoglycosides		
<i>amikacin injection solution 500 mg/2 ml</i>	2	
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	5	PA; NDS; QL (235.2 per 28 days)
<i>gentamicin injection solution 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	
Antibacterials, Miscellaneous		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	2	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	5	NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	2	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	
<i>methenamine hippurate oral tablet 1 gram</i>	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	2	
<i>metronidazole oral tablet 250 mg, 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NDS
<i>trimethoprim oral tablet 100 mg</i>	2	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	2	
XIFAXAN ORAL TABLET 200 MG	3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	
<i>cefixime oral capsule 400 mg</i>	2	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	
<i>cephalexin oral capsule 750 mg</i>	2	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	NDS; QL (136 per 10 days)
DIFICID ORAL TABLET 200 MG (fidaxomicin)	5	NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	
<i>fidaxomicin oral tablet 200 mg</i> (Difcid)	5	NDS; QL (20 per 10 days)
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	2	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	
<i>meropenem intravenous recon soln 2 gram</i>	4	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	
<i>ampicillin oral capsule 500 mg</i>	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT	4	
<i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>penicillin v potassium oral recon soln</i> 125 mg/5 ml, 250 mg/5 ml	2	
<i>penicillin v potassium oral tablet</i> 250 mg, 500 mg	1	
<i>piperacillin-tazobactam intravenous recon soln</i> 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram	2	
Quinolones		
<i>ciprofloxacin hcl oral tablet</i> 250 mg, 500 mg (Cipro)	1	
<i>ciprofloxacin hcl oral tablet</i> 750 mg	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback</i> 200 mg/100 ml, 400 mg/200 ml	2	
<i>levofloxacin in d5w intravenous piggyback</i> 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml	2	
<i>levofloxacin oral solution</i> 250 mg/10 ml	2	
<i>levofloxacin oral tablet</i> 250 mg	1	
<i>levofloxacin oral tablet</i> 500 mg, 750 mg	1	
<i>moxifloxacin</i> 400 mg/250 ml bag sub, p/f, inner	2	
<i>moxifloxacin oral tablet</i> 400 mg	2	
<i>moxifloxacin-sodium chloride (iso)</i> (Avelox in NaCl (iso-osmotic)) <i>intravenous piggyback</i> 400 mg/250 ml	2	
Sulfonamides		
<i>sulfadiazine oral tablet</i> 500 mg	2	
<i>sulfamethoxazole-trimethoprim oral suspension</i> 200-40 mg/5 ml (Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet</i> 400-80 mg (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet</i> 800-160 mg (Bactrim DS)	1	
Tetracyclines		
<i>demeclocycline oral tablet</i> 150 mg, 300 mg	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)	2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg</i>	2	
<i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 150 mg, 20 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet 50 mg</i> (Targadox)	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> (Doryx)	2	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxylene NL)	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral capsule 50 mg</i>	2	
<i>doxycycline monohydrate oral capsule 75 mg</i> (Mondoxylene NL)	2	QL (60 per 30 days)
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg</i> (Abitrega)	5	PA NSO; NDS; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg</i> (Zytiga)	5	PA NSO; NDS; QL (120 per 30 days)
<i>abirtega oral tablet 250 mg</i> (abiraterone)	2	PA NSO; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML	5	PA NSO; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 160 MG	5	PA NSO; NDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (240 per 30 days)
AVMAPKI ORAL CAPSULE 0.8 MG	5	PA NSO; NDS; QL (24 per 28 days)
AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG	5	PA NSO; NDS; QL (66 per 28 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln</i> (Treanda) 100 mg, 25 mg	5	PA NSO; NDS
BENDAMUSTINE (Bendeka) INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
BENDEKA INTRAVENOUS (bendamustine) SOLUTION 25 MG/ML	5	PA NSO; NDS
<i>bexarotene oral capsule</i> 75 mg (Targretin)	5	PA NSO; NDS
<i>bexarotene topical gel</i> 1 % (Targretin)	5	PA NSO; NDS
<i>bicalutamide oral tablet</i> 50 mg (Casodex)	2	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	5	PA NSO; NDS; QL (75 per 28 days)
<i>bleomycin injection recon soln</i> 15 unit, 30 unit	2	
<i>bortezomib injection recon soln</i> 1 mg, 2.5 mg	4	PA NSO
<i>bortezomib injection recon soln</i> 3.5 mg (Velcade)	4	PA NSO
BORUZU INJECTION SOLUTION 2.5 MG/ML	4	PA NSO
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
BRUKINSA ORAL TABLET 160 MG	5	PA NSO; NDS; QL (60 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Kyxata)	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)	5	PA BvD; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	2	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	3	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA NSO; NDS; QL (112 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; LA; NDS
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel)	5	PA NSO; NDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg</i> (Sprycel)	5	PA NSO; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)	5	PA BvD; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	5	PA NSO; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
EMRELIS INTRAVENOUS RECON SOLN 100 MG, 20 MG	5	PA NSO; NDS
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (90 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i>	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i>	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	
EULEXIN ORAL CAPSULE 125 (flutamide) MG	5	NDS
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz)	5	PA NSO; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz)	5	PA NSO; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FAKZYNJA ORAL TABLET 200 MG	5	PA NSO; NDS; QL (42 per 28 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	PA BvD

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i> (Eulexin)	2	
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NDS; QL (60 per 30 days)
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	2	PA BvD
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml)</i> (Avgemsi)	2	PA BvD
<i>gemcitabine intravenous solution 200 mg/5.26 ml (38 mg/ml)</i>	2	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG (lomustine)	4	
GLEOSTINE ORAL CAPSULE 100 MG, 40 MG (lomustine)	5	NDS
GOMEKLI ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (224 per 28 days)
GOMEKLI ORAL CAPSULE 2 MG	5	PA NSO; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	5	PA NSO; NDS; QL (224 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERNEXEOS ORAL TABLET 60 MG	5	PA NSO; NDS; QL (90 per 30 days)
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBTROZI ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NDS; QL (216 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA NSO; NDS; QL (280 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	2	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
ITOVEBI ORAL TABLET 3 MG	5	PA NSO; NDS; QL (60 per 30 days)
ITOVEBI ORAL TABLET 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NDS; QL (2 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	5	NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month))	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	PA NSO

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NDS
LYNOZYFIC INTRAVENOUS SOLUTION 2 MG/ML	5	PA NSO; NDS; QL (15 per 8 days)
LYNOZYFIC INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (40 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NDS; QL (140 per 28 days)
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)	5	NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MODEYSO ORAL CAPSULE 125 MG	5	PA NSO; NDS; QL (20 per 28 days)
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NDS; QL (30 per 30 days)
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NDS; QL (90 per 30 days)
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	2	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NDS; QL (120 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	5	NDS
<i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> (Alimta)	5	NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	5	NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (21 per 28 days)
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG	5	PA NSO; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL TABLET 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NDS; QL (120 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NDS; QL (60 per 30 days)
REVUFORJ ORAL TABLET 25 MG	5	PA NSO; NDS; QL (240 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	5	PA NSO; NDS; QL (8 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NDS
SCEMBLIX ORAL TABLET 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
SCEMBLIX ORAL TABLET 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SCEMBLIX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NDS; QL (120 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NDS; QL (900 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl)	5	PA NSO; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)	5	PA NSO; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NDS; QL (240 per 30 days)
TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION 1,875 MG-30,000 UNIT/15 ML	5	PA NSO; NDS
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NDS; QL (5 per 21 days)
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	2	
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NDS
<i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))	5	PA NSO; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))	5	PA NSO; NDS; QL (30 per 30 days)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG, 200 MG	5	PA NSO; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIVIMUSTA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG	5	PA NSO; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XALKORI ORAL PELLETT 150 MG	5	PA NSO; NDS; QL (180 per 30 days)
XALKORI ORAL PELLETT 20 MG	5	PA NSO; NDS; QL (240 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
XALKORI ORAL PELLETT 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	5	PA NSO; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
ZOLADEx SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NDS; QL (20 per 28 days)
Anticonvulsants		
Anticonvulsants		
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	3	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Tegretol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>	2	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NDS; QL (360 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	
DILANTIN ORAL CAPSULE 30 MG	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG	5	ST; NDS; QL (90 per 30 days)
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG	5	ST; NDS; QL (60 per 30 days)
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	2	
EPRONTIA ORAL SOLUTION 25 MG/ML (topiramate)	4	ST
<i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)	5	ST; NDS; QL (30 per 30 days)
<i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)	5	ST; NDS; QL (60 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i>	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NDS; QL (720 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	2	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	2	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	2	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green))	2	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	2	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)	2	ST
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i> (Celontin)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> (Fycompa)	5	ST; NDS; QL (30 per 30 days)
<i>perampanel oral tablet 2 mg</i> (Fycompa)	2	ST; QL (30 per 30 days)
<i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)	5	ST; NDS; QL (60 per 30 days)
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	
PHENYTEK ORAL CAPSULE 200 MG, 300 MG (phenytoin sodium extended)	4	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	2	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	2	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 500 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR (levetiracetam) SUSPENSION 250 MG	4	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral capsule, sprinkle 50 mg</i>	2	
<i>topiramate oral solution 25 mg/ml</i> (Eprontia)	2	ST
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NDS; QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral tablet 500 mg</i> (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	5	PA NSO; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	3	QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	3	QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	3	
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i>	2	
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NDS; QL (1080 per 30 days)
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg</i>	2	
<i>donepezil oral tablet,disintegrating 5 mg</i>	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	QL (200 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
galantamine oral tablet 12 mg, 4 mg, 8 mg	2	QL (60 per 30 days)
memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg	2	ST; QL (30 per 30 days)
memantine oral capsule, sprinkle, er 24hr 7 mg (Namenda XR)	2	ST; QL (30 per 30 days)
memantine oral solution 2 mg/ml	2	QL (300 per 30 days)
memantine oral tablet 10 mg, 5 mg	2	QL (60 per 30 days)
memantine-donepezil oral capsule, sprinkle, er 24hr 14-10 mg, 21-10 mg, 28-10 mg (Namzaric)	2	ST; QL (30 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	4	ST
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 7-10 MG	4	ST; QL (30 per 30 days)
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	
rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour (Exelon Patch)	2	QL (30 per 30 days)
Antidepressants		
Antidepressants		
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	
amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg	2	
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg	2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	ST; NDS
bupropion hcl oral tablet 100 mg, 75 mg	2	
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg (Wellbutrin XL)	2	
bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg (Wellbutrin SR)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>citalopram oral solution 10 mg/5 ml</i>	2	
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	
<i>doxepin oral concentrate 10 mg/ml</i>	2	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	2	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)	1	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>fluoxetine oral capsule 40 mg</i>	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i>	2	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	
<i>mirtazapine oral tablet, disintegrating (Remeron SolTab) 15 mg, 30 mg, 45 mg</i>	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)</i>	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	
<i>paroxetine hcl oral suspension 10 mg/5 ml (Paxil)</i>	2	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg (Paxil)</i>	1	
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg (Paxil CR)</i>	2	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	
<i>phenelzine oral tablet 15 mg (Nardil)</i>	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	
RALDESY ORAL SOLUTION 10 MG/ML	4	PA NSO; QL (1200 per 30 days)
<i>sertraline oral concentrate 20 mg/ml (Zoloft)</i>	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg (Zoloft)</i>	1	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	4	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	2	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	2	QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NDS; QL (14 per 14 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	3	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	2	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	QL (150 per 30 days)
<i>metformin oral tablet 750 mg</i>	1	QL (60 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	5	PA; NDS; QL (112 per 28 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	QL (90 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	QL (90 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	2	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	2	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制	
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG	(dapaglifloz propaned- metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG		3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG		3	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	(dapaglifloz propaned- metformin)	3	QL (60 per 30 days)
Insulins			
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML		3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML		3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (24 per 28 days)
insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)	(Novolog Mix 70- 30FlexPen U-100)	2	max \$35 copay per month supply; QL (30 per 28 days)
insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)	(Novolog Mix 70-30 U- 100 Insuln)	2	max \$35 copay per month supply; QL (40 per 28 days)
insulin aspart u-100 subcutaneous cartridge 100 unit/ml	(Novolog PenFill U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog FlexPen U-100 Insulin)	2	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	2	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin glargine-yfgn subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Semglee(insulin glarg-yfgn)Pen)	3	max \$35 copay per month supply
<i>insulin glargine-yfgn subcutaneous solution 100 unit/ml</i>	(Semglee(insulin glargine-yfgn))	3	max \$35 copay per month supply
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine)	3	max \$35 copay per month supply
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine)	3	max \$35 copay per month supply
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML		3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)		3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML		3	max \$35 copay per month supply; QL (40 per 28 days)
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin glargine-yfgn)	3	max \$35 copay per month supply

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin glargine-yfgn) 3	max \$35 copay per month supply
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc) 3	max \$35 copay per month supply
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc) 3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	(insulin degludec) 3	max \$35 copay per month supply
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	(insulin degludec) 3	max \$35 copay per month supply
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin degludec) 3	max \$35 copay per month supply
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	max \$35 copay per month supply; QL (15 per 28 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg</i>	1	QL (90 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	QL (120 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg	1	
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	1	
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg	1	
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
amphotericin b injection recon soln 50 mg	2	PA BvD
amphotericin b liposome intravenous suspension for reconstitution 50 mg (AmBisome)	5	PA BvD; NDS
ciclopirox topical cream 0.77 % (Ciclodan)	2	QL (180 per 30 days)
ciclopirox topical gel 0.77 %	2	
ciclopirox topical shampoo 1 %	2	
ciclopirox topical solution 8 % (Ciclodan)	2	QL (19.8 per 30 days)
ciclopirox topical suspension 0.77 % (Loprox (as olamine))	2	QL (180 per 30 days)
clotrimazole mucous membrane troche 10 mg	2	
clotrimazole topical cream 1 % (Antifungal (clotrimazole))	2	
clotrimazole topical solution 1 % (Athlete's Foot (clotrimazole))	2	
clotrimazole-betamethasone topical cream 1-0.05 %	2	QL (90 per 30 days)
clotrimazole-betamethasone topical lotion 1-0.05 %	2	
CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG	5	PA; NDS
econazole nitrate topical cream 1 %	2	QL (170 per 30 days)
fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml	2	
fluconazole oral suspension for reconstitution 10 mg/ml	2	
fluconazole oral suspension for reconstitution 40 mg/ml (Diflucan)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	
<i>griseofulvin microsize oral tablet 500 mg</i>	2	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i>	2	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>itraconazole oral solution 10 mg/ml</i>	5	PA; NDS
<i>ketoconazole oral tablet 200 mg</i>	2	
<i>ketoconazole topical cream 2 %</i>	2	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i> (Extina)	2	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
<i>miconazole-3 vaginal suppository 200 mg</i>	2	
NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG	5	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	
<i>nystatin oral tablet 500,000 unit</i>	2	
<i>nystatin topical cream 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>nystop topical powder 100,000 unit/gram</i> (nystatin)	2	QL (60 per 30 days)
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil)	5	PA; NDS
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	PA; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	2	
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i>	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	2	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	
Antihistamines		
Antihistamines		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i> (Carbzah)	2	
<i>clemastine oral tablet 2.68 mg</i> (Clemsza)	2	
<i>clemasz oral tablet 2.68 mg</i> (clemastine)	2	
<i>clemsza oral tablet 2.68 mg</i> (clemastine)	2	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	
<i>cyproheptadine oral tablet 4 mg</i>	2	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	2	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	QL (9 per 30 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer, suv</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>	2	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	2	QL (5 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	2	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	2	QL (12 per 30 days)
<i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i>	2	QL (12 per 30 days)
Antimycobacterials		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
Antimycobacterials		
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	
<i>isoniazid oral solution 50 mg/5 ml</i>	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	
<i>rifabutin oral capsule 150 mg</i>	2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECTOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	2	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; QL (60 per 30 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))	1	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	2	
<i>promethazine injection solution 25 mg/ml</i> (Phenergan)	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan)	2	
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (promethazine)	2	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	2	QL (10 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i>	5	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet 100 mg</i>	2	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	2	QL (90 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)	2	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>	2	QL (60 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	2	
<i>ivermectin oral tablet 6 mg</i>	2	
<i>mefloquine oral tablet 250 mg</i>	2	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NDS; QL (60 per 30 days)
<i>paromomycin oral capsule 250 mg</i> (Humatin)	2	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	2	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)	4	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	2	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	
<i>amantadine hcl oral tablet 100 mg</i>	2	
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	5	PA; NDS; QL (60 per 30 days)
<i>benztropine oral tablet 0.5 mg, 1 mg</i>	2	
<i>benztropine oral tablet 2 mg</i>	2	
<i>bromocriptine oral capsule 5 mg</i>	2	
<i>bromocriptine oral tablet 2.5 mg</i>	2	
<i>cabergoline oral tablet 0.5 mg</i>	2	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
carbidopa-levodopa oral tablet 10-100 mg (Sinemet)	2	
carbidopa-levodopa oral tablet 25-100 mg (Dhivy)	2	
carbidopa-levodopa oral tablet 25-250 mg	2	
carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg	2	
carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg	2	
carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg	2	
entacapone oral tablet 200 mg	2	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	4	ST; QL (30 per 30 days)
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NDS; QL (600 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	4	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG, 322 MG/DAY(129 MG X1-193MG X1)	4	ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	
<i>selegiline hcl oral capsule 5 mg</i>	2	
<i>selegiline hcl oral tablet 5 mg</i>	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	2	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NDS; QL (560 per 28 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NDS; QL (2.4 per 42 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NDS; QL (3.2 per 42 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NDS; QL (2 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NDS; QL (2 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	2	ST; QL (90 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	2	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	2	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 mg/ml	2	
<i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml	2	
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	
<i>clozapine oral tablet</i> 100 mg, 200 mg, 25 mg, 50 mg (Clozaril)	2	
<i>clozapine oral tablet, disintegrating</i> 100 mg, 12.5 mg, 25 mg	2	ST; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 150 mg	2	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 200 mg	2	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100- 20 MG, 125-30 MG, 50-20 MG	5	ST; NDS; QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	ST; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	5	NDS; QL (2.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	5	NDS; QL (0.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2)	4	ST
FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i>	2	
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NDS; QL (1.32 per 70 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	2	QL (30 per 30 days)
<i>lurasidone oral tablet 80 mg</i> (Latuda)	2	QL (60 per 30 days)
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i>	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	5	NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i>	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 7.5 mg</i>	2	
<i>olanzapine oral tablet 2.5 mg, 20 mg, 5 mg</i> (Zyprexa)	2	
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	2	
OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG	5	ST; NDS
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>prochlorperazine 10 mg/2 ml vial outer 10 mg/2 ml (5 mg/ml)</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	
<i>quetiapine oral tablet 150 mg</i>	2	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	2	
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	NDS; QL (30 per 30 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 25 mg/2 ml</i> (Rykindo)	2	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Rykindo)	5	NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	
<i>risperidone oral tablet 0.25 mg</i>	2	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	2	
RYKINDO INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres)	5	NDS; QL (2 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NDS; QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, (Geodon) 40 mg, 60 mg, 80 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i>	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	
APRETUDE INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	5	NDS; QL (24 per 365 days)
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg</i>	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i>	5	NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	5	NDS; QL (24 per 365 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
CIMDUO ORAL TABLET 300-300 MG	5	NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	5	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i>	2	
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT ORAL TABLET 25 MG	5	NDS
EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG	5	NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	2	
<i>efavirenz oral tablet 600 mg</i>	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i>	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	5	NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	2	
<i>emtricitabine-rilpivirine-tenofovir disoproxil fumarate oral tablet 200-25-300 mg</i> (Complera)	5	NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS
GENVOYA ORAL TABLET 150- 150-200-10 MG	5	NDS
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NDS
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NDS
KALETRA ORAL SOLUTION 400- (lopinavir-ritonavir) 100 MG/5 ML	4	QL (480 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i>	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400- (Kaletra) 100 mg/5 ml</i>	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 (Kaletra) mg</i>	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 (Kaletra) mg</i>	2	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	2	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i>	2	QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	2	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG-MG	5	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	5	NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	5	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)	5	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NDS
SYMITUZA ORAL TABLET 800-150-200-10 MG	5	NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i>	2	
Antivirals, Miscellaneous		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
LIVTENCITY ORAL TABLET 200 MG	5	PA; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	2	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)	2	QL (11 per 28 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	2	QL (30 per 5 days)
PREVYMIS ORAL PELLETS IN PACKET 120 MG, 20 MG	5	PA; NDS; QL (120 per 30 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	
Hcv Antivirals		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG	5	PA; NDS; QL (28 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>lagevrio (eua) oral capsule 200 mg</i>	4	QL (40 per 5 days)
<i>ribavirin oral capsule 200 mg</i>	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	5	NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	2	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	5	NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	5	NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	5	NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)	1	
<i>rivaroxaban oral suspension for reconstitution 1 mg/ml</i> (Xarelto)	2	QL (600 per 30 days)
<i>rivaroxaban oral tablet 2.5 mg</i> (Xarelto)	2	QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
XARELTO ORAL SUSPENSION (rivaroxaban) FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, (rivaroxaban) 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, (rivaroxaban) 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NDS; QL (60 per 30 days)
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NDS; QL (60 per 30 days)
<i>eltrombopag olamine oral powder in</i> (Promacta) <i>packet 12.5 mg</i>	5	PA; NDS; QL (90 per 30 days)
<i>eltrombopag olamine oral powder in</i> (Promacta) <i>packet 25 mg</i>	5	PA; NDS; QL (180 per 30 days)
<i>eltrombopag olamine oral tablet 12.5</i> (Promacta) <i>mg</i>	5	PA; NDS; QL (90 per 30 days)
<i>eltrombopag olamine oral tablet 25</i> (Promacta) <i>mg</i>	5	PA; NDS; QL (30 per 30 days)
<i>eltrombopag olamine oral tablet 50</i> (Promacta) <i>mg, 75 mg</i>	5	PA; NDS; QL (60 per 30 days)
FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	PA; NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	5	PA; NDS
STIMUFEND SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
Hematologic Agents, Miscellaneous		
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i>	2	
CABLIVI INJECTION KIT 11 MG	5	PA; NDS; QL (30 per 30 days)
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
<i>tranexamic acid oral tablet 650 mg</i>	2	
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	
BRILINTA ORAL TABLET 60 MG, (ticagrelor) 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)	2	QL (30 per 30 days)
<i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)	2	
Caloric Agents		
Caloric Agents		
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	
<i>clonidine transdermal patch weekly</i> (Catapres-TTS-1) <i>0.1 mg/24 hr</i>	2	
<i>clonidine transdermal patch weekly</i> (Catapres-TTS-2) <i>0.2 mg/24 hr</i>	2	
<i>clonidine transdermal patch weekly</i> (Catapres-TTS-3) <i>0.3 mg/24 hr</i>	2	
<i>doxazosin oral tablet 1 mg, 2 mg, 4</i> (Cardura) <i>mg, 8 mg</i>	1	
<i>droxidopa oral capsule 100 mg, 200</i> (Northera) <i>mg, 300 mg</i>	5	PA; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	2	
prazosin oral capsule 1 mg, 2 mg, 5 mg	2	
Angiotensin II Receptor Antagonists		
candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Atacand)	2	
candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg (Atacand HCT)	2	
ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG	3	QL (240 per 30 days)
irbesartan oral tablet 150 mg, 300 mg (Avapro)	2	
irbesartan oral tablet 75 mg	2	
irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg (Avalide)	2	
losartan oral tablet 100 mg, 25 mg, 50 mg (Cozaar)	1	
losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar)	1	
olmesartan oral tablet 20 mg, 40 mg, 5 mg (Benicar)	2	
olmesartan-amlodipin-hctiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg (Tribenzor)	2	
olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg (Benicar HCT)	2	
sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg (Entresto)	2	QL (60 per 30 days)
telmisartan oral tablet 20 mg	2	
telmisartan oral tablet 40 mg, 80 mg (Micardis)	2	
telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	2	
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i>	1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	2	ST; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	
<i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)	1	
<i>ramipril oral capsule 10 mg</i>	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	2	
Antiarrhythmic Agents		
<i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)	2	
<i>amiodarone oral tablet 400 mg</i>	2	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
Beta-Adrenergic Blocking Agents		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
acebutolol oral capsule 200 mg, 400 mg	2	
atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)	1	
atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)	2	
atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)	2	
betaxolol oral tablet 10 mg, 20 mg	2	
bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg	2	
bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg	2	
carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)	1	
labetalol oral tablet 100 mg, 200 mg, 300 mg	2	
metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)	1	
metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg	2	
metoprolol tartrate oral tablet 100 mg, 50 mg (Lopressor)	1	
metoprolol tartrate oral tablet 25 mg	1	
nadolol oral tablet 20 mg, 40 mg, 80 mg	2	
nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic)	2	
pindolol oral tablet 10 mg, 5 mg	2	
propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg (Inderal LA)	2	
propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)	2	
propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	2	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	2	
<i>sotalol oral tablet 240 mg</i> (Betapace)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	2	
<i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> (Tiadylt ER)	2	
<i>diltiazem 24hr er 420 mg cap</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>	2	
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)	2	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	2	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	2	
Cardiovascular Agents, Miscellaneous		
CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	QL (600 per 30 days)
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	
<i>digoxin oral tablet 62.5 mcg (0.0625 mg)</i> (Lanoxin)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	5	PA; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	3	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	2	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	2	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	5	PA; NDS; QL (18 per 30 days)
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML	4	QL (4 per 30 days)
SYMJEPI INJECTION SYRINGE (epinephrine) 0.3 MG/0.3 ML	4	QL (4 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	
KATERZIA ORAL SUSPENSION 1 MG/ML	4	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	
Diuretics		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	
<i>tolvaptan (polycys kidney dis) oral tablet 15 mg, 30 mg</i> (Jynarque)	5	PA; NDS; QL (120 per 30 days)
<i>tolvaptan (polycys kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque)	5	PA; NDS; QL (56 per 28 days)
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	2	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	2	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	2	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i>	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	2	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	
<i>colestipol oral packet 5 gram</i>	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG	4	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 120 mg, 40 mg, 54 mg</i>	2	
<i>fenofibrate oral tablet 160 mg</i>	1	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i>	2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	2	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	2	QL (120 per 30 days)
JUXTAPID ORAL CAPSULE 10 MG, 5 MG	5	PA; NDS; QL (28 per 28 days)
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	5	PA; NDS; QL (56 per 28 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	
NEXLETOL ORAL TABLET 180 MG	3	ST; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	ST; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	
<i>niacor oral tablet 500 mg</i> (niacin)	2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	2	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	ST; QL (7 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	QL (30 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	
KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG	3	PA; QL (30 per 30 days)
<i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)	2	ST; QL (600 per 30 days)
Vasodilators		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	2	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NDS; QL (210 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	2	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg</i> (Dexedrine Spansule)	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 5 mg</i>	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)	2	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> (Zenzedi)	2	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg</i> (Zenzedi)	2	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet 30 mg</i> (Zenzedi)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i> (Tecfidera)	5	PA; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	5	PA; NDS
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> (Tecfidera)	5	PA; NDS; QL (60 per 30 days)
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	5	PA; NDS
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NDS; QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)-80 MG (21)	5	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
<i>metadate er oral tablet extended</i> (methylphenidate hcl) <i>release 20 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er</i> (Metadate CD) <i>biphasic 30-70 10 mg, 20 mg, 40 mg,</i> <i>50 mg, 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er</i> (Metadate CD) <i>biphasic 30-70 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er</i> (Ritalin LA) <i>biphasic 50-50 10 mg, 20 mg, 40 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er</i> (Ritalin LA) <i>biphasic 50-50 30 mg</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er</i> <i>biphasic 50-50 60 mg</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10</i> (Methylin) <i>mg/5 ml, 5 mg/5 ml</i>	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10</i> (Ritalin) <i>mg, 20 mg, 5 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet</i> <i>extended release 10 mg</i>	2	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet</i> (Metadate ER) <i>extended release 20 mg</i>	2	QL (90 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)	2	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)	2	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	2	QL (60 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i> (Relexxii)	2	QL (30 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NDS; QL (20 per 180 days)
OCREVUS ZUNOVO SUBCUTANEOUS SOLUTION 920 MG-23,000 UNIT/23 ML	5	PA; NDS; QL (23 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)	5	PA; NDS; QL (30 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NDS; QL (112 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estradiol)	2
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol- e.estradiol)	2 QL (91 per 84 days)
<i>amethyst (28) oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estradiol)	2
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>		2
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol- e.estradiol)	2 QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2
<i>aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone- e.estradiol-iron)	2
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone- e.estradiol-iron)	2
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone- e.estradiol-iron)	2
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		2
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		2
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	2
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		2
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estrad)	2
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	2
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	2

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	藥物名稱	要求/限制
<i>dolishale oral tablet 90-20 mcg (28)</i>	(levonorgestrel-ethinyl estrad)	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	2	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>emzahh oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	2	
<i>estarylla oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Valtya)	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	
<i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	藥物名稱	要求/限制
hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
haloette vaginal ring 0.12-0.015 mg/24 hr	(etonogestrel-ethinyl estradiol)	2	QL (1 per 28 days)
heather oral tablet 0.35 mg	(norethindrone (contraceptive))	2	
iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
incassia oral tablet 0.35 mg	(norethindrone (contraceptive))	2	
introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
isibloom oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	(l norgest/e.estradiol-e.estrad)	2	QL (91 per 84 days)
jasmiel (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
jencycla oral tablet 0.35 mg	(norethindrone (contraceptive))	2	
jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	(levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
juleber oral tablet 0.15-0.03 mg	(desogestrel-ethinyl estradiol)	2	
junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	(norethindrone-e.estradiol-iron)	2	
junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2
<i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	2
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG		4
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(Camrese Lo)	2 QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	(Rosyrah)	2 QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	2 QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	2
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	2
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>larissia oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	(Balcoltra)	2
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	2

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	藥物名稱	要求/限制
levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg	(Altavera (28))	2	
levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)	(Amethyst (28))	2	
levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)	(Iclevia)	2	QL (91 per 84 days)
levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)	(Enpresse)	2	
levora-28 oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		3	
lillow (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
loryna (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
low-ogestrel (28) oral tablet 0.3-30 mg-mcg	(norgestrel-ethinyl estradiol)	2	
lo-zumandimine (28) oral tablet 3-0.02 mg	(drospirenone-ethinyl estradiol)	2	
luteria (28) oral tablet 0.1-20 mg-mcg	(levonorgestrel-ethinyl estrad)	2	
lyleq oral tablet 0.35 mg	(norethindrone (contraceptive))	2	
lyza oral tablet 0.35 mg	(norethindrone (contraceptive))	2	
marlissa (28) oral tablet 0.15-0.03 mg	(levonorgestrel-ethinyl estrad)	2	
meleya oral tablet 0.35 mg	(norethindrone (contraceptive))	2	
merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	
microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg	(norethindrone ac-eth estradiol)	2	
microgestin 1/20 (21) oral tablet 1-20 mg-mcg	(norethindrone ac-eth estradiol)	2	
microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	(norethindrone-e.estradiol-iron)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>mili oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG		4
<i>mono-lynyah oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2
NEXPLANON SUBDERMAL IMPLANT 68 MG		3
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	2 QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	2
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	2
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	2
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Gemmily)	2
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	2
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	2
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tilia Fe)	2
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Tri-Lo-Estarylla)	2
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Tri-Estarylla)	2
<i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>	(Estarylla)	2

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>norlyda oral tablet 0.35 mg</i> (norethindrone (contraceptive))	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	2	
<i>orquidea oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)	2	
<i>rosyrah oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (1 norgest/e.estradiol-e.estrad)	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad)	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive))	2	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>simpesse oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol-e.estradiol)	2 QL (91 per 84 days)
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG		4
SLYND ORAL TABLET 4 MG (28)		4
<i>sprintec (28) oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estradiol)	2
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	2
<i>taysofy oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	2
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2
<i>tri-lynyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	2
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(norgestimate-ethinyl estradiol)	2
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(norgestimate-ethinyl estradiol)	2
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	2
<i>valtya oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>		2
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	2
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	2
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	2
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		2
<i>vylibra oral tablet 0.25-0.035 mg</i>	(norgestimate-ethinyl estradiol)	2
<i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	2
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	2
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	2
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	2
Cough And Cold Products		
Cough And Cold Products		
<i>benzonatate oral capsule 100 mg, 200 mg</i>		6 EX
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	2
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Periogard)	1
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1
<i>fluoride (sodium) dental gel 1.1 %</i>	(DentaGel)	1
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Denta 5000 Plus Sensitive)	1
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	2
Dermatological Agents		
Dermatological Agents, Other		
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	2
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		2
<i>acyclovir topical cream 5 %</i>	(Zovirax)	2 QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	2 QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i>		2

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	2	
<i>calcipotriene scalp solution 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	2	QL (120 per 30 days)
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>	2	
<i>imiquimod topical cream in packet 5 %</i>	2	QL (24 per 30 days)
ISOPROPYL ALCOHOL TOPICAL SWAB 70 %	1	
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	3	QL (5 per 5 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NDS
PANRETIN TOPICAL GEL 0.1 %	5	NDS; QL (60 per 28 days)
<i>penciclovir topical cream 1 %</i> (Denavir)	2	
<i>podofilox topical solution 0.5 %</i>	2	
REGRANEX TOPICAL GEL 0.01 %	5	PA; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	2	
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam 1 %</i> (Clindacin)	2	QL (100 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i>	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Neuac)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	2	
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	2	
<i>gentamicin topical cream 0.1 %</i>	2	QL (90 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	QL (220 per 30 days)
<i>neuac topical gel 1.2 % (1 % base) -5 %</i> (clindamycin-benzoyl peroxide)	1	
<i>rosadan topical cream 0.75 %</i> (metronidazole)	2	
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i> (silver sulfadiazine)	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i> (hydrocortisone)	2	
<i>ala-scalp topical lotion 2 %</i> (hydrocortisone)	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	
<i>clobetasol scalp solution 0.05 %</i>	2	
<i>clobetasol topical cream 0.05 %</i>	2	
<i>clobetasol topical foam 0.05 %</i> (Olux)	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i>	2	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	2	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	2	
<i>desonide topical cream 0.05 %</i> (DesOwen)	2	
<i>desonide topical lotion 0.05 %</i>	2	
<i>desonide topical ointment 0.05 %</i>	2	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	2	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	2	
<i>diflorasone topical ointment 0.05 %</i>	2	QL (180 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>fluocinolone topical cream 0.01 %</i>	2	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	2	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	2	
<i>fluocinonide topical gel 0.05 %</i>	2	
<i>fluocinonide topical ointment 0.05 %</i>	2	
<i>fluocinonide topical solution 0.05 %</i>	2	
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	2	
<i>fluticasone propionate topical cream 0.05 %</i>	2	
<i>fluticasone propionate topical ointment 0.005 %</i>	2	
<i>halobetasol propionate topical cream 0.05 %</i>	2	
<i>halobetasol propionate topical ointment 0.05 %</i>	2	
<i>hydrocortisone 2.5% cream</i>	2	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	2	QL (236 per 30 days)
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	2	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC)	2	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	
<i>mometasone topical cream 0.1 %</i>	2	
<i>mometasone topical ointment 0.1 %</i>	2	
<i>mometasone topical solution 0.1 %</i>	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	2	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical cream 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	
Dermatological Retinoids		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.05 %, 0.1 %</i> (Tazorac)	2	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	
<i>permethrin topical cream 5 %</i> (Elimite)	2	QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
Devices		
Devices		
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2 PA; ST
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2 PA; ST
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2 PA; ST
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
ABOUTTIME PEN NEEDLE NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2 PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2 PA; ST
ALCOHOL 70% SWABS	(Alcohol Pads)	1 PA; ST
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1 PA; ST
ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED	(alcohol swabs)	1 PA; ST
ALCOHOL WIPES TOPICAL PADS, MEDICATED	(alcohol swabs)	1 PA; ST
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2 PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2 PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2 PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		2 PA; ST
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		2 PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		2 PA; ST
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2 PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	PA; ST
AUTOSHIELD DUO PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "	2	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
BD INS SYR UF 0.3 ML (insulin syringe-needle 12.7MMX30G 0.3 ML 30 GAUGE u-100) X 1/2"	2	PA; ST
BD INS SYR UF 0.5 ML (insulin syringe-needle 12.7MMX30G NOT FOR RETAIL u-100) SALE 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	2	PA; ST
BD INSULIN SYR 1 ML 25GX5/8" (insulin syringe-needle 1 ML 25 GAUGE X 5/8" u-100)	2	PA; ST
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	2	PA; ST
BD INSULIN SYR 1 ML (insulin syringe-needle 27GX12.7MM 1 ML 27 GAUGE X u-100) 1/2"	2	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" (insulin syringe-needle MICRO-FINE 1 ML 27 GAUGE X u-100) 5/8"	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
BD INSULIN SYRINGE SLIP TIP SYRINGE 1 ML	(insulin syringe needleless)	2	PA; ST
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
BD SINGLE USE SWAB	(alcohol swabs)	1	PA; ST
BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	PA; ST
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	PA; ST
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100) 2	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage) 1	PA; ST
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs) 1	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2 PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"		2 PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
COMFORT EZ 0.3 ML 31G 15/64" 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ 0.5 ML 31G 15/64" 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ INS 1 ML 31G 15/64" 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		2 PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		2 PA; ST
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2 PA; ST
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2 PA; ST
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2 PA; ST
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2 PA; ST
COMFORT TOUCH PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2 PA; ST
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
CURAD GAUZE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST
CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs)	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	PA; ST
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 " (gauze bandage)	1	PA; ST
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 " (gauze bandage)	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	PA; ST
DROPLET 0.3 ML 29G 12.7MM(1/2) 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
DROPLET 0.3 ML 30G 12.7MM(1/2) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
DROPLET INS 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
DROPLET INS SYR 1 ML 30G 8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		2	PA; ST
DROPLET INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		2	PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
DROPSAFE PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety)	2	PA; ST
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
DRUG MART ULTRA COMFORT (insulin syringe-needle SYR 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	2	PA; ST
EASY CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	2	PA; ST
EASY COMFORT 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
EASY COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16"	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		2 PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		2 PA; ST
EASY COMFORT ALCOHOL 70% PAD	(alcohol swabs)	1 PA; ST
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
EASY COMFORT PEN NDL 29G 4MM 29 GAUGE X 5/32"		2 PA; ST
EASY COMFORT PEN NDL 29G 5MM 29 GAUGE X 3/16"		2 PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2 PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2 PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2 PA; ST
EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 "	(insulin syringe-needle u-100)	2 PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16	2	PA; ST
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs)	1	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)	2	PA; ST
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML (insulin syringe needleless)	2	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"	2	PA; ST
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE 1/2 ML 29 (Utileit Insulin Syringe)	2	PA; ST
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE (Ultra Comfort Insulin Syringe)	2	PA; ST
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	2	PA; ST
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 " (gauze bandage)	1	PA; ST
GNP CLICKFINE 31G X 1/4" NDL 6MM, UNIVERSAL 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
GNP CLICKFINE 31G X 5/16" NDL 8MM, UNIVERSAL 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
GNP SIMPLI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
GNP ULT CMFRT 0.5 ML 29GX1/2" 1/2 ML 29 (insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 30 GAUGE (insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	PA; ST
GS PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(1st Tier Unifine Pentips)	2	PA; ST
GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(1st Tier Unifine Pentips)	2	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
HEALTHY ACCENTS PENTP 12MM 29G 29 GAUGE X 1/2"	2	PA; ST
HEB INCONTROL ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
INCONTROL PEN NEEDLE 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2"	2	PA; ST
INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16"	2	PA; ST
INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	PA; ST
INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INSULIN 1 ML SYRINGE 1 ML 30 (Ultra Comfort Insulin GAUGE X 7/16" Syringe)	2	PA; ST
INSULIN SYR 0.3 ML (Droplet Insulin Syr(half 31GX1/4(1/2) 0.3 ML 31 GAUGE X unit)) 1/4"	2	PA; ST
INSULIN SYR 0.5 ML 28G (Comfort EZ Insulin 12.7MM (OTC) 1/2 ML 28 GAUGE Syringe) X 1/2"	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX1/2" (Comfort EZ Insulin (RX) 0.5 ML 30 GAUGE X 1/2" Syringe)	2	PA; ST
INSULIN SYRING 0.5 ML 27G 1/2" (Easy Touch Insulin INNER 1/2 ML 27 GAUGE X 1/2" Syringe)	2	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML (insulin syringe-needle 29 GAUGE u-100)	2	PA; ST
INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin 31GX1/4 0.3 ML 31 GAUGE X 1/4" Syringe)	2	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML (insulin syringe-needle 29 u-100)	2	PA; ST
INSULIN SYRINGE 0.5 ML (Droplet Insulin 31GX1/4 1/2 ML 31 GAUGE X 1/4" Syringe)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" (BD SafetyGlide Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 28G 12.7MM (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok)	2	PA; ST
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Droplet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE NEEDLELESS SYRINGE 1 ML (Easy Touch Luer Lock Insulin)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe)	2	PA; ST
INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"	2	PA; ST
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 32G 6MM (RX) 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
IV ANTISEPTIC WIPES (alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "	1	PA; ST
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE	2	PA; ST
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2 PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2 PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2 PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2 PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2 PA; ST
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2 PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2 PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2 PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2 PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	2	PA; ST
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	2	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 1 ML 29 GAUGE X 1/2"		2	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MS INSULIN SYR 1 ML 31GX5/16" (OTC) 1 ML 31 GAUGE X 5/16	(Advocate Syringes)	2	PA; ST
MS INSULIN SYRINGE 0.3 ML 0.3 ML 30	(Ultra Comfort Insulin Syringe)	2	PA; ST
NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
NANO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
NOVOFINE 30 NEEDLE		2	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
NOVOTWIST NEEDLE 32 GAUGE X 1/5"	2	PA; ST
OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD CLASSIC PDM KIT(GEN 3)	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16" (Embrace Pen Needle)	2	PA; ST
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16" (CareFine Pen Needle)	2	PA; ST
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
PEN NEEDLE 31G X 1/4" HRI 31 GAUGE X 1/4" (1st Tier Unifine Pentips)	2	PA; ST
PEN NEEDLE 6MM 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips Plus)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	2	PA; ST
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
PEN NEEDLES 5MM 31G (pen needle, diabetic) 31GX5MM,STRL,MINI (OTC) 31 GAUGE X 3/16"	2	PA; ST
PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	2	PA; ST
PENTIPS PEN NEEDLE 29G 1/2" (pen needle, diabetic) 29 GAUGE X 1/2"	2	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"	2	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic) MINI, 5MM 31 GAUGE X 3/16"	2	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic) SHORT, 8MM 31 GAUGE X 5/16"	2	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" (pen needle, diabetic) 32 GAUGE X 1/4"	2	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic) GAUGE X 3/16"	2	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
PREFPLS INS SYR 1 ML (Advocate Syringes) 30GX5/16" (OTC) 1 ML 30 GAUGE X 5/16"	2	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		2	PA; ST
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	2	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		2	PA; ST
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		2	PA; ST
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(Comfort EZ Insulin Syringe)	2	PA; ST
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		2	PA; ST
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	2	PA; ST
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"		2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	PA; ST
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
NEEDLES, INSULIN DISP., (insulin syringe-needle SAFETY u-100)	2	PA; ST
SURE COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	2	PA; ST
SURE COMFORT 1 ML SYRINGE (insulin syringe-needle 1 ML 28 GAUGE X 1/2", 1 ML 29 u-100) GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	PA; ST
SURE COMFORT 3/10 ML (insulin syringe-needle SYRINGE 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
SURE COMFORT 3/10 ML (insulin syringe-needle SYRINGE INSULIN SYRINGE 0.3 u-100) ML 31 GAUGE X 5/16"	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
SURE-PREP ALCOHOL PREP PADS (alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"	2	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
TECHLITE PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4"	2	PA; ST
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX5/16" 32 GAUGE X 5/16"	2	PA; ST
TECHLITE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	PA; ST
TECHLITE PLUS PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
TERUMO INS SYRINGE U100-1 (insulin syringe-needle ML 1 ML 27 GAUGE X 1/2", 1 ML u-100) 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	2	PA; ST
TERUMO INS SYRINGE U100-1 (Thinpro Insulin ML 1 ML 30 GAUGE X 3/8" Syringe)	2	PA; ST
TERUMO INS SYRINGE U100-1/2 (insulin syringe-needle ML 1/2 ML 30 X 3/8" u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1/3 (insulin syringe-needle ML 0.3 ML 30 X 3/8" u-100)	2	PA; ST
TERUMO INS SYRNG U100-1/2 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", 1/2 u-100) ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	2	PA; ST
THINPRO INS SYRIN U100-0.3 (insulin syringe-needle ML 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 30 X 3/8"	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	PA; ST
THINPRO INS SYRIN U100-0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", 1/2 u-100) ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	PA; ST
THINPRO INS SYRIN U100-1 ML (insulin syringe-needle 1 ML 28 GAUGE X 1/2", 1 ML 29 u-100) GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	PA; ST
TOPCARE CLICKFINE 31G X 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"	2	PA; ST
TOPCARE CLICKFINE 31G X (pen needle, diabetic) 5/16" 31 GAUGE X 5/16"	2	PA; ST
TOPCARE ULTRA COMFORT (insulin syringe-needle SYRINGE 0.3 ML 29 GAUGE X u-100) 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	2	PA; ST
TRUE CMFRT PRO 0.5 ML 30G (insulin syringe-needle 5/16" 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
TRUE COMFORT 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
TRUE COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	2	PA; ST
TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic) 2	PA; ST
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic) 2	PA; ST
TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic) 2	PA; ST
TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic) 2	PA; ST
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic) 2	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100) 2	PA; ST
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100) 2	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100) 2	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark) 2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.5 ML 30G 8MM (OTC) 0.5 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		2	PA; ST
ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST
ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"		2 PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"		2 PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"		2 PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"		2 PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"		2 PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"		2 PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"		2 PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"		2 PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"		2 PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"		2 PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"		2 PA; ST
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"		2 PA; ST
ULTILET ALCOHOL STERL SWAB	(alcohol swabs)	1 PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
ULTILET PEN NEEDLE 29 GAUGE		2 PA; ST
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2 PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2 PA; ST
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2 PA; ST
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2 PA; ST
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2 PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		2 PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		2 PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		2 PA; ST
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2 PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTRA-FINE 0.3 ML 30G 12.7MM (1/2) 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTRA-FINE 0.5 ML 30G 12.7MM (insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
ULTRA-FINE SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱		藥物名稱	要求/限制
ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE OTC PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE OTC PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE	2	PA; ST
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
UNIFINE ULTRA PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100) 2	PA; ST
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	PA; ST
VANISHPOINT U-100 29X1/2 SYR (insulin syringe-needle u-100) 1 ML 29 GAUGE X 1/2"	2	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" (insulin syringe-needle u-100) 1 ML 29 GAUGE X 1/2"	2	PA; ST
VERIFINE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	PA; ST
VERIFINE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
VERIFINE PEN NEEDLE 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"	2	PA; ST
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	PA; ST
V-GO 20 DEVICE	3	QL (30 per 30 days)
V-GO 30 DEVICE	3	QL (30 per 30 days)
V-GO 40 DEVICE	3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	PA; ST
Enzyme Cofactors/Chaperones		
Enzyme Cofactors/Chaperones		
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG	5	PA; NDS; QL (90 per 30 days)
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
CERDELGA ORAL CAPSULE 84 MG	5	PA; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NDS; QL (14 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>javygtor oral tablet, soluble 100 mg</i> (sapropterin)	5	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	5	PA; NDS; QL (90 per 30 days)
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	5	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
<i>yargesa oral capsule 100 mg</i> (miglustat)	5	PA; NDS; QL (90 per 30 days)
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>azelastine nasal spray,non-aerosol</i> 137 mcg (0.1 %)	2	QL (60 per 30 days)
<i>azelastine nasal spray,non-aerosol</i> (Astepro Allergy) 205.5 mcg (0.15 %)	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops</i> 0.05 %	2	
<i>bepotastine besilate ophthalmic (eye) drops</i> (Bepreve) 1.5 %	2	ST
<i>cromolyn ophthalmic (eye) drops</i> 4 %	2	
<i>epinastine ophthalmic (eye) drops</i> 0.05 %	2	
<i>ipratropium bromide nasal spray,non-aerosol</i> 21 mcg (0.03 %)	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol</i> 42 mcg (0.06 %)	2	QL (15 per 10 days)
MIEBO (PF) OPHTHALMIC (EYE) DROPS 100 %	3	QL (12 per 28 days)
<i>olopatadine nasal spray,non-aerosol</i> 0.6 %	2	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops</i> (Eye Allergy Itch-Redness Rlf) 0.1 %	2	
<i>olopatadine ophthalmic (eye) drops</i> (Advanced Eye Relief (olopatad)) 0.2 %	2	
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution</i> 2 %	2	
<i>bacitracin ophthalmic (eye) ointment</i> 500 unit/gram	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment</i> 500-10,000 unit/gram (Polycin)	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops</i> 0.3 %	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension</i> 0.3-0.1 %	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment</i> 5 mg/gram (0.5 %)	2	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops</i> 0.5 %	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	
NATACYN OPTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflux)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b)	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	
XDEM VY OPHTHALMIC (EYE) DROPS 0.25 %	5	PA; NDS; QL (10 per 42 days)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % (loteprednol etabonate)	3	ST
<i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)	2	
<i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)	2	
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	
<i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)	2	QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
<i>difluprednate ophthalmic (eye) drops (Durezol) 0.05 %</i>	2	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 % (DermOtic Oil)</i>	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 % (FML Liquifilm)</i>	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation (24 Hour Allergy Relief)</i>	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 % (Acular)</i>	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 % (Lotemax)</i>	2	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 % (Alrex)</i>	2	ST
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	2	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation (Allergy Nasal (mometasone))</i>	2	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 % (Pred Forte)</i>	4	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
XIIDRA OPTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	2	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole))	2	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i> (Nexium)	2	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	2	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	2	ST; QL (60 per 30 days)
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>	2	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole))	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	
<i>nizatidine oral solution 150 mg/10 ml</i>	2	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram</i> (Zegerid OTC)	5	ST; NDS; QL (30 per 30 days)
<i>omeprazole-sodium bicarbonate oral capsule 40-1.1 mg-gram</i>	2	ST; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)	1	QL (60 per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)	2	QL (30 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
Gastrointestinal Agents, Other		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)	5	PA; NDS
<i>constulose oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>	2	
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	
<i>dicyclomine oral tablet 20 mg</i>	2	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	
<i>enulose oral solution 10 gram/15 ml</i> (lactulose)	2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NDS
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	2	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	2	
IQIRVO ORAL TABLET 80 MG	5	PA; NDS; QL (30 per 30 days)
<i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
LIVDELZI ORAL CAPSULE 10 MG	5	PA; NDS; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	2	
<i>lubiprostone oral capsule 24 mcg</i> (Amitiza)	2	QL (60 per 30 days)
<i>lubiprostone oral capsule 8 mcg</i> (Amitiza)	2	QL (120 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	PA; NDS
<i>sodium polystyrene sulfonate oral powder 15 gram</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	5	NDS
<i>ursodiol oral capsule 300 mg</i>	2	
<i>ursodiol oral tablet 250 mg</i>	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (84 per 28 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes)	2	
<i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	2	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit)	3	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>	2	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
Phosphate Binders		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	
<i>lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	5	NDS
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	2	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	2	
<i>flavoxate oral tablet 100 mg</i>	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)	2	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i>	2	
<i>trospium oral capsule, extended release 24hr 60 mg</i>	2	
<i>trospium oral tablet 20 mg</i>	2	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	2	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NDS
Heavy Metal Antagonists		
Heavy Metal Antagonists		

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	2	PA
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	2	PA
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	5	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	5	PA; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>	2	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i>	2	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i> (Vogelxo)	2	PA; QL (300 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	2	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens		
<i>abigale lo oral tablet 0.5-0.1 mg</i> (estradiol-norethindrone acet)	1	
<i>abigale oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	2	QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml</i> (Delestrogen)	2	
<i>estradiol valerate intramuscular oil 40 mg/ml</i>	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Abigale Lo)	2	
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i> (Abigale)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	2	
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	2	QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	2	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	3	
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvaferm vaginal tablet 10 mcg</i> (estradiol)	2	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
HEMADY ORAL TABLET 20 MG	4	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>methylprednisolone acetate injection</i> (Depo-Medrol) <i>suspension 40 mg/ml</i>	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablet 32 mg</i>	2	
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	
Pituitary		
ACTHAR INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML	5	PA; NDS; QL (15 per 30 days)
ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML	5	PA; NDS; QL (30 per 30 days)
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
CORTROPHIN GEL SUBCUTANEOUS SYRINGE 40 UNIT/0.5 ML	5	PA; NDS; QL (15 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
CORTROPHIN GEL SUBCUTANEOUS SYRINGE 80 UNIT/ML	5	PA; NDS; QL (30 per 30 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin nasal spray, non- aerosol 10 mcg/spray (0.1 ml)</i>	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NDS; QL (30 per 30 days)
EGRIFTA WR SUBCUTANEOUS KIT 11.6 MG	5	PA; NDS; QL (4 per 28 days)
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	5	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NDS
LUTRATE DEPOT (3 MONTH) (leuprolide (3 month)) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	4	PA NSO

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	PA; NDS
Progestins		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)	2	
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	2	
<i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	
<i>propylthiouracil oral tablet 50 mg</i>	2	
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG (tacrolimus)	4	PA BvD

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
ASTAGRAF XL ORAL (tacrolimus) CAPSULE,EXTENDED RELEASE 24HR 5 MG	5	PA BvD; NDS
<i>auranofin oral capsule 3 mg</i> (Ridaura)	5	NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	2	PA BvD

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NDS
CYLTEZO(CF) PEN PSORIASIS- UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NDS
CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NDS
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML (adalimumab-adbm)	5	PA; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> (Zortress)	5	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	2	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
<i>infliximab intravenous recon soln</i> (Remicade) 100 mg	5	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule</i> (CellCept) 250 mg	2	PA BvD
<i>mycophenolate mofetil oral</i> (CellCept) <i>suspension for reconstitution 200</i> <i>mg/ml</i>	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet</i> (CellCept) 500 mg	2	PA BvD
<i>mycophenolate sodium oral</i> (Myfortic) <i>tablet, delayed release (dr/ec) 180</i> <i>mg, 360 mg</i>	2	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	4	ST
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NDS
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG (auranofin)	5	NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NDS; QL (360 per 30 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NDS
SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML (ustekinumab-aekn)	3	PA
SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML (ustekinumab-aekn)	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i>	5	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NDS
STELARA INTRAVENOUS (ustekinumab) SOLUTION 130 MG/26 ML	5	PA; NDS
STELARA SUBCUTANEOUS (ustekinumab) SOLUTION 45 MG/0.5 ML	5	PA; NDS
STELARA SUBCUTANEOUS (ustekinumab) SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NDS; QL (180 per 30 days)
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NDS
TREMFYA PEN INDUCTION PK- CROHN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NDS
YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	3	PA
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	3	PA
YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; NDS
YUFLYMA(CF) AI CROHN'S-UC- (adalimumab-aaty) HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML	5	PA; NDS
YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty) SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS
YUFLYMA(CF) SUBCUTANEOUS (adalimumab-aaty) SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS
Vaccines		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	6	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	6	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	6	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	6	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	6	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	6	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	6	\$0 copay
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	6	
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	6	QL (3 per 365 days)
ENGRIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	6	PA BvD; \$0 copay
ENGRIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	6	PA BvD; \$0 copay
ENGRIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	6	PA BvD; \$0 copay

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	6	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	6	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	6	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	6	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	6	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	6	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	6	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	6	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	6	\$0 copay
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	6	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	6	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	6	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	6	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	6	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	6	\$0 copay

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	6	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	6	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	6	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	6	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	6	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	6	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	\$0 copay
PENMENVY MEN A-B-C-W-Y (PF) INTRAMUSCULAR KIT 0.5 ML	6	\$0 copay
PENMENVY MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10-5 MCG	6	\$0 copay
PENMENVY MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 50- 50-50-25 MCG/0.5 ML	6	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF- 20MCG-5LF- 62 DU/0.5 ML	6	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	6	PA BvD; \$0 copay
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	6	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	6	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	6	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	6	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	6	PA BvD; \$0 copay
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	6	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	6	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	6	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	6	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	6	\$0 copay

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	6	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	6	\$0 copay
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	6	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	6	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	6	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	6	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	6	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	6	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	6	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	6	\$0 copay
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	6	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	6	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	6	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	6	\$0 copay

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	6	\$0 copay
VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT	6	\$0 copay
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	6	\$0 copay
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	2	
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	2	
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	2	
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	2	
<i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)	2	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	2	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>	2	
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	4	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	2	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NDS; QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	
<i>ibandronate oral tablet 150 mg</i>	2	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NDS; QL (2 per 28 days)
OSENVELT SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	
<i>paricalcitol oral capsule 4 mcg</i>	2	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	QL (4 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Bonsity)	5	PA; NDS; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS
ANDEMBRY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 200 MG/1.2 ML	5	PA; NDS
BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION	3	
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NDS
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	
ELMIRON ORAL CAPSULE 100 MG	4	
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NDS
EVRYSDI ORAL TABLET 5 MG	5	PA; NDS
<i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)	5	PA; NDS; QL (180 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	
<i>mesna oral tablet 400 mg</i> (Mesnex)	5	NDS
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)	2	QL (30 per 30 days)
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	
<i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan)	2	
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)	5	PA; NDS
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	5	PA; NDS
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS; QL (2 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE	5	PA; NDS; QL (12 per 30 days)
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML	3	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	3	
ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT 120 MG/ML	5	PA; NDS
ZYMFENTRA SUBCUTANEOUS SYRINGE KIT 120 MG/ML	5	PA; NDS
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	2	
<i>brinzolamide ophthalmic (eye) drops, suspension 1 %</i> (Azopt)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>carteolol ophthalmic (eye) drops 1 %</i>	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	2	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))	2	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	2	
<i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)	1	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	2	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
Replacement Preparations		
Replacement Preparations		
<i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i>	(d5 % and 0.9 % sodium chloride)	2
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	(D5 % (d-glucose)-0.9 % sodchlr)	2

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
ISOLYTE S IV SOLUTION-EXCEL SINGLE USE	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)	2	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>	4	
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>	2	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION (electrolyte-a)	4	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)	2	
<i>potassium chloride oral tablet extended release 15 meq, 20 meq</i>	2	
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	2	
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
potassium chloride oral tablet, er particles/crystals 20 meq (Klor-Con M20)	2	
potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l	2	
potassium citrate oral tablet extended release 10 meq (1,080 mg) (Urocit-K 10)	2	
potassium citrate oral tablet extended release 15 meq (Urocit-K 15)	2	
potassium citrate oral tablet extended release 5 meq (540 mg)	2	
sodium chloride 0.45 % intravenous parenteral solution 0.45 %	2	
sodium chloride 0.9 % intravenous parenteral solution	2	
sodium chloride 0.9% solution mini-bag, single use	2	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol)	3	QL (12 per 30 days)
AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION (fluticasone furoate)	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	3	QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>breyana inhalation hfa aerosol inhaler</i> (budesonide-formoterol) 160-4.5 mcg/actuation, 80-4.5 mcg/actuation	2	QL (30.9 per 30 days)
<i>budesonide inhalation suspension for nebulization</i> 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml (Pulmicort)	2	PA BvD; QL (120 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler</i> 160-4.5 mcg/actuation, 80-4.5 mcg/actuation (Breyna)	2	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler</i> 110 mcg/actuation	2	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler</i> 220 mcg/actuation	2	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler</i> 44 mcg/actuation	2	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device</i> 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose (Wixela Inhub)	2	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device</i> 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose (fluticasone propion-salmeterol)	2	QL (60 per 30 days)
Antileukotrienes		
<i>montelukast oral tablet</i> 10 mg (Singulair)	1	
<i>montelukast oral tablet, chewable</i> 4 mg, 5 mg (Singulair)	2	
<i>zafirlukast oral tablet</i> 10 mg, 20 mg (Accolate)	2	
Bronchodilators		
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler</i> 90 mcg/actuation (Ventolin HFA)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler</i> 90 mcg/actuation (nda020503)	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler</i> 90 mcg/actuation (nda020983)	2	QL (36 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	2	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	4	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; QL (540 per 30 days)
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	4	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	
<i>theophylline oral solution 80 mg/15 ml</i>	2	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
<i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i> (Spiriva with HandiHaler)	2	QL (30 per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ALYFTREK ORAL TABLET 10- 50-125 MG	5	PA; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20- 50 MG	5	PA; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NDS; QL (1 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; LA; NDS; QL (0.4 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	5	PA; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i>	5	PA; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NDS; QL (90 per 30 days)
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	2	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	2	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	5	PA; NDS; QL (56 per 28 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2)	5	PA; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	
<i>dantrolene oral capsule 100 mg, 50 mg</i>	2	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	2	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NDS; QL (150 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; LA; NDS; QL (540 per 30 days)
<i>tasimelteon oral capsule 20 mg</i> (Hetlioz)	5	PA; NDS; QL (30 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
<i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	2	QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))	2	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; LA; NDS; QL (60 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; QL (360 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	6	EX; CB (6 EA per 30 days)
<i>tadalafil oral tablet 2.5 mg</i>	2	PA
<i>tadalafil oral tablet 5 mg</i> (Cialis)	2	PA
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	5	PA; NDS; QL (60 per 30 days)

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS
Vitamins And Minerals		
Vitamins And Minerals		
<i>bal-care dha combo pack 27-1-430 mg</i>	2	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>	2	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>	2	
<i>completenate tablet chew 29 mg iron-1 mg</i>	2	
<i>cyanocobalamin (vitamin b-12) injection solution</i> (Dodex)	6	EX
<i>dodex injection solution 1,000 mcg/ml</i> (cyanocobalamin (vitamin b-12))	6	EX
<i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i> (Vitamin D2)	6	EX
<i>folic acid oral tablet 1 mg</i>	6	EX
<i>folivane-ob capsule 85-1 mg</i>	2	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>	2	
<i>marnatal-f capsule 60 mg iron-1 mg</i>	2	
<i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>mynatal advance oral tablet 90-1-50 mg</i>	2	
<i>mynatal capsule 65 mg iron- 1 mg</i>	2	
<i>mynatal oral tablet 90-1-50 mg</i>	2	
<i>mynatal plus captab 65 mg iron- 1 mg</i>	2	
<i>mynatal-z captab 65 mg iron- 1 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>	2	
<i>newgen tablet 32-1,000 mg-mcg</i>	2	
<i>niva-plus tablet 27 mg iron- 1 mg</i>	2	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	2	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>	2	
<i>o-cal prenatal oral tablet 15 mg iron-1,000 mcg</i>	2	
<i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>	2	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid) 2	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>	2	
<i>pnv-omega softgel 28-1-300 mg</i>	2	
<i>pr natal 400 combo pack 29-1-400 mg</i>	2	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>	2	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>	2	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>	2	
<i>prena1 true combo pack 30 mg iron-1.4 mg-300 mg</i>	2	
<i>prenaissance oral capsule 29-1.25-55-325 mg</i>	2	
<i>prenaissance plus oral capsule 28-1-50-250 mg</i>	2	
<i>prenatabs fa tablet 29-1 mg</i>	2	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	2	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>prenatal low iron oral tablet 27 mg iron- 1 mg</i>	2	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72-iron,carb-folic) 2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>prenatal-u capsule 106.5-1 mg</i>	2	
<i>preplus oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)	2	
<i>pretab oral tablet 29-1 mg</i>	2	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>	2	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>	2	
<i>taron-c dha capsule 35-1-200 mg</i>	2	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>	2	
<i>triveen-duo dha oral combo pack 29-1-400 mg</i>	2	
<i>virt-c dha oral capsule 35-1-200 mg</i>	2	
<i>virt-nate dha softgel 28 mg iron-1 mg-200 mg</i>	2	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	2	
<i>virt-pn plus oral capsule 28-1-300 mg</i>	2	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	2	
<i>vitafol nano oral tablet 18 mg iron- 1 mg</i>	2	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	2	
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>	2	
<i>vp-pnv-dha oral capsule 28 mg iron-1 mg-200 mg</i>	2	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	2	
<i>zatean-pn plus softgel 28-1-300 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

藥物名稱	藥物名稱	要求/限制
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	2	

您可翻閱至第 vi 頁找到本表符號與縮寫含義的資訊

指數

1		
1ST TIER UNIFINE PENTIPS		
.....	112	
1ST TIER UNIFINE PENTIPS		
PLUS	112	
A		
<i>abacavir</i>	68	
<i>abacavir-lamivudine</i>	68	
ABELCET	52	
<i>abigale</i>	167	
<i>abigale lo</i>	167	
ABILIFY ASIMTUFII.....	61	
ABILIFY MAINTENA.....	61	
<i>abiraterone</i>	19	
<i>abirtega</i>	19	
ABOUTTIME PEN NEEDLE		
.....	112	
ABRYSVO (PF).....	179	
<i>acamprosate</i>	8	
<i>acarbose</i>	46	
<i>accutane</i>	106	
<i>acebutolol</i>	83	
<i>acetaminophen-codeine</i>	3	
<i>acetazolamide</i>	189	
<i>acetazolamide sodium</i>	189	
<i>acetic acid</i>	157	
<i>acetylcysteine</i>	195	
<i>acitretin</i>	106	
ACTEMRA	172	
ACTEMRA ACTPEN.....	172	
ACTHAR	169	
ACTHAR SELFJECT	169	
ACTHIB (PF).....	179	
ACTIMMUNE	187	
<i>acyclovir</i>	74, 106	
<i>acyclovir sodium</i>	74	
ADACEL(TDAP		
ADOLESN/ADULT)(PF) 180		
<i>adapalene</i>	111	
<i>adefovir</i>	74	
ADEMPAS	198	
<i>adrucil</i>	19	
ADVAIR HFA.....	192	
ADVOCATE PEN NEEDLE		
.....	113	
ADVOCATE SYRINGES.. 112,		
113		
<i>afirmelle</i>	96	
AIMOVIG AUTOINJECTOR		
.....	55	
AIRSUPRA	192, 193	
AJOVY AUTOINJECTOR... 55		
AJOVY SYRINGE.....	55	
AKEEGA.....	19	
<i>ala-cort</i>	108	
<i>ala-scalp</i>	108	
<i>albendazole</i>	58	
<i>albuterol sulfate</i>	193, 194	
<i>alclometasone</i>	108	
ALCOHOL PADS.....	113	
ALCOHOL PREP PADS 132		
ALCOHOL PREP SWABS. 113		
ALCOHOL SWABS	113	
ALCOHOL WIPES	113	
ALECENSA	19	
<i>alendronate</i>	186	
<i>alfuzosin</i>	165	
<i>aliskiren</i>	90	
<i>allopurinol</i>	54	
<i>alosetron</i>	185	
<i>alprazolam</i>	9	
ALREX.....	159	
<i>altavera</i> (28)	96	
ALTRENO	111	
ALUNBRIG.....	19	
ALVAIZ.....	76	
<i>alyacen 1/35</i> (28)	96	
<i>alyacen 7/7/7</i> (28)	96	
ALYFTREK.....	195	
<i>alyq</i>	198	
<i>amabelz</i>	167	
<i>amantadine hcl</i>	59	
<i>ambrisentan</i>	198	
<i>amethia</i>	96	
<i>amethyst</i> (28).....	96	
<i>amikacin</i>	11	
<i>amiloride</i>	87	
<i>amiloride-hydrochlorothiazide</i>		
.....	87	
<i>amiodarone</i>	82	
<i>amitriptyline</i>	43	
<i>amitriptyline-chlordiazepoxide</i>		
.....	43	
<i>amlodipine</i>	86	
<i>amlodipine-atorvastatin</i>	88	
<i>amlodipine-benazepril</i>	86	
<i>amlodipine-olmesartan</i>	86	
<i>amlodipine-valsartan</i>	86	
<i>amlodipine-valsartan-hcthiiazid</i>		
.....	86	
<i>ammonium lactate</i>	106, 107	
<i>amoxapine</i>	43	
<i>amoxicil-clarithromy-lansopraz</i>		
.....	161	
<i>amoxicillin</i>	15	
<i>amoxicillin-pot clavulanate</i> .. 15,		
16		
<i>amphotericin b</i>	52	
<i>amphotericin b liposome</i>	52	
<i>ampicillin</i>	16	

<i>ampicillin sodium</i>	16	<i>atovaquone</i>	58	<i>balziva (28)</i>	97
<i>ampicillin-sulbactam</i>	16	<i>atovaquone-proguanil</i>	58	BAQSIMI.....	187
<i>anagrelide</i>	77	<i>atropine</i>	156	BCG VACCINE, LIVE (PF).....	180
<i>anastrozole</i>	19	ATROVENT HFA.....	194	BD ALCOHOL SWABS	115
ANDEMBRY		<i>aubra eq</i>	96	BD AUTOSHIELD DUO PEN	
AUTOINJECTOR.....	187	AUGTYRO.....	19	NEEDLE.....	114
ANKTIVA.....	19	<i>auranofin</i>	173	BD ECLIPSE LUER-LOK ..	114
ANORO ELLIPTA	194	<i>aurovela 1.5/30 (21)</i>	96	BD INSULIN SYRINGE.....	114
<i>apomorphine</i>	59	<i>aurovela 1/20 (21)</i>	96	BD INSULIN SYRINGE	
<i>apraclonidine</i>	156	<i>aurovela 24 fe</i>	96	(HALF UNIT).....	114
<i>aprepitant</i>	57	<i>aurovela fe 1.5/30 (28)</i>	96	BD INSULIN SYRINGE SLIP	
APRETUDE	68	<i>aurovela fe 1-20 (28)</i>	96	TIP.....	115
<i>apri</i>	96	AUSTEDO.....	91	BD INSULIN SYRINGE	
APTIVUS	68	AUSTEDO XR.....	91	ULTRA-FINE	114
AQINJECT PEN NEEDLE..	113	AUSTEDO XR TITRATION		BD NANO 2ND GEN PEN	
<i>aranelle (28)</i>	96	KT(WK1-4).....	91	NEEDLE.....	115
ARCALYST	172	AUTOSHIELD DUO PEN		BD SAFETYGLIDE INSULIN	
AREXVY (PF).....	180	NEEDLE.....	114	SYRINGE	115
ARIKAYCE	11	AUVELITY	43	BD SAFETYGLIDE SYRINGE	
<i>aripiprazole</i>	61, 62	<i>aviane</i>	96		115
ARISTADA.....	62	AVMAPKI.....	19	BD ULTRA-FINE MICRO	
ARISTADA INITIO	62	AVMAPKI-FAKZYNJA.....	19	PEN NEEDLE	115
<i>armodafinil</i>	197	AVONEX	91	BD ULTRA-FINE MINI PEN	
ARNUITY ELLIPTA.....	192	AVSOLA	173	NEEDLE	115
<i>ascomp with codeine</i>	3	AXTLE	19	BD ULTRA-FINE NANO PEN	
<i>asenapine maleate</i>	62	<i>ayuna</i>	97	NEEDLE.....	115
<i>ashlyna</i>	96	AYVAKIT	19	BD ULTRA-FINE ORIG PEN	
<i>aspirin-dipyridamole</i>	77	<i>azacitidine</i>	19	NEEDLE	115
ASSURE ID DUO PRO SFTY		<i>azathioprine</i>	173	BD ULTRA-FINE SHORT	
PEN NDL	113	<i>azathioprine sodium</i>	173	PEN NEEDLE	115
ASSURE ID DUO-SHIELD	113	<i>azelastine</i>	157	BD VEO INSULIN SYR	
ASSURE ID INSULIN		<i>azithromycin</i>	14	(HALF UNIT).....	116
SAFETY.....	113, 114	<i>aztreonam</i>	15	BD VEO INSULIN SYRINGE	
ASSURE ID PEN NEEDLE	113	<i>azurette (28)</i>	97	UF	116
ASSURE ID PRO PEN		B		BELSOMRA.....	197
NEEDLE	114	<i>bacitracin</i>	157	<i>benazepril</i>	81
ASTAGRAF XL	172, 173	<i>bacitracin-polymyxin b</i>	157	<i>benazepril-hydrochlorothiazide</i>	
<i>atazanavir</i>	68	<i>baclofen</i>	197		81
<i>atenolol</i>	83	<i>bal-care dha</i>	199	<i>bendamustine</i>	20
<i>atenolol-chlorthalidone</i>	83	<i>bal-care dha essential</i>	199	BENDAMUSTINE.....	20
<i>atomoxetine</i>	91	<i>balsalazide</i>	185	BENDEKA	20
<i>atorvastatin</i>	88	BALVERSA	20	BENLYSTA.....	173

<i>benzonatate</i>	106	<i>bromocriptine</i>	59	<i>carbidopa-levodopa</i>	60
<i>benztropine</i>	59	BRONCHITOL	195	<i>carbidopa-levodopa-entacapone</i>	60
<i>bepotastine besilate</i>	157	BRUKINSA.....	20, 21	<i>carbinoxamine maleate</i>	54
BESREMI.....	173	<i>budesonide</i>	185, 193	<i>carboplatin</i>	21
<i>betaine</i>	187	<i>budesonide-formoterol</i>	193	CAREFINE PEN NEEDLE .	116
<i>betamethasone dipropionate</i>	108	<i>bumetanide</i>	87	CARETOUCH ALCOHOL	
<i>betamethasone valerate</i>	109	<i>buprenorphine</i>	3	PREP PAD	116
<i>betamethasone, augmented</i> ..	109	<i>buprenorphine hcl</i>	8	CARETOUCH INSULIN	
BETASERON	91	<i>buprenorphine-naloxone</i>	8	SYRINGE	117
<i>betaxolol</i>	83, 189	<i>bupropion hcl</i>	43	CARETOUCH PEN NEEDLE	
<i>bethanechol chloride</i>	165	<i>bupropion hcl (smoking deter)</i> ..	8		116
<i>bexarotene</i>	20	<i>buspirone</i>	187	<i>carglumic acid</i>	162
BEXSERO.....	180	<i>butalbital-acetaminop-caf-cod</i> ..	3	<i>carteolol</i>	190
<i>bicalutamide</i>	20	<i>butalbital-acetaminophen</i>	3	<i>cartia xt</i>	84
BICILLIN L-A	16	<i>butalbital-acetaminophen-caff.</i> ..	3	<i>carvedilol</i>	83
BIKTARVY	68	<i>butalbital-aspirin-caffeine</i>	3	CAYSTON.....	15
<i>bimatoprost</i>	189	<i>butorphanol</i>	3	<i>cefaclor</i>	12, 13
<i>bisoprolol fumarate</i>	83	C		<i>cefadroxil</i>	13
<i>bisoprolol-hydrochlorothiazide</i>	83	CABENUVA.....	68	<i>cefazolin</i>	13
BIZENGRI	20	<i>cabergoline</i>	59	<i>cefdinir</i>	13
<i>bleomycin</i>	20	CABLIVI.....	77	<i>cefepime</i>	13
<i>blisovi 24 fe</i>	97	CABOMETYX.....	21	<i>cefixime</i>	13
<i>blisovi fe 1.5/30 (28)</i>	97	<i>cabotegravir</i>	68	<i>cefoxitin</i>	13
<i>blisovi fe 1/20 (28)</i>	97	<i>calcipotriene</i>	107	<i>cefpodoxime</i>	13
BOOSTRIX TDAP	180	<i>calcitonin (salmon)</i>	186	<i>cefprozil</i>	13
BORDERED GAUZE.....	116	<i>calcitriol</i>	186	<i>ceftazidime</i>	13
<i>bortezomib</i>	20	<i>calcium acetate(phosphat bind)</i>	164	<i>ceftriaxone</i>	13
BORUZU	20	CALQUENCE	21	<i>cefuroxime axetil</i>	13
<i>bosentan</i>	198	CALQUENCE		<i>cefuroxime sodium</i>	13, 14
BOSULIF	20	(ACALABRUTINIB MAL)		<i>celecoxib</i>	6
BRAFTOVI.....	20		21	<i>cephalexin</i>	14
BREO ELLIPTA.....	192	<i>camila</i>	97	CERDELGA	155
<i>breyna</i>	193	CAMZYOS.....	85	<i>cevimeline</i>	106
BREZTRI AEROSPHERE ..	194	<i>candesartan</i>	80	<i>chateal eq (28)</i>	97
<i>brielllyn</i>	97	<i>candesartan-hydrochlorothiazid</i>	80	<i>chlordiazepoxide hcl</i>	9
BRILINTA	77	CAPLYTA.....	62	<i>chlorhexidine gluconate</i>	106
<i>brimonidine</i>	189	CAPRELSA.....	21	<i>chloroquine phosphate</i>	58
<i>brimonidine-timolol</i>	189	<i>captopril</i>	81	<i>chlorthalidone</i>	87
<i>brinzolamide</i>	189	<i>carbamazepine</i>	37	<i>chlorzoxazone</i>	197
BRIVIACT	37	<i>carbidopa</i>	59	<i>cholestyramine (with sugar)</i> ..	88
<i>bromfenac</i>	159				

<i>cholestyramine light</i>	88	CLINIMIX 8%-	78	COMETRIQ.....	21
<i>ciclopirox</i>	52	D10W(SULFITE-FREE)...	78	COMFORT EZ INSULIN	
<i>cilostazol</i>	77	CLINIMIX 8%-		SYRINGE	117, 118, 119
CIMDUO.....	69	D14W(SULFITE-FREE)...	78	COMFORT EZ PEN NEEDLES	
<i>cimetidine</i>	161	CLINIMIX E 2.75%/D5W			118
<i>cimetidine hcl</i>	161	SULF FREE.....	78	COMFORT EZ PRO SAFETY	
CIMZIA.....	173	CLINIMIX E 4.25%/D10W		PEN NDL.....	118
CIMZIA POWDER FOR		SUL FREE.....	78	COMFORT TOUCH PEN	
RECONST.....	173	CLINIMIX E 4.25%/D5W		NEEDLE	119
<i>cinacalcet</i>	186	SULF FREE.....	78	<i>completenate</i>	199
CINQAIR	195	CLINIMIX E 5%/D15W		<i>compro</i>	57
CINRYZE.....	76	SULFIT FREE.....	79	<i>constulose</i>	162
<i>ciprofloxacin hcl</i>	17, 157	CLINIMIX E 5%/D20W		COPIKTRA.....	21
<i>ciprofloxacin in 5 % dextrose</i> .17		SULFIT FREE.....	79	CORLANOR.....	85
<i>ciprofloxacin-dexamethasone</i>		CLINIMIX E 8%-D10W		CORTROPHIN GEL ...	169, 170
.....	157	SULFITEFREE	79	COSENTYX	173, 187
<i>citalopram</i>	44	CLINIMIX E 8%-D14W		COSENTYX (2 SYRINGES)	
<i>cladribine</i>	21	SULFITEFREE	79		173
<i>clarithromycin</i>	14	<i>clobazam</i>	37	COSENTYX PEN (2 PENS)	173
<i>clemastine</i>	54	<i>clobetasol</i>	109	COSENTYX UNOREADY	
<i>clemasz</i>	54	<i>clobetasol-emollient</i>	109	PEN.....	173
<i>clemsza</i>	54	<i>clomipramine</i>	44	COTELLIC	21
CLENPIQ	164	<i>clonazepam</i>	9	CREON.....	155
CLICKFINE PEN NEEDLE		<i>clonidine</i>	79	CRESEMBA.....	52
.....	117, 128	<i>clonidine hcl</i>	79, 91	<i>cromolyn</i>	157, 162, 195
<i>clindamycin hcl</i>	11	<i>clopidogrel</i>	77	<i>cryselle (28)</i>	97
<i>clindamycin pediatric</i>	11	<i>clorazepate dipotassium</i>	10	CURAD GAUZE PAD	120
<i>clindamycin phosphate</i>	11, 12,	<i>clotrimazole</i>	52	CURITY ALCOHOL SWABS	
55, 107		<i>clotrimazole-betamethasone</i> ..	52		120
<i>clindamycin-benzoyl peroxide</i>		<i>clozapine</i>	62	CURITY GAUZE	120
.....	107, 108	<i>c-nate dha</i>	199	<i>cyanocobalamin (vitamin b-12)</i>	
CLINIMIX 5%/D15W		COARTEM.....	58		199
SULFITE FREE	78	COBENFY.....	62	<i>cyclafem 1/35 (28)</i>	97
CLINIMIX 4.25%/D10W SULF		COBENFY STARTER PACK		<i>cyclafem 7/7/7 (28)</i>	97
FREE	78		63	<i>cyclobenzaprine</i>	197
CLINIMIX 4.25%/D5W		<i>codeine sulfate</i>	3	<i>cyclophosphamide</i>	21
SULFIT FREE.....	78	<i>codeine-butalbital-asa-caff</i>	3	<i>cyclosporine</i>	159, 173, 174
CLINIMIX 5%-		<i>colchicine</i>	54	<i>cyclosporine modified</i>	173
D20W(SULFITE-FREE) ...	78	<i>colesevelam</i>	88	CYLTEZO(CF).....	174
CLINIMIX 6%-D5W		<i>colestipol</i>	88	CYLTEZO(CF) PEN	174
(SULFITE-FREE)	78	<i>colistin (colistimethate na)</i>	12	CYLTEZO(CF) PEN	
		COMBIVENT RESPIMAT. 194		CROHN'S-UC-HS	174

CYLTEZO(CF) PEN	
PSORIASIS-UV	174
<i>ciproheptadine</i>	54
<i>cyred eq</i>	97
D	
<i>d5 % (d-glucose)-0.9 % sodchl</i>	190
<i>d5 % and 0.9 % sodium chloride</i>	190
<i>d5 %-0.45 % sodium chloride</i>	191
<i>dabigatran etexilate</i>	75
<i>dalfampridine</i>	92
<i>danazol</i>	166
<i>dantrolene</i>	197
DANYELZA	21
DANZITEN.....	22
<i>dapsone</i>	57
DAPTACEL (DTAP	
PEDIATRIC) (PF).....	180
<i>daptomycin</i>	12
<i>darunavir</i>	69
DARZALEX	22
DARZALEX FASPRO	22
<i>dasatinib</i>	22
<i>dasetta 1/35 (28)</i>	97
<i>dasetta 7/7/7 (28)</i>	97
DATROWAY.....	22
DAURISMO.....	22
<i>daysee</i>	97
<i>deblitane</i>	97
<i>decitabine</i>	22
<i>deferasirox</i>	166
<i>deferiprone</i>	166
DELSTRIGO.....	69
<i>demeclocycline</i>	17
DENG VAXIA (PF).....	180
<i>denta 5000 plus</i>	106
<i>dentagel</i>	106
DEPO-SUBQ PROVERA	104
.....	171
DERMACEA	120

DERMACEA NON-WOVEN	
.....	120
<i>dermacinrx lidocan</i>	8
DESCOVY	69
<i>desipramine</i>	44
<i>desmopressin</i>	170
<i>desog-e.estradiol/e.estradiol</i> .	97
<i>desogestrel-ethinyl estradiol</i> ..	97
<i>desonide</i>	109
<i>desoximetasone</i>	109
<i>desvenlafaxine succinate</i>	44
<i>dexamethasone</i>	168
<i>dexamethasone sodium</i>	
<i>phosphate</i>	160, 168
<i>dexmethylphenidate</i>	92
<i>dextroamphetamine sulfate</i>	92
<i>dextroamphetamine-</i>	
<i>amphetamine</i>	92
<i>dextrose 5 % in water (d5w)</i> ..	79
DIACOMIT	37, 38
<i>diazepam</i>	10, 38
<i>diazepam intensol</i>	10
<i>diazoxide</i>	187
<i>diclofenac epolamine</i>	6
<i>diclofenac potassium</i>	6
<i>diclofenac sodium</i>	6, 160
<i>diclofenac-misoprostol</i>	6, 7
<i>dicloxacillin</i>	16
<i>dicyclomine</i>	162
<i>didanosine</i>	69
DIFICID.....	14
<i>diflorasone</i>	109
<i>diflunisal</i>	7
<i>difluprednate</i>	160
<i>digoxin</i>	85
<i>dihydroergotamine</i>	55
DILANTIN	38
<i>diltiazem hcl</i>	84
<i>dilt-xr</i>	84
<i>dimethyl fumarate</i>	92
DIPENTUM.....	185
<i>diphenoxylate-atropine</i>	162

<i>dipyridamole</i>	78
<i>disopyramide phosphate</i>	82
<i>disulfiram</i>	8
<i>divalproex</i>	38
<i>dodex</i>	199
<i>dofetilide</i>	82
<i>dolishale</i>	98
<i>donepezil</i>	42
DOPTELET (10 TAB PACK)	76
DOPTELET (15 TAB PACK)	76
DOPTELET (30 TAB PACK)	76
<i>dorzolamide</i>	190
<i>dorzolamide-timolol</i>	190
<i>dotti</i>	167
DOVATO.....	69
<i>doxazosin</i>	79
<i>doxepin</i>	44
<i>doxercalciferol</i>	186
<i>doxorubicin, peg-liposomal</i> ...	22
<i>doxy-100</i>	18
<i>doxycycline hyclate</i>	18
<i>doxycycline monohydrate</i>	18
DRIZALMA SPRINKLE	44
<i>dronabinol</i>	57
DROPLET INSULIN	
SYR(HALF UNIT) ..	120, 121
DROPLET INSULIN	
SYRINGE	120, 121, 122
DROPLET MICRON PEN	
NEEDLE	122
DROPLET PEN NEEDLE ..	122
DROPSAFE ALCOHOL PREP	
PADS	122
DROPSAFE INSULIN	
SYRINGE	123
DROPSAFE PEN NEEDLE	123
<i>drospirenone-ethinyl estradiol</i>	
.....	98
DROXIA.....	77
<i>droxidopa</i>	79
DUAVEE	167
<i>duloxetine</i>	44

DUPIXENT PEN	174	<i>efavirenz-emtricitabin-tenofov</i> 69	<i>enilloring</i>	98
DUPIXENT SYRINGE.....	174	<i>efavirenz-lamivu-tenofov disop</i>	<i>enoxaparin</i>	75
<i>dutasteride</i>	165		<i>enpresse</i>	98
<i>dutasteride-tamsulosin</i>	165	EGRIFTA SV	<i>enskyce</i>	98
E		EGRIFTA WR.....	ENSPRYNG	92
EASY COMFORT ALCOHOL		ELAHERE.....	<i>entacapone</i>	60
PAD	124	ELEPSIA XR.....	<i>entecavir</i>	74
EASY COMFORT INSULIN		ELIGARD.....	ENTRESTO SPRINKLE	80
SYRINGE.....	123, 124, 125	ELIGARD (3 MONTH)	<i>enulose</i>	162
EASY COMFORT PEN		ELIGARD (4 MONTH)	EPCLUSA.....	73
NEEDLES	124	ELIGARD (6 MONTH)	EPIDIOLEX.....	38
EASY COMFORT SAFETY		<i>elinest</i>	<i>epinastine</i>	157
PEN NEEDLE.....	123	ELIQUIS.....	<i>epinephrine</i>	85
EASY GLIDE INSULIN		ELIQUIS DVT-PE TREAT 30D	<i>epitol</i>	38
SYRINGE.....	125	START.....	EPIVIR HBV	69
EASY GLIDE PEN NEEDLE		ELMIRON.....	EPKINLY	23
.....	125	ELREXFIO.....	<i>eplerenone</i>	90
EASY TOUCH.....	126, 127	<i>eltrombopag olamine</i>	EPRONTIA.....	38
EASY TOUCH ALCOHOL		<i>eluryng</i>	ERBITUX	23
PREP PADS	125	EMBRACE PEN NEEDLE 127,	<i>ergocalciferol (vitamin d2)</i> ..	199
EASY TOUCH FLIPLOCK		128	<i>ergoloid</i>	42
INSULIN.....	126	EMCYT	ERIVEDGE.....	23
EASY TOUCH FLIPLOCK		EMEND	ERLEADA.....	23
SYRINGE.....	125	EMGALITY PEN.....	<i>erlotinib</i>	23
EASY TOUCH INSULIN		EMGALITY SYRINGE ..	<i>errin</i>	98
SAFETY SYR.....	125	.. 55, 56	<i>ertapenem</i>	15
EASY TOUCH INSULIN		<i>emoquette</i>	<i>ery pads</i>	108
SYRINGE.....	125, 126, 127	EMRELIS	<i>erythromycin</i>	15, 157
EASY TOUCH LUER LOCK		EMSAM.....	<i>erythromycin ethylsuccinate</i> .	14,
INSULIN.....	126	<i>emtricitabine</i>	15	
EASY TOUCH PEN NEEDLE		<i>emtricitabine-tenofov</i> ir (tdf) ..	<i>erythromycin with ethanol</i> ...	108
.....	126	.. 69	<i>erythromycin-benzoyl peroxide</i>	
EASY TOUCH SAFETY PEN		<i>emtricitita-rilpivirine-tenof</i> df..		108
NEEDLE	127	69	ERZOFRI.....	63
EASY TOUCH		EMTRIVA.....	<i>escitalopram oxalate</i>	44
SHEATHLOCK INSULIN		<i>emzahn</i>	<i>eslicarbazepine</i>	38
.....	126	<i>enalapril maleate</i>	<i>esomeprazole magnesium</i>	161
EASY TOUCH UNI-SLIP ...	127	<i>enalapril-hydrochlorothiazide</i> 81	<i>estarylla</i>	98
<i>econazole nitrate</i>	52	ENBREL.....	<i>estazolam</i>	10
EDURANT	69	ENBREL MINI	<i>estradiol</i>	167
EDURANT PED	69	ENBREL SURECLICK	<i>estradiol valerate</i>	167
<i>efavirenz</i>	69	<i>endocet</i>	<i>estradiol-norethindrone acet</i>	167
		ENGERIX-B (PF).....		
		ENGERIX-B PEDIATRIC (PF)		
				

<i>eszopiclone</i>	197	<i>femynor</i>	98	<i>flurbiprofen</i>	7
<i>ethambutol</i>	57	<i>fenofibrate</i>	89	<i>flurbiprofen sodium</i>	160
<i>ethosuximide</i>	38	<i>fenofibrate micronized</i>	88	<i>flutamide</i>	24
<i>ethynodiol diac-eth estradiol</i> ..	98	<i>fenofibrate nanocrystallized</i> ..	89	<i>fluticasone propionate</i> 110, 160,	
<i>etodolac</i>	7	<i>fenofibric acid (choline)</i>	89	193	
<i>etonogestrel-ethinyl estradiol</i> ..	98	<i>fenoprofen</i>	7	<i>fluticasone propion-salmeterol</i>	
ETOPOPHOS	23	<i>fentanyl</i>	4		193
<i>etoposide</i>	23	<i>fentanyl citrate</i>	4	<i>fluvastatin</i>	89
<i>etravirine</i>	69	FERRIPROX	166	<i>fluvoxamine</i>	45
EUCRISA	109	<i>fesoterodine</i>	165	<i>folic acid</i>	199
EULEXIN	23	FETZIMA	44	<i>folivane-ob</i>	199
<i>everolimus (antineoplastic)</i>	23	FIASP FLEXTOUCH U-100		<i>fondaparinux</i>	75
<i>everolimus</i>		INSULIN	49	<i>fosamprenavir</i>	69
(immunosuppressive)	174	FIASP PENFILL U-100		<i>fosinopril</i>	81
EVOTAZ	69	INSULIN	49	<i>fosinopril-hydrochlorothiazide</i>	
EVRYSDI	187	FIASP U-100 INSULIN	49		81
<i>exemestane</i>	23	<i>fidaxomicin</i>	15	<i>fosphenytoin</i>	38
EXTENCILLINE	16	<i>finasteride</i>	165	FOTIVDA	24
EYSUVIS	160	<i>finaglimod</i>	92	FREESTYLE PRECISION ..	128
EZALLOR SPRINKLE	88	FINTEPLA	38	FRUZAQLA	24
<i>ezetimibe</i>	88	<i>fioricet</i>	4	<i>fulvestrant</i>	24
<i>ezetimibe-simvastatin</i>	88	FIRMAGON KIT W DILUENT		<i>furosemide</i>	87
F		SYRINGE	23	FUZEON	70
FAKZYNJA	23	<i>flavoxate</i>	165	FYARRO	24
<i>falmina (28)</i>	98	<i>flecainide</i>	82	<i>fyavolv</i>	168
<i>famciclovir</i>	74	<i>floxuridine</i>	24	FYCOMPA	39
<i>famotidine</i>	161	<i>fluconazole</i>	52, 53	FYLNETRA	76
FANAPT	63	<i>fluconazole in nacl (iso-osm)</i> ..	52	G	
FANAPT TITRATION PACK		<i>flucytosine</i>	53	<i>gabapentin</i>	39
A	63	<i>fludrocortisone</i>	168	GALAFOLD	155
FANAPT TITRATION PACK		<i>flunisolide</i>	160	<i>galantamine</i>	42, 43
B	63	<i>fluocinolone</i>	110	<i>gallifrey</i>	171
FANAPT TITRATION PACK		<i>fluocinolone acetonide oil</i> ...	160	GAMMAGARD S-D (IGA < 1	
C	63	<i>fluocinonide</i>	110	MCG/ML)	174
FARXIGA	46	<i>fluocinonide-emollient</i>	110	GAMMAPLEX	175
FASENRA	195	<i>fluoride (sodium)</i>	106	GAMUNEX-C	175
FASENRA PEN	195	<i>fluorometholone</i>	160	GARDASIL 9 (PF)	181
<i>febuxostat</i>	54	<i>fluorouracil</i>	24, 107	<i>gatifloxacin</i>	157
<i>feirza</i>	98	<i>fluoxetine</i>	44, 45	GATTEX 30-VIAL	162
<i>felbamate</i>	38	<i>fluphenazine decanoate</i>	63	GAUZE PAD	128
<i>felodipine</i>	86	<i>fluphenazine hcl</i>	63	<i>gavilyte-c</i>	164
FEMRING	168	<i>flurazepam</i>	10	<i>gavilyte-g</i>	164

<i>gavilyte-n</i>	164
GAVRETO.....	24
<i>gefitinib</i>	24
<i>gemcitabine</i>	24
<i>gemfibrozil</i>	89
<i>gemmily</i>	98
<i>generlac</i>	162
<i>gengraf</i>	175
<i>gentak</i>	158
<i>gentamicin</i>	11, 108, 158
<i>gentamicin sulfate (ped) (pf)</i> ..	11
<i>gentamicin sulfate (pf)</i>	11
GENVOYA.....	70
GILOTRIF.....	24
<i>glatiramer</i>	93
<i>glatopa</i>	93
GLEOSTINE.....	24
<i>glimepiride</i>	51
<i>glipizide</i>	51
<i>glipizide-metformin</i>	51
<i>glutamine (sickle cell)</i>	187
<i>glyburide</i>	52
<i>glyburide micronized</i>	52
<i>glyburide-metformin</i>	52
<i>glycopyrrolate</i>	162
<i>glydo</i>	8
GLYXAMBI	46
GOMEKLI	24
<i>granisetron hcl</i>	57
<i>griseofulvin microsize</i>	53
<i>griseofulvin ultramicrosize</i>	53
<i>guanfacine</i>	79, 93
GVOKE.....	188
GVOKE HYPOPEN 2-PACK	188
GVOKE PFS 1-PACK	
SYRINGE.....	188
H	
HAEGARDA	76
<i>hailey 24 fe</i>	99
<i>hailey fe 1.5/30 (28)</i>	99
<i>hailey fe 1/20 (28)</i>	99

<i>halobetasol propionate</i>	110
<i>haloette</i>	99
<i>haloperidol</i>	64
<i>haloperidol decanoate</i>	63, 64
<i>haloperidol lactate</i>	64
HARVONI.....	73, 74
HAVRIX (PF)	181
HEALTHWISE INSULIN	
SYRINGE.....	129
HEALTHWISE PEN NEEDLE	129
HEALTHY ACCENTS	
UNIFINE PENTIP... 129, 130	
<i>heather</i>	99
HEMADY.....	168
<i>heparin (porcine)</i>	75
HEPLISAV-B (PF).....	181
HERCEPTIN HYLECTA.....	25
HERNEXEOS	25
HERZUMA	25
HETLIOZ LQ	197
HIBERIX (PF).....	181
HUMIRA.....	175
HUMIRA PEN	175
HUMIRA PEN CROHNS-UC-	
HS START	175
HUMIRA PEN PSOR-	
UVEITS-ADOL HS	175
HUMIRA(CF)	175
HUMIRA(CF) PEDI CROHNS	
STARTER	175
HUMIRA(CF) PEN.....	175
HUMIRA(CF) PEN CROHNS-	
UC-HS	175
HUMIRA(CF) PEN	
PEDIATRIC UC.....	175
HUMIRA(CF) PEN PSOR-UV-	
ADOL HS.....	175
HUMULIN R U-500 (CONC)	
INSULIN	49
HUMULIN R U-500 (CONC)	
KWIKPEN.....	49

<i>hydralazine</i>	85
<i>hydrochlorothiazide</i>	87
<i>hydrocodone-acetaminophen</i> ... 4	
<i>hydrocodone-ibuprofen</i>	4
<i>hydrocortisone</i>	110, 168, 185
<i>hydrocortisone butyrate</i>	110
<i>hydrocortisone valerate</i>	110, 111
<i>hydrocortisone-acetic acid</i> ... 158	
<i>hydromorphone</i>	4
<i>hydromorphone (pf)</i>	4
<i>hydroxychloroquine</i>	58, 59
<i>hydroxyurea</i>	25
<i>hydroxyzine hcl</i>	54
<i>hydroxyzine pamoate</i>	188
I	
<i>ibandronate</i>	186
IBRANCE	25
IBTROZI.....	25
<i>ibu</i>	7
<i>ibuprofen</i>	7
<i>ibuprofen-famotidine</i>	7
<i>icatibant</i>	85
<i>iclevia</i>	99
ICLUSIG.....	25
<i>icosapent ethyl</i>	89
IDHIFA.....	25
<i>ifosfamide</i>	25
ILARIS (PF).....	175
ILEVRO.....	160
ILUMYA.....	176
<i>imatinib</i>	25
IMBRUVICA.....	25
IMDELLTRA	25
<i>imipenem-cilastatin</i>	15
<i>imipramine hcl</i>	45
<i>imipramine pamoate</i>	45
<i>imiquimod</i>	107
IMJUDO	25
IMKELDI.....	26
IMOVAX RABIES VACCINE	
(PF)	181
IMPAVIDO.....	59

INBRIJA.....	60	<i>introvale</i>	99	<i>javygtor</i>	156
<i>incassia</i>	99	INVEGA HAFYERA	64	JAYPIRCA	26
INCONTROL ALCOHOL		INVEGA SUSTENNA.....	64	JEMPERLI.....	26
PADS.....	130	INVEGA TRINZA	64, 65	<i>jencycla</i>	99
INCONTROL PEN NEEDLE		INVELTYS.....	160	JENTADUETO.....	47
.....	130	IPOL	181	JENTADUETO XR	47
INCRELEX.....	170	<i>ipratropium bromide</i> ...	157, 194	<i>jinteli</i>	168
<i>indapamide</i>	87	<i>ipratropium-albuterol</i>	194	<i>jolessa</i>	99
<i>indomethacin</i>	7	IQIRVO	162	<i>juleber</i>	99
INFANRIX (DTAP) (PF).....	181	<i>irbesartan</i>	80	JULUCA	70
INFLECTRA.....	176	<i>irbesartan-hydrochlorothiazide</i>		<i>junel 1.5/30 (21)</i>	99
<i>infliximab</i>	176		80	<i>junel 1/20 (21)</i>	99
INGREZZA.....	93	<i>irinotecan</i>	26	<i>junel fe 1.5/30 (28)</i>	99
INGREZZA INITIATION		ISENTRESS	70	<i>junel fe 1/20 (28)</i>	99
PK(TARDIV).....	93	ISENTRESS HD.....	70	<i>junel fe 24</i>	99
INGREZZA SPRINKLE.....	93	<i>isibloom</i>	99	JUXTAPID	89
INLYTA	26	ISOLYTE S PH 7.4	191	JYLAMVO	26
INPEN (FOR HUMALOG)		ISOLYTE-P IN 5 %		JYNNEOS (PF).....	181
BLUE	130	DEXTROSE	191	K	
INPEN (NOVOLOG OR		ISOLYTE-S.....	191	KALETRA.....	70
FIASP) BLUE	130	<i>isoniazid</i>	57	KALYDECO.....	196
INQOVI.....	26	ISOPROPYL ALCOHOL ...	107	KANJINTI	26
INREBIC.....	26	<i>isosorbide dinitrate</i>	90	<i>kariva (28)</i>	100
<i>insulin asp prt-insulin aspart</i> .	49	<i>isosorbide mononitrate</i>	90	KATERZIA.....	86
<i>insulin aspart u-100</i>	49, 50	<i>isosorbide-hydralazine</i>	90	<i>kelnor 1/35 (28)</i>	100
<i>insulin glargine-yfgn</i>	50	<i>isradipine</i>	86	<i>kelnor 1/50 (28)</i>	100
INSULIN SYR/NDL U100		ITOVEBI	26	KERENDIA	90
HALF MARK	130	<i>itraconazole</i>	53	KESIMPTA PEN	93
INSULIN SYRINGE.....	115	IV PREP WIPES	132	<i>ketoconazole</i>	53
INSULIN SYRINGE		<i>ivabradine</i>	85	<i>ketoprofen</i>	7
MICROFINE.....	114	<i>ivermectin</i>	59	<i>ketorolac</i>	7, 160
INSULIN SYRINGE		IWILFIN.....	26	KEYTRUDA.....	26
NEEDLELESS.....	131	IXIARO (PF)	181	KIMMTRAK	26
INSULIN SYRINGE-NEEDLE		J		KINERET	176
U-100.....	128, 130, 131, 135,	<i>jaimiess</i>	99	KINRIX (PF)	181
137, 139, 143, 147		JAKAFI	26	<i>kionex (with sorbitol)</i>	162
INSULIN U-500 SYRINGE-		<i>jantoven</i>	75	KISQALI.....	27
NEEDLE	131	JANUMET.....	46	KISQALI FEMARA CO-PACK	
INSUPEN PEN NEEDLE...131,		JANUMET XR.....	47		26, 27
132		JANUVIA.....	47	KLISYRI (250 MG).....	107
INTELENCE.....	70	JARDIANCE	47	<i>klor-con m10</i>	191
INTRON A.....	74	<i>jasmiel (28)</i>	99	<i>klor-con m15</i>	191

<i>klor-con m20</i>	191	<i>leuprolide (3 month)</i>	27	<i>loperamide</i>	163
KLOXXADO	9	<i>levetiracetam</i>	39, 40	<i>lopinavir-ritonavir</i>	70
KOSELUGO	27	<i>levobunolol</i>	190	LOQTORZI.....	28
<i>kosher prenatal plus iron</i>	199	<i>levocarnitine</i>	188	<i>lorazepam</i>	10
KRAZATI	27	<i>levocarnitine (with sugar)</i> ...	188	<i>lorazepam intensol</i>	10
<i>kurvelo (28)</i>	100	<i>levocetirizine</i>	55	LORBRENA.....	28
KYLEENA	100	<i>levofloxacin</i>	17	<i>loryna (28)</i>	101
KYNMOBI.....	60	<i>levofloxacin in d5w</i>	17	<i>losartan</i>	80
L		<i>levonest (28)</i>	100	<i>losartan-hydrochlorothiazide</i> 80	
<i>l norgest/e.estradiol-e.estradiol</i> 100		<i>levonorgest-eth.estradiol-iron</i>		LOTEMAX.....	160
<i>labetalol</i>	83		100	LOTEMAX SM	160
<i>lacosamide</i>	39	<i>levonorgestrel-ethinyl estrad</i>		<i>loteprednol etabonate</i>	160
<i>lactulose</i>	162		100, 101	<i>lovastatin</i>	89
<i>lagevrio (eua)</i>	74	<i>levonorg-eth estrad triphasic</i> 101		<i>low-ogestrel (28)</i>	101
<i>lamivudine</i>	70	<i>levora-28</i>	101	<i>loxapine succinate</i>	65
<i>lamivudine-zidovudine</i>	70	<i>levothyroxine</i>	172	<i>lo-zumandimine (28)</i>	101
<i>lamotrigine</i>	39	LEXIVA	70	<i>lubiprostone</i>	163
<i>lanreotide</i>	170	LIBERVANT.....	40	LUMAKRAS	28
<i>lansoprazole</i>	161	<i>lidocaine</i>	8	LUMIGAN.....	190
<i>lanthanum</i>	164	<i>lidocaine hcl</i>	8	LUNSUMIO	28
LANTUS SOLOSTAR U-100		<i>lidocaine viscous</i>	8	LUPRON DEPOT.....	28, 170
INSULIN.....	50	<i>lidocaine-prilocaine</i>	8	LUPRON DEPOT (3 MONTH)	
LANTUS U-100 INSULIN....	50	<i>lidocan iii</i>	8		28, 170
<i>lapatinib</i>	27	LILETTA.....	101	LUPRON DEPOT (4 MONTH)	
<i>larin 1.5/30 (21)</i>	100	<i>lillow (28)</i>	101		28
<i>larin 1/20 (21)</i>	100	<i>linezolid</i>	12	LUPRON DEPOT (6 MONTH)	
<i>larin 24 fe</i>	100	<i>linezolid in dextrose 5%</i>	12		28
<i>larin fe 1.5/30 (28)</i>	100	LINZESS	162	LUPRON DEPOT-PED.....	170
<i>larin fe 1/20 (28)</i>	100	<i>liothyronine</i>	172	LUPRON DEPOT-PED (3	
<i>larissia</i>	100	LISCO.....	132	MONTH).....	170
<i>latanoprost</i>	190	<i>lisinopril</i>	81	<i>lurasidone</i>	65
LAZCLUZE	27	<i>lisinopril-hydrochlorothiazide</i> 81		<i>luteria (28)</i>	101
<i>leflunomide</i>	176	LITE TOUCH INSULIN PEN		LUTRATE DEPOT (3	
<i>lenalidomide</i>	27	NEEDLES	132	MONTH).....	170
LENTOCILIN S.....	16	LITE TOUCH INSULIN		LYBALVI.....	65
LENVIMA	27	SYRINGE.....	132, 133	<i>lyleq</i>	101
<i>lessina</i>	100	<i>lithium carbonate</i>	93	<i>lyllana</i>	168
<i>letrozole</i>	27	<i>lithium citrate</i>	93	LYNOZYFIC.....	28
<i>leucovorin calcium</i>	188	LIVDELZI.....	163	LYNPARZA	28
LEUKERAN	27	LIVTENCITY	73	LYSODREN	28
LEUKINE.....	76	LOKELMA.....	163	LYTGOBI.....	29
<i>leuprolide</i>	27	LONSURF	28	<i>lyza</i>	101

M		
MAGELLAN INSULIN		
SAFETY SYRNG	133	
MAGELLAN SYRINGE	133	
<i>magnesium sulfate</i>	191	
<i>malathion</i>	111	
<i>maraviroc</i>	70	
MARGENZA	29	
<i>marlissa (28)</i>	101	
<i>marnatal-f</i>	199	
MARPLAN	45	
MATULANE	29	
<i>matzim la</i>	84	
MAVENCLAD (10 TABLET		
PACK)	93	
MAVENCLAD (4 TABLET		
PACK)	93	
MAVENCLAD (5 TABLET		
PACK)	93	
MAVENCLAD (6 TABLET		
PACK)	93	
MAVENCLAD (7 TABLET		
PACK)	94	
MAVENCLAD (8 TABLET		
PACK)	94	
MAVENCLAD (9 TABLET		
PACK)	94	
MAVYRET	74	
MAXICOMFORT II PEN		
NEEDLE	133	
MAXICOMFORT INSULIN		
SYRINGE	133	
MAXI-COMFORT INSULIN		
SYRINGE	133	
MAXI-COMFORT INSULIN		
SYRINGE	133	
MAXICOMFORT SAFETY		
PEN NEEDLE	133	
MAYZENT	94	
MAYZENT STARTER(FOR		
1MG MAINT)	94	
MAYZENT STARTER(FOR		
2MG MAINT)	94	
<i>meclizine</i>	57	
<i>medroxyprogesterone</i> ..	171, 172	
<i>mefenamic acid</i>	7	
<i>mefloquine</i>	59	
<i>megestrol</i>	29, 172	
MEKINIST	29	
MEKTOVI	29	
<i>meleya</i>	101	
<i>meloxicam</i>	7	
<i>memantine</i>	43	
<i>memantine-donepezil</i>	43	
MENACTRA (PF)	181	
MENQUADFI (PF)	181	
MENVEO A-C-Y-W-135-DIP		
(PF)	181	
<i>mercaptopurine</i>	29	
<i>meropenem</i>	15	
<i>merzee</i>	101	
<i>mesalamine</i>	185	
<i>mesna</i>	188	
<i>metadate er</i>	94	
<i>metformin</i>	47	
<i>methadone</i>	4	
<i>methazolamide</i>	190	
<i>methenamine hippurate</i>	12	
<i>methimazole</i>	172	
<i>methocarbamol</i>	197	
<i>methotrexate sodium</i>	29	
<i>methotrexate sodium (pf)</i>	29	
<i>methoxsalen</i>	107	
<i>methscopolamine</i>	163	
<i>methsuximide</i>	40	
<i>methylphenidate hcl</i>	94, 95	
<i>methylprednisolone</i>	169	
<i>methylprednisolone acetate</i> .	169	
<i>metoclopramide hcl</i>	163	
<i>metolazone</i>	87	
<i>metoprolol succinate</i>	83	
<i>metoprolol ta-hydrochlorothiaz</i>		
.....	83	
<i>metoprolol tartrate</i>	83	
<i>metronidazole</i>	12, 55, 108	
<i>metronidazole in nacl (iso-os)</i>	12	
<i>metryrosine</i>	85	
<i>mexiletine</i>	82	
<i>micafungin</i>	53	
<i>miconazole-3</i>	53	
MICRODOT INSULIN PEN		
NEEDLE	133, 134	
MICRODOT READYGARD		
PEN NEEDLE	134	
<i>microgestin 1.5/30 (21)</i>	101	
<i>microgestin 1/20 (21)</i>	101	
<i>microgestin 24 fe</i>	101	
<i>microgestin fe 1.5/30 (28)</i>	102	
<i>microgestin fe 1/20 (28)</i>	102	
<i>midodrine</i>	80	
MIEBO (PF)	157	
<i>mifepristone</i>	47	
<i>miglitol</i>	47	
<i>miglustat</i>	156	
<i>mili</i>	102	
<i>mimvey</i>	168	
MINI ULTRA-THIN II	134	
<i>minitran</i>	90	
<i>minocycline</i>	18	
<i>minoxidil</i>	90	
MIPLYFFA	155	
MIRENA	102	
<i>mirtazapine</i>	45	
<i>misoprostol</i>	161	
<i>mitoxantrone</i>	29	
M-M-R II (PF)	182	
<i>m-natal plus</i>	199	
<i>modafinil</i>	198	
MODEYSO	29	
<i>moexipril</i>	81	
<i>molindone</i>	65	
<i>mometasone</i>	111, 160	
MONOJECT INSULIN		
SAFETY SYRING	135	

MONOJECT INSULIN		
SYRINGE.....	134, 135	
MONOJECT SYRINGE	134	
MONOJECT ULTRA		
COMFORT INSULIN.....	149	
<i>mono-lynyah</i>	102	
<i>montelukast</i>	193	
<i>morphine</i>	5	
MORPHINE	5	
<i>morphine concentrate</i>	5	
MOUNJARO.....	47	
MOVANTIK	163	
<i>moxifloxacin</i>	17, 158	
<i>moxifloxacin-sod.ace,sul-water</i>		
.....	17	
<i>moxifloxacin-sod.chloride(iso)</i>		
.....	17	
MRESVIA (PF).....	182	
MULTAQ.....	82	
<i>mupirocin</i>	108	
MVASI	29	
<i>mycophenolate mofetil</i>	176	
<i>mycophenolate mofetil (hcl)</i> .	176	
<i>mycophenolate sodium</i>	176	
<i>mynatal</i>	199	
<i>mynatal advance</i>	199	
<i>mynatal plus</i>	199	
<i>mynatal-z</i>	199	
<i>mynate 90 plus</i>	200	
MYRBETRIQ	165	
N		
<i>nabumetone</i>	7	
<i>nadolol</i>	83	
<i>nafcillin</i>	16	
<i>naloxone</i>	9	
<i>naltrexone</i>	9	
NAMZARIC.....	43	
NANO 2ND GEN PEN		
NEEDLE	135	
NANO PEN NEEDLE	135	
<i>naproxen</i>	7	
<i>naratriptan</i>	56	
NATACYN.....	158	
<i>nateglinide</i>	47	
NATPARA	186	
NAYZILAM.....	40	
<i>nebivolol</i>	83	
<i>nefazodone</i>	45	
<i>neomycin</i>	11	
<i>neomycin-bacitracin-poly-hc</i>	158	
<i>neomycin-bacitracin-polymyxin</i>		
.....	158	
<i>neomycin-polymyxin b-</i>		
<i>dexameth</i>	158	
<i>neomycin-polymyxin-gramicidin</i>		
.....	158	
<i>neomycin-polymyxin-hc</i>	158	
<i>neo-polycin</i>	158	
<i>neo-polycin hc</i>	158	
NERLYNX	29	
<i>neuac</i>	108	
NEULASTA ONPRO.....	76	
NEUPRO	60	
<i>nevirapine</i>	70, 71	
<i>newgen</i>	200	
NEXLETOL	89	
NEXLIZET.....	89	
NEXPLANON.....	102	
<i>niacin</i>	89	
<i>niacor</i>	89	
<i>nicardipine</i>	86	
NICOTROL	9	
NICOTROL NS.....	9	
<i>nifedipine</i>	86, 87	
<i>nikki (28)</i>	102	
NIKTIMVO	176	
<i>nilutamide</i>	29	
NINLARO	29	
<i>nitazoxanide</i>	59	
<i>nitisinone</i>	156	
<i>nitrofurantoin macrocrystal</i> ..	12	
<i>nitrofurantoin monohyd/m-cryst</i>		
.....	12	
<i>nitroglycerin</i>	90, 91, 188	
<i>niva-plus</i>	200	
NIVESTYM.....	77	
<i>nizatidine</i>	161	
NORDITROPIN FLEXPOR 171		
<i>norelgestromin-ethin.estradiol</i>		
.....	102	
<i>norethindrone (contraceptive)</i>		
.....	102	
<i>norethindrone acetate</i>	172	
<i>norethindrone ac-eth estradiol</i>		
.....	102, 168	
<i>norethindrone-e.estradiol-iron</i>		
.....	102	
<i>norgestimate-ethinyl estradiol</i>		
.....	102	
<i>norlyda</i>	103	
<i>nortrel 1/35 (21)</i>	103	
<i>nortrel 1/35 (28)</i>	103	
<i>nortrel 7/7/7 (28)</i>	103	
<i>nortriptyline</i>	45	
NORVIR	71	
NOVOFINE 30	135	
NOVOFINE 32	135	
NOVOFINE PLUS	135	
NOVOLIN 70/30 U-100		
INSULIN.....	50	
NOVOLIN 70-30 FLEXPEN U-		
100.....	50	
NOVOLIN N FLEXPEN	50	
NOVOLIN N NPH U-100		
INSULIN.....	50	
NOVOLIN R FLEXPEN	50	
NOVOLIN R REGULAR U100		
INSULIN.....	50	
NOVOTWIST.....	136	
NOXAFIL	53	
NUBEQA.....	30	
NUCALA.....	196	
NULOJIX.....	176	
NUPLAZID.....	65	
NURTEC ODT	56	
nyamyc	53	

<i>nylia 1/35 (28)</i>	103	OMNIPOD 5		<i>oxcarbazepine</i>	40
<i>nylia 7/7/7 (28)</i>	103	INTRO(G6/LIBRE2PLUS)		<i>oxybutynin chloride</i>	165
<i>nymyo</i>	103		136	<i>oxycodone</i>	5
<i>nystatin</i>	53	OMNIPOD CLASSIC PDM		<i>oxycodone-acetaminophen</i>	5
<i>nystatin-triamcinolone</i>	53	KIT(GEN 3).....	136	<i>oxymorphone</i>	5, 6
<i>nystop</i>	54	OMNIPOD CLASSIC PODS		OZEMPIC.....	48
NYVEPRIA.....	77	(GEN 3).....	136	P	
O		OMNIPOD DASH INTRO KIT		<i>pacerone</i>	82
<i>obstetrix dha</i>	200	(GEN 4).....	136	<i>paclitaxel</i>	31
<i>obstetrix dha prenatal duo</i> ...	200	OMNIPOD DASH PDM KIT		<i>paclitaxel protein-bound</i>	31
<i>o-cal prenatal</i>	200	(GEN 4).....	136	<i>paliperidone</i>	65
OCALIVA.....	163	OMNIPOD DASH PODS (GEN		PALYNZIQ.....	156
OCREVUS.....	95	4).....	136	PANRETIN.....	107
OCREVUS ZUNOVO.....	95	ONAPGO.....	60	<i>pantoprazole</i>	162
<i>octreotide acetate</i>	171	<i>ondansetron</i>	58	<i>paricalcitol</i>	186
ODEFSEY.....	71	<i>ondansetron hcl</i>	58	<i>paromomycin</i>	59
ODOMZO.....	30	ONGENTYS.....	60	<i>paroxetine hcl</i>	45
OFEV.....	196	ONTRUZANT.....	30	PAXLOVID.....	73
<i>ofloxacin</i>	159	ONUREG.....	30	<i>pazopanib</i>	31
OGIVRI.....	30	OPDIVO.....	30	PEDIARIX (PF).....	182
OGSIVEO.....	30	OPDIVO QVANTIG.....	30	PEDVAX HIB (PF).....	182
OJEMDA.....	30	OPDUALAG.....	30	<i>peg 3350-electrolytes</i>	164
OJJAARA.....	30	OPIPZA.....	65	PEGASYS.....	74
<i>olanzapine</i>	65	OPSUMIT.....	198	<i>peg-electrolyte soln</i>	164
<i>olmesartan</i>	80	ORENCIA.....	176	PEMAZYRE.....	31
<i>olmesartan-amlodipin-hcthiamid</i>		ORENCIA (WITH MALTOSE)		<i>pemetrexed disodium</i>	31
.....	80		176	PEMRYDI RTU.....	31
<i>olmesartan-hydrochlorothiazide</i>		ORENCIA CLICKJECT	176	PEN NEEDLE.....	136, 137
.....	80	ORFADIN.....	156	PEN NEEDLE, DIABETIC 119,	
<i>olopatadine</i>	157	ORGOVYX.....	171	129, 134, 136, 139	
<i>omega-3 acid ethyl esters</i>	89	ORILISSA.....	171	PEN NEEDLE, DIABETIC,	
<i>omeprazole</i>	161	ORKAMBI.....	196	SAFETY.....	139
<i>omeprazole-sodium bicarbonate</i>		<i>orquidea</i>	103	PENBRAYA (PF).....	182
.....	162	ORSERDU.....	30	PENBRAYA MENACWY	
OMNIPOD 5 (G6/LIBRE 2		<i>oseltamivir</i>	73	COMPONENT(PF).....	182
PLUS).....	136	OSENVELT.....	186	PENBRAYA MENB	
OMNIPOD 5 G6-G7 INTRO		OSMOLEX ER.....	60	COMPONENT (PF).....	182
KT(GEN5).....	136	OTEZLA.....	176	<i>penciclovir</i>	107
OMNIPOD 5 G6-G7 PODS		OTEZLA STARTER.....	177	<i>penicillamine</i>	166
(GEN 5).....	136	<i>oxaliplatin</i>	30, 31	<i>penicillin g potassium</i>	16
		<i>oxandrolone</i>	166	<i>penicillin g procaine</i>	16
		<i>oxazepam</i>	10	<i>penicillin v potassium</i>	17

PENMENVY MEN A-B-C-W-Y (PF).....	182	<i>pnv-dha + docusate</i>	200	<i>prenatal vitamin plus low iron</i>	201
PENMENVY MENACWY COMPONENT(PF).....	182	<i>pny-omega</i>	200	<i>prenatal-u</i>	201
PENMENVY MENB COMPONENT (PF).....	182	<i>podofilox</i>	107	<i>preplus</i>	201
PENTACEL (PF)	182	<i>polycin</i>	159	<i>pretab</i>	201
<i>pentamidine</i>	59	<i>polymyxin b sulfate</i>	12	<i>prevalite</i>	89
PENTIPS PEN NEEDLE	137	<i>polymyxin b sulf-trimethoprim</i>	159	PREVENT DROPSAFE PEN NEEDLE	137
<i>pentoxifylline</i>	78	POMALYST.....	31	<i>previfem</i>	103
<i>perampanel</i>	40	<i>portia 28</i>	103	PREVYMIS	73
<i>perindopril erbumine</i>	81	<i>posaconazole</i>	54	PREZCOBIX	71
<i>periogard</i>	106	<i>potassium chloride</i>	191, 192	PREZISTA	71
<i>permethrin</i>	111	<i>potassium chloride-0.45 % nacl</i>	192	PRIFTIN	57
<i>perphenazine</i>	66	<i>potassium citrate</i>	192	PRIMAQUINE	59
<i>perphenazine-amitriptyline</i>	45	<i>pr natal 400</i>	200	<i>primidone</i>	41
PERSERIS.....	66	<i>pr natal 400 ec</i>	200	PRIORIX (PF)	183
<i>phenelzine</i>	45	<i>pr natal 430</i>	200	PRO COMFORT ALCOHOL PADS	138
<i>phenobarbital</i>	40	<i>pr natal 430 ec</i>	200	PRO COMFORT INSULIN SYRINGE	137, 138
PHENYTEK.....	40	<i>pramipexole</i>	61	PRO COMFORT PEN NEEDLE	138
<i>phenytoin</i>	40	<i>prasugrel hcl</i>	78	PROAIR RESPICLICK.....	194
<i>phenytoin sodium</i>	40	<i>pravastatin</i>	89	<i>probenecid</i>	54
<i>phenytoin sodium extended</i>	40	<i>praziquantel</i>	59	<i>probenecid-colchicine</i>	54
<i>philith</i>	103	<i>prazosin</i>	80	PROCALAMINE 3%	79
PIFELTRO	71	<i>prednisolone</i>	169	<i>prochlorperazine</i>	58
<i>pilocarpine hcl</i>	106, 190	<i>prednisolone acetate</i>	160	<i>prochlorperazine edisylate</i>	58, 66
<i>pimecrolimus</i>	111	<i>prednisolone sodium phosphate</i>	161, 169	<i>prochlorperazine maleate</i>	58
<i>pimozide</i>	66	<i>prednisone</i>	169	<i>procto-med hc</i>	111
<i>pimtree (28)</i>	103	<i>pregabalin</i>	40, 41	<i>proctosol hc</i>	111
<i>pindolol</i>	83	PREHEVBRIO (PF).....	183	<i>proctozone-hc</i>	111
<i>pioglitazone</i>	48	PREMARIN.....	168	PRODIGY INSULIN SYRINGE	138
<i>pioglitazone-metformin</i>	48	PREMPHASE.....	168	<i>progesterone micronized</i>	172
PIP PEN NEEDLE	137	PREMPRO	168	PROGRAF	177
<i>piperacillin-tazobactam</i>	17	<i>prenal true</i>	200	PROLIA	186
PIQRAY	31	<i>prenaissance</i>	200	<i>promethazine</i>	55, 58
<i>pirfenidone</i>	196	<i>prenaissance plus</i>	200	<i>promethegan</i>	58
<i>pirmella</i>	103	<i>prenatabs fa</i>	200	<i>propafenone</i>	82
<i>piroxicam</i>	7	<i>prenatal 19</i>	200	<i>propranolol</i>	83
<i>pitavastatin calcium</i>	89	<i>prenatal 19 (with docusate)</i> .	200		
PLASMA-LYTE A	191	<i>prenatal low iron</i>	200		
PLEGRIDY	95	<i>prenatal plus</i>	200		
<i>pny 29-1</i>	200	<i>prenatal plus (calcium carb)</i> 200			

<i>propylthiouracil</i>	172
PROQUAD (PF)	183
PROSOL 20 %	79
<i>protriptyline</i>	45
PULMOZYME.....	156
PURE COMFORT ALCOHOL PADS.....	138
PURE COMFORT PEN NEEDLE	138
PURE COMFORT SAFETY PEN NEEDLE.....	138
<i>pyrazinamide</i>	57
<i>pyridostigmine bromide</i>	188
<i>pyrimethamine</i>	59
Q	
QINLOCK.....	31
QUADRACEL (PF)	183
<i>quetiapine</i>	66
<i>quinapril</i>	82
<i>quinapril-hydrochlorothiazide</i>	82
<i>quinidine gluconate</i>	82
<i>quinidine sulfate</i>	82
<i>quinine sulfate</i>	59
QULIPTA.....	56
R	
RABAVERT (PF)	183
<i>rabeprazole</i>	162
RALDESY	45
<i>raloxifene</i>	168
<i>ramipril</i>	82
<i>ranolazine</i>	86
<i>rasagiline</i>	61
RASUVO (PF)	177
RAVICTI.....	163
RAYALDEE	186
<i>reclipsen (28)</i>	103
RECOMBIVAX HB (PF)	183
REGRANEX	107
RELENZA DISKHALER	73
RELISTOR.....	163
RENFLEXIS	177
<i>repaglinide</i>	48

REPATHA PUSHTRONEX .	89
REPATHA SURECLICK.....	90
REPATHA SYRINGE	90
RETACRIT.....	77
RETEVMO.....	31
RETROVIR	71
REVCovi	156
REVUFORJ	31, 32
REXULTI	66
REYATAZ.....	71
REZLIDHIA.....	32
REZUROCK.....	177
RHOPRESSA	190
RIABNI	32
<i>ribavirin</i>	74
RIDAURA.....	177
<i>rifabutin</i>	57
<i>rifampin</i>	57
<i>rilpivirine</i>	71
<i>riluzole</i>	95
<i>rimantadine</i>	73
RINVOQ.....	177
RINVOQ LQ	177
<i>risedronate</i>	186, 187
<i>risperidone</i>	66
<i>risperidone microspheres</i>	66
<i>ritonavir</i>	71
RITUXAN HYCELA	32
<i>rivaroxaban</i>	75
<i>rivastigmine</i>	43
<i>rivastigmine tartrate</i>	43
RIVFLOZA	188
<i>rizatriptan</i>	56
<i>r-natal ob</i>	201
ROCKLATAN.....	190
<i>roflumilast</i>	196
ROLVEDON	77
ROMVIMZA.....	32
<i>ropinirole</i>	61
<i>rosadan</i>	108
<i>rosuvastatin</i>	90
<i>rosyrah</i>	103

ROTARIX.....	183
ROTATEQ VACCINE	183
ROZLYTREK.....	32
RUBRACA	32
<i>rufinamide</i>	41
RUKOBIA	71
RUXIENCE	32
RYBELSUS	48
RYBREVANT	32
RYDAPT.....	32
RYKINDO	66
RYTELO.....	32
S	
<i>sacubitril-valsartan</i>	80
SAFESNAP INSULIN SYRINGE	139
SAFETY PEN NEEDLE	139
<i>sajazir</i>	86
SANTYL.....	107
<i>sapropterin</i>	156
SAVELLA	95
SCSEMBLIX	32
<i>scopolamine base</i>	58
SECUADO.....	67
SECURESAFE INSULIN SYRINGE	140
SECURESAFE PEN NEEDLE	140
SELARSDI	177
<i>select-ob</i>	201
<i>select-ob (folic acid)</i>	201
<i>selegiline hcl</i>	61
<i>selenium sulfide</i>	108
SELZENTRY.....	71
SEMGLEE(INSULIN GLARGINE-YFGN).....	50
SEMGLEE(INSULIN GLARG- YFGN)PEN.....	51
<i>se-natal 19 chewable</i>	201
SEREVENT DISKUS.....	194
SEROSTIM.....	171
<i>sertraline</i>	45

<i>setlakin</i>	103	<i>spironolactone</i>	87, 90	SURE COMFORT PEN	
<i>sevelamer carbonate</i>	164	<i>spironolacton-hydrochlorothiaz</i>		NEEDLE	141
<i>sevelamer hcl</i>	164		87	SURE COMFORT SAFETY	
SEZABY	41	SPRAVATO	46	PEN NEEDLE	140
<i>sf 5000 plus</i>	106	<i>sprintec (28)</i>	104	SURE-FINE PEN NEEDLES	
<i>sharobel</i>	103	SPRITAM.....	41		141
SHINGRIX (PF).....	183	<i>sps (with sorbitol)</i>	163	SURE-JECT INSULIN	
SIGNIFOR	171	<i>sronyx</i>	104	SYRINGE	141, 142
<i>sildenafil</i>	198	<i>ssd</i>	108	SURE-PREP ALCOHOL PREP	
<i>sildenafil (pulm.hypertension)</i>		<i>stavudine</i>	71	PADS	142
.....	198	STELARA	178	SUTAB	164
<i>silver sulfadiazine</i>	108	STERILE PADS	140	<i>syeda</i>	104
SIMBRINZA.....	190	STIMUFEND	77	SYMDEKO.....	196
<i>simliya (28)</i>	103	STIOLTO RESPIMAT	195	SYMJEPI	86
<i>simpesse</i>	104	STIVARGA	33	SYMLINPEN 120.....	48
SIMPLI PEN NEEDLE.....	128	STOBOCLO	187	SYMLINPEN 60.....	48
<i>simvastatin</i>	90	STRENSIQ	156	SYMPAZAN.....	41
<i>sirolimus</i>	177	<i>streptomycin</i>	11	SYMTUZA	72
SIRTURO.....	57	STRIBILD	71	SYNAREL	171
SKY SAFETY PEN NEEDLE		STRIVERDI RESPIMAT....	195	SYNERCID.....	12
.....	140	<i>subvenite</i>	41	SYNJARDY.....	48
SKYLA.....	104	<i>sucralfate</i>	162	SYNJARDY XR	48
SKYRIZI	177, 178	<i>sulfacetamide sodium</i>	159	SYNRIBO	33
SLYND.....	104	<i>sulfacetamide sodium (acne)</i>	108	SYRINGE WITH NEEDLE,	
<i>sodium chloride 0.45 %</i>	192	<i>sulfacetamide-prednisolone</i> .	159	SAFETY	139
<i>sodium chloride 0.9 %</i>	192	<i>sulfadiazine</i>	17	T	
<i>sodium fluoride-pot nitrate</i> ...	106	<i>sulfamethoxazole-trimethoprim</i>		TABLOID	33
<i>sodium oxybate</i>	198		17	TABRECTA	33
<i>sodium phenylbutyrate</i>	163	<i>sulfasalazine</i>	185, 186	<i>tacrolimus</i>	111, 178
<i>sodium polystyrene sulfonate</i>	163	<i>sulindac</i>	7	<i>tadalafil</i>	198
<i>sodium,potassium,mag sulfates</i>		<i>sumatriptan</i>	56	TAFINLAR.....	33
.....	164	<i>sumatriptan succinate</i>	56	<i>tafluprost (pf)</i>	190
<i>solifenacin</i>	165	<i>sumatriptan-naproxen</i>	56	TAGRISSO	33
SOLQUA 100/33	51	<i>sunitinib malate</i>	33	TAKHZYRO.....	188, 189
SOLTAMOX.....	32	SUNLENCA.....	72	TALVEY.....	33
SOMATULINE DEPOT	171	SURE COMFORT ALCOHOL		TALZENNA	33
SOMAVERT	171	PREP PADS	141	<i>tamoxifen</i>	33
<i>sorafenib</i>	32	SURE COMFORT INS. SYR.		<i>tamsulosin</i>	165
<i>sorine</i>	84	U-100	140	<i>tarina 24 fe</i>	104
<i>sotalol</i>	84	SURE COMFORT INSULIN		<i>tarina fe 1-20 eq (28)</i>	104
<i>sotalol af</i>	84	SYRINGE.....	140, 141	<i>taron-c dha</i>	201
SPIRIVA RESPIMAT.....	194			<i>taron-prex prenatal-dha</i>	201

TASIGNA	33	<i>testosterone enanthate</i>	166	<i>torpenz</i>	34
<i>tasimelteon</i>	198	TETANUS,DIPHThERIA TOX		<i>torsemide</i>	87
TAVALISSE	77	PED(PF).....	184	TOUJEO MAX U-300	
TAVNEOS	178	<i>tetrabenazine</i>	95	SOLOSTAR.....	51
<i>taysofy</i>	104	<i>tetracycline</i>	18	TOUJEO SOLOSTAR U-300	
<i>tazarotene</i>	111	TEVIMBRA	33	INSULIN.....	51
<i>tazicef</i>	14	THALOMID	189	TRADJENTA	48
<i>taztia xt</i>	84	<i>theophylline</i>	195	<i>tramadol</i>	6
TAZVERIK.....	33	THINPRO INSULIN SYRINGE		<i>tramadol-acetaminophen</i>	6
TDVAX.....	183		143, 144	<i>trandolapril</i>	82
TECENTRIQ.....	33	<i>thioridazine</i>	67	<i>trandolapril-verapamil</i>	82
TECENTRIQ HYBREZA.....	33	<i>thiothixene</i>	67	<i>tranexamic acid</i>	77
TECHLITE INSULIN		<i>tiadylt er</i>	85	<i>tranylcypromine</i>	46
SYRINGE.....	142	<i>tiagabine</i>	41	TRAVASOL 10 %.....	79
TECHLITE INSULN		TIBSOVO.....	34	<i>travoprost</i>	190
SYR(HALF UNIT)	142	<i>ticagrelor</i>	78	TRAZIMERA	34
TECHLITE PEN NEEDLE.....	142,	TICE BCG	34	<i>trazodone</i>	46
143		TICOVAC	184	TRECATOR	57
TECHLITE PLUS PEN		<i>tigecycline</i>	18	TRELEGY ELLIPTA	195
NEEDLE	143	<i>tilia fe</i>	104	TRELSTAR	34
TECVAYLI.....	33	<i>timolol</i>	190	TREMFYA	178
TEFLARO.....	14	<i>timolol maleate</i>	84, 190	TREMFYA PEN.....	178
<i>telmisartan</i>	80	<i>tinidazole</i>	59	TREMFYA PEN INDUCTION	
<i>telmisartan-amlodipine</i>	80	<i>tiopronin</i>	165	PK-CROHN	178
<i>telmisartan-hydrochlorothiazid</i>		<i>tiotropium bromide</i>	195	<i>treprostinil sodium</i>	198
.....	81	TIVDAK.....	34	TRESIBA FLEXTOUCH U-100	
<i>temazepam</i>	10	TIVICAY.....	72		51
TEMIXYS	72	TIVICAY PD.....	72	TRESIBA FLEXTOUCH U-200	
<i>tencon</i>	6	<i>tizanidine</i>	197		51
TENIVAC (PF)	184	TOBI PODHALER	11	TRESIBA U-100 INSULIN... 51	
<i>tenofovir disoproxil fumarate</i>	72	<i>tobramycin</i>	11, 159	<i>tretinoin</i>	111
TEPMETKO.....	33	<i>tobramycin in 0.225 % nacl</i> ... 11		<i>tretinoin (antineoplastic)</i>	34
<i>terazosin</i>	165	<i>tobramycin sulfate</i>	11	<i>tri femynor</i>	104
<i>terbinafine hcl</i>	54	<i>tobramycin-dexamethasone</i> . 159		<i>triamcinolone acetonide</i> 106,	
<i>terbutaline</i>	195	<i>tolterodine</i>	165	111, 169	
<i>terconazole</i>	55	<i>tolvaptan (polycys kidney dis)</i> 87		<i>triamterene-hydrochlorothiazid</i>	
<i>teriflunomide</i>	95	TOPCARE CLICKFINE	144		88
<i>teriparatide</i>	187	TOPCARE ULTRA		<i>triazolam</i>	11
TERUMO INSULIN SYRINGE		COMFORT.....	144	<i>trientine</i>	166
.....	143	<i>topiramate</i>	41	<i>tri-estarylla</i>	104
<i>testosterone</i>	166, 167	<i>toposar</i>	34	<i>trifluoperazine</i>	67
<i>testosterone cypionate</i>	166	<i>toremifene</i>	34	<i>trifluridine</i>	159

<i>trihexyphenidyl</i>	61	TRULICITY	49	ULTRA FLO PEN NEEDLE	
TRIJARDY XR.....	48	TRUMENBA.....	184		149, 150
TRIKAFTA	196, 197	TRUQAP	34	ULTRA THIN PEN NEEDLE	
<i>tri-legest fe</i>	104	TRUXIMA.....	34		150
<i>tri-linyah</i>	104	TUKYSA	34	ULTRACARE INSULIN	
<i>tri-lo-estarylla</i>	104	TURALIO.....	34	SYRINGE	150
<i>tri-lo-marzia</i>	104	<i>turgoz (28)</i>	105	ULTRACARE PEN NEEDLE	
<i>tri-lo-mili</i>	104	TWINRIX (PF).....	184		151
<i>tri-lo-sprintec</i>	104	TYBOST.....	189	ULTRA-FINE INS SYR (HALF	
<i>trimethoprim</i>	12	TYENNE	179	UNIT).....	151
<i>tri-mili</i>	104	TYENNE AUTOINJECTOR		ULTRA-FINE INSULIN	
<i>trimipramine</i>	46		178	SYRINGE	151, 152
TRINTELLIX.....	46	TYMLOS.....	187	ULTRA-FINE PEN NEEDLE	
<i>tri-nymyo</i>	105	TYPHIM VI.....	184		151
<i>tri-previfem (28)</i>	105	TYVASO	198	ULTRA-THIN II (SHORT) INS	
<i>tri-sprintec (28)</i>	105	U		SYR.....	152
TRIUMEQ.....	72	UBRELVY	56	ULTRA-THIN II (SHORT)	
TRIUMEQ PD.....	72	ULTICARE	147, 148	PEN NDL.....	152
<i>triveen-duo dha</i>	201	ULTICARE INSULIN		ULTRA-THIN II INS PEN	
<i>trivora (28)</i>	105	SYRINGE.....	147	NEEDLES.....	152
<i>tri-vylibra</i>	105	ULTICARE INSULN		ULTRA-THIN II INSULIN	
<i>tri-vylibra lo</i>	105	SYR(HALF UNIT).....	146	SYRINGE	152
TRIZIVIR.....	72	ULTICARE PEN NEEDLE	147	UNIFINE OTC PEN NEEDLE	
TROGARZO	72	ULTICARE SAFETY PEN			152
TROPHAMINE 10 %	79	NEEDLE.....	147	UNIFINE PEN NEEDLE	152
<i>trosipium</i>	165	ULTIGUARD SAFEPACK-		UNIFINE PENTIPS....	136, 152,
TRUE COMFORT ALCOHOL		INSULIN SYR	148	153	
PADS.....	144	ULTIGUARD SAFEPACK-		UNIFINE PENTIPS	
TRUE COMFORT INSULIN		PEN NEEDLE	148	MAXFLOW	153
SYRINGE.....	144	ULTILET ALCOHOL SWAB		UNIFINE PENTIPS PLUS..	153
TRUE COMFORT PEN			148	UNIFINE PENTIPS PLUS	
NEEDLE	145	ULTILET INSULIN SYRINGE		MAXFLOW	153
TRUE COMFORT PRO			130, 131, 149	UNIFINE PROTECT.....	153
ALCOHOL PADS.....	145	ULTILET PEN NEEDLE....	149	UNIFINE SAFECONTROL	
TRUE COMFORT PRO INS		ULTRA CMFT INS SYR		PEN NEEDLE	153, 154
SYRINGE.....	144, 145	(HALF UNIT).....	128, 140	UNIFINE ULTRA PEN	
TRUE COMFORT SAFE		ULTRA COMFORT INSULIN		NEEDLE	154
INSULIN SYRG	144, 145	SYRINGE 123, 128, 129, 149		UPTRAVI	198, 199
TRUE COMFORT SAFETY		ULTRA FLO INSUL		<i>ursodiol</i>	163
PEN NEEDLE.....	144	SYR(HALF UNIT).....	149	UZEDY	67
TRUEPLUS INSULIN.....	146	ULTRA FLO INSULIN		V	
TRUEPLUS PEN NEEDLE.	146	SYRINGE.....	150	<i>valacyclovir</i>	74

VALCHLOR.....	107	vestura (28).....	105	VYLOY.....	35
valganciclovir.....	74	V-GO 20.....	155	VYZULTA.....	190
valproate sodium.....	41	V-GO 30.....	155	W	
valproic acid.....	41	V-GO 40.....	155	warfarin.....	75
valproic acid (as sodium salt).....	41	vienna.....	105	WEBCOL.....	155
valsartan.....	81	vigabatrin.....	41, 42	WELIREG.....	35
valsartan-hydrochlorothiazide.....	81	vigadrone.....	42	WINREVAIR.....	197
VALTOCO.....	41	vigpoder.....	42	wixela inhub.....	193
valtya.....	105	vilazodone.....	46	X	
vancomycin.....	12	VIMKUNYA.....	185	XALKORI.....	35, 36
VANFLYTA.....	34	vinblastine.....	35	xarah fe.....	105
VANISHPOINT INSULIN		vincasar pfs.....	35	XARELTO.....	76
SYRINGE.....	154	vincristine.....	35	XARELTO DVT-PE TREAT	
VANISHPOINT SYRINGE.....	154	vinorelbine.....	35	30D START.....	75
VAQTA (PF).....	184	violele (28).....	105	XATMEP.....	36
varenicline tartrate.....	9	VIRACEPT.....	72	XCOPRI.....	42
VARIVAX (PF).....	184	VIREAD.....	72	XCOPRI MAINTENANCE	
VAXCHORA VACCINE	184	virt-c dha.....	201	PACK.....	42
VEGZELMA.....	34	virt-nate dha.....	201	XCOPRI TITRATION PACK	
velivet triphasic regimen (28).....	105	virt-pn dha.....	201		42
VELTASSA.....	164	virt-pn plus.....	201	XDEMVEY.....	159
VEMLIDY.....	72	vitafol gummies.....	201	XELJANZ.....	179
VENCLEXTA.....	34, 35	vitafol nano.....	201	XELJANZ XR.....	179
VENCLEXTA STARTING		vitafol-ob+dha.....	201	XERMELO.....	164
PACK.....	35	VITRAKVI.....	35	XGEVA.....	187
venlafaxine.....	46	VIVIMUSTA.....	35	XIFAXAN.....	12
venlafaxine besylate.....	46	VIVOTIF.....	185	XIGDUO XR.....	49
VEOZAH.....	189	VIZIMPRO.....	35	XIIDRA.....	161
verapamil.....	85	VOCABRIA.....	72	XOLAIR.....	197
VERIFINE INSULIN		volnea (28).....	105	XOSPATA.....	36
SYRINGE.....	154, 155	VONJO.....	35	XPOVIO.....	36
VERIFINE PEN NEEDLE...	154	VORANIGO.....	35	XTANDI.....	36
VERIFINE PLUS PEN		voriconazole.....	54	xulane.....	105
NEEDLE.....	154, 155	VOSEVI.....	74	XULTOPHY 100/3.6.....	51
VERIFINE PLUS PEN		VOWST.....	189	XYOSTED.....	167
NEEDLE-SHARP.....	155	vp-ch-pnv.....	201	Y	
VERQUVO.....	86	vp-pnv-dha.....	201	yargesa.....	156
VERSACLOZ.....	67	VRAYLAR.....	67	YERVOY.....	36
VERSALON.....	155	VUMERITY.....	96	YESINTEK.....	179
VERZENIO.....	35	VYALEV.....	61	YF-VAX (PF).....	185
		vyfemla (28).....	105	YONSA.....	36
		vylibra.....	105	YUFLYMA(CF).....	179

YUFLYMA(CF) AI CROHN'S- UC-HS.....	179	ZEJULA.....	36	<i>zonisamide</i>	42
YUFLYMA(CF) AUTOINJECTOR.....	179	ZELBORAF.....	36	<i>zovia 1/35e (28)</i>	105
<i>yuvafem</i>	168	<i>zenatane</i>	107	<i>zovia 1-35 (28)</i>	106
Z		ZENPEP.....	156	ZTALMY.....	42
<i>zafemy</i>	105	<i>zidovudine</i>	72	ZTLIDO.....	8
<i>zafirlukast</i>	193	ZIIHERA.....	36	<i>zumandimine (28)</i>	106
<i>zaleplon</i>	198	<i>zingiber</i>	202	ZURZUVAE.....	46
ZARXIO.....	77	<i>ziprasidone hcl</i>	67	ZYDELIG.....	37
<i>zatean-pn dha</i>	201	<i>ziprasidone mesylate</i>	68	ZYKADIA.....	37
<i>zatean-pn plus</i>	201	ZIRABEV.....	36	ZYLET.....	159
<i>zebutal</i>	6	ZIRGAN.....	159	ZYMFENTRA.....	189
ZEGALOGUE		ZOLADEX.....	37	ZYNLONTA.....	37
AUTOINJECTOR.....	189	ZOLINZA.....	37	ZYNYZ.....	37
ZEGALOGUE SYRINGE ...	189	<i>zolmitriptan</i>	56	ZYPREXA RELPREVV	68
		<i>zolpidem</i>	198		
		ZONISADE.....	42		

反歧視與無障礙規定

歧視是違反法律的行為。

Clever Care Health Plan Inc. (以下簡稱 福全健保/Clever Care) 遵循適用的聯邦民權法，不會基於種族、膚色、原國籍、年齡、殘疾或性別 (包括懷孕、性取向和性別認同) 而歧視。福全健保不會因種族、膚色、原國籍、年齡、殘疾或性別 (包括懷孕、性取向和性別認同) 而排斥或區別對待他人。

福全健保/Clever Care：

- 為殘障人士提供免費援助和服務，讓其可以有效地與我們溝通，例如：
 - 合格手語翻譯員
 - 其他格式的書面資訊(大字版、語音版、無障礙電子格式、其他格式)
- 為母語為非英語的人士提供免費語言服務，例如：
 - 合格的口譯員
 - 其他語言版本的書面資訊

如果您需要上述服務，請致電 (833) 808-8153 (國語) | (833) 808-8161 (粵語) (TTY: 711)。

如果您認為福全健保未能提供這些服務或基於種族、膚色、原國籍、年齡、殘疾或性別 (包括懷孕、性取向和性別認同) 以其他方式歧視，您可以遞交投訴到：

Clever Care Health Plan
Attn: Civil Rights Coordinator
7711 Center Ave
Suite 100
Huntington Beach CA 92647

電子郵件：civilrightscoordinator@ccmapd.com
傳真：(657) 276-4721

您可以通過郵件、傳真或電子郵件提出申訴。如果您需要幫助提出申訴時，我們福全健保的民權權利協調員可以為您提供幫助。

您也可以向美國衛生與公眾服務部的民權辦事處提出民權投訴，請透過民權辦事處的投訴入口網站 <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf> 在線上提出投訴或者透過郵件或電話提出投訴：U.S. Department of Health and Human Services, 200 Independence Avenue SW., Room 509F, HHH Building, Washington, D.C. 20201, 1-800-368-1019, 800-537-7697 (TTY)。
您可在 <http://www.hhs.gov/ocr/office/file/index.html> 找到投訴表。

Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at (833) 388-8168 (TTY:711). Someone who speaks English can help you. This is a free service. **Español (Spanish):** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al (833) 388-8168 (TTY:711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito. **Chinese Mandarin:** 我们提供免费的翻译服务,帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务,请致电 (833) 808-8153 (TTY:711) (普通话)。我们的中文工作人员很乐意帮助您。这是一项免费服务。 **Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問,為此我們提供免費的翻譯服務。如需翻譯服務,請致電 (833) 808-8161 (TTY:711) (粵語)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。 **Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa (833) 388-8168 (TTY:711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo. **French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au (833) 388-8168 (TTY:711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit. **Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi của quý vị về chương trình bảo hiểm sức khỏe và chương trình bảo hiểm thuốc. Nếu quý vị cần thông dịch viên, xin vui lòng gọi số (833) 808-8163 (TTY: 711). Nhân viên nói tiếng Việt của chúng tôi có thể giúp đỡ quý vị. Đây là dịch vụ miễn phí. **German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter (833) 388-8168 (TTY:711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos. **Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 (833) 808-8164 (TTY:711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다. **Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону (833) 388-8168 (TTY:711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная. **Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं. एक दुभाषिया प्राप्त करने के लिए, बस हमें (833) 388-8168 (TTY:711) पर फोन करें. कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है. यह एक मुफ्त सेवा है. **Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero (833) 388-8168 (TTY:711). Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito. **Português:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número (833) 388-8168 (TTY:711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito. **French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan (833) 388-8168 (TTY:711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis. **Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer (833) 388-8168 (TTY:711). Ta usługa jest bezpłatna. **Japanese:** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするため に、無料の通訳サービスがあります。通訳をご用命になるには、(833) 388-8168 (TTY:711) にお電話ください。日本語を話す人 者が支援いたします。これは無料のサービスです。 **Khmer:** យើងមានសេវាអ្នកបកប្រែដោយឥតគិតថ្លៃដើម្បីឆ្លើយសំណួរទាំងឡាយណាដែលអ្នកមានស្តីអំពីគម្រោងសុខភាព ឬឱសថរបស់យើង។ ដើម្បីទទួលបានអ្នកបកប្រែ សូមទូរស័ព្ទមកយើងតាមរយៈលេខ (833) 388-8168 (TTY:711) ។ អ្នកនិយាយភាសាខ្មែរណាម្នាក់អាចជួយអ្នកបាន។ នេះគឺជាសេវាឥតគិតថ្លៃ។ **Thai:** เรามีบริการล่ามฟรีเพื่อตอบคำถามที่คุณอาจมีเกี่ยวกับสุขภาพหรือยาของเรา หากคุณต้องการล่ามแปลภาษาไทย เพียงโทรหาเราที่ (833) 388-8168 (TTY:711) บุคคลที่พูดภาษาอังกฤษจะสามารถช่วยคุณได้ นี่คือการบริการฟรี

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على (833) 388-8168 (TTY:711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

此處方集更新於 2025 年 10 月 01 日。如需更多最新資訊或有其他疑問，請致電福全健保客戶服務部，電話：1-833-808-8153(國語)或者1-833-808-8161(粵語) (TTY：711)，10 月 1 日至 3 月 31 日服務時間為每週七天，上午 8 時至晚上 8 時；4 月 1 日至 9 月 30 日服務時間為週一至週五，上午 8 時至晚上 8 時，或造訪zh.clevercarehealthplan.com/formulary。